

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

#### Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

#### **About Google Book Search**

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/

Mars. Doc. 12, 25, 120




Parbard College Library

FROM

Boston Water Commissioner.

23 Sept., 1896.



Way Carried

ŧ . .

•

# FIRST ANNUAL REPORT

OF THE

# WATER COMMISSIONER,

FOR THE

YEAR ENDING JANUARY 31, 1896.

Printed for the Bepartment.



BOSTON: —

ROCKWELL AND CHURCHILL, CITY PRINTERS.

1896.

Mars. Doc. 12.25,120 CI 20

> 0 CLP **23** 1896

The Commissioner

# Office of the Water Commissioner, City Hall, Boston, February 1, 1896.

### Hon. Josiah Quincy,

Mayor of the City of Boston:

Sir: I submit the annual report of the Water Department for the financial year ending January 31, 1896. As the duties of Water Commissioner were assumed by me February 1, 1896, I am not in a position to make any comments or recommendations.

The receipts and disbursements of the department for the year were as follows:

The total receipts of the Water Works, from all sources, for the year ending January 31, 1896, were as follows, viz.:

Income from sales of wa	ter .			\$2,211,907	76		
Income from shutting off	and le	tting	on				
water, and fees				7,830	49		
Elevator, fire and service	pipes	, sale	of				
old materials, etc				53,231	44		
					—	<b>\$</b> 2,272,969	69

The total expenditures of the Water Works, from revenue, for the year ending January 31, 1896, were as follows, viz.:

Current expenses				<b>\$</b> 626	3,568	37		
Less stock used purchased in	prev	ious y	ears	, 16	3,466	67		
_	_	•					\$610,101	70
Interest on funded debt	•						863,277	51
Sinking-fund requirement,	1894-	-95					205,791	00
Refunded water-rates	•						2,472	85
Extension of mains, etc.				•			251,984	94
Amount paid Chelsea, Som	ervil	le, an	d E	veret	t, un	der		
contracts		. •					163,605	01
Balance to sinking-fund			• 1				109,036	68
Redemption of Mystic Water	r 4%	Loan		•			65,000	00
Transferred to Police Dept	. app	ropria	tion	(on	acco	unt		
of officers at Chestnut Hi	ll dri	veway	y)				1,700	00
							-	

\$2,272,969 69

COST OF CONSTRUCTION, A	ND ( )EBT		DITIC	ON (	ΟF	THE WATE	R
Cost of construction of Water-1895	Work	s to			•	<b>\$25,400,581</b>	03
Cost of construction of Water-1896	Work	s to	Febr	uary	1,	26,856,002	82
Increase during the year .	•	•	•	•	•	\$1,455,421	79
Stock on hand February 1, 1895 Stock on hand February 1, 1896	•		•	:		\$156,982 62,268	
Decrease during the year .			•		•	\$94,713	37
The outstanding Water Loans Fe The outstanding Water Loans Fe							
Increase during the year .	•	•			•	\$500,000	00
The Water Sinking-Fund Februa The Water Sinking-Fund Februa						\$8,444,773 19,099,966	
Increase during the year .	•	•	•		•	<b>\$6</b> 55,192	84
Net Water Debt February 1, 1896 Net Water Debt February 1, 1896		•	•	•		<b>\$</b> 9,316,500 9,161,307	
Decrease during the year .	•	•	•	•		<b>\$</b> 155,192	84
SUMMARY OF COST OF WORKS TO F Cochituate supply:							ſΈ
Lake Cochituate		\$	291,8	38 8	35		
Compensating reservoirs.	•	-	66,8				
Land and water damages .		9	248,8				
Engineering expenses to Ja	anu-		•				
ary 1, 1852	•		40,0	00 (	00		
Cochituate aqueduct .	•	1,0	068,4				
-					_	\$1,715,950	73
Carried forward,	-					<b>\$1,715,950</b>	<b>73</b>

 $<sup>^1</sup>$  Consisting of investments (city of Boston bonds) \$8,911,600.00 and cash to the amount of \$188,366.39.

•		
$Brought\ forward,$		<b>\$1,7</b> 15,950 73
Sudbury supply:		
Reservoir No. 1	. \$257,143 81	
" " 2	. 465,954 11	
3	419,402 72	
" "4	. 813,846 38	
" 5, to date.	. 882,770 55	
" " 6'	. 911,752 33	
Whitehall pond	. 301,293 37	
O. J	33,590 21	
Work about Farm pond .	17,297 94	
Roadway in Framingham	23,947 32	
Land damages, not otherwise		
	. 342,846 38	
	559,190 64	
Water damages		
Temporary connection with		
Lake Cochituate	75,611 73	
Investigations of Shawshine and	1 05 040 50	
Charles rivers, etc	. 27,646 59	
Protection of supplies .	. 298,462 27	
Engineering and engineering ex	-	
penses	. 300,371 22	
Office expenses, travelling, etc.	, 80,594 74	
Miscellaneous	. 35,282 93	
Conduit and connections a	t	
Chestnut-hill reservoir .	. 3,082,661 95	ı
		8,929,667 19
Distributing reservoirs and dis		
Distributing reservoirs and distribution:	-	8,929,667 19
Distributing reservoirs and distribution: Brookline reservoir.	- - \$200,077 21	8,929,667 19
Distributing reservoirs and distribution:  Brookline reservoir.  Beacon-hill " (net cost)	\$200,077 21 . \$63,533 21	8,929,667 19
Distributing reservoirs and distribution: Brookline reservoir. Beacon-hill " (net cost) Chestnut-hill "	\$200,077 21 . \$63,533 21 . 2,277,042 93	8,929,667 19
Distributing reservoirs and distribution: Brookline reservoir Beacon-hill " (net cost) Chestnut-hill " South Boston "	. \$200,077 21 . 363,533 21 . 2,277,042 93 . 90,908 10	8,929,667 19
Distributing reservoirs and distribution: Brookline reservoir Beacon-hill " (net cost) Chestnut-hill " South Boston " East " "	\$200,077 21 \$63,533 21 2,277,042 93 90,908 10 66,103 09	8,929,667 19
Distributing reservoirs and distribution: Brookline reservoir Beacon-hill " (net cost) Chestnut-hill " South Boston " East " " Parker-hill "	\$200,077 21 \$63,533 21 2,277,042 93 90,908 10 66,103 09 205,793 81	8,929,667 19
Distributing reservoirs and distribution: Brookline reservoir Beacon-hill " (net cost) Chestnut-hill " South Boston " East " " Parker-hill "	\$200,077 21 \$63,533 21 2,277,042 93 90,908 10 66,103 09 205,793 81 191,135 35	8,929,667 19
Distributing reservoirs and distribution: Brookline reservoir Beacon-hill " (net cost) Chestnut-hill " South Boston " East " " Parker-hill " Fisher-hill " Roxbury high service .	\$200,077 21 \$63,533 21 2,277,042 93 90,908 10 66,103 09 205,793 81 191,135 35 103,829 53	8,929,667 19
Distributing reservoirs and distribution: Brookline reservoir Beacon-hill " (net cost) Chestnut-hill " South Boston " East " " Parker-hill " Fisher-hill " Roxbury high service Brighton " "	\$200,077 21 \$63,533 21 2,277,042 93 90,908 10 66,103 09 205,793 81 191,135 35 103,829 53 7,745 00	8,929,667 19
Distributing reservoirs and distribution: Brookline reservoir Beacon-hill " (net cost) Chestnut-hill " South Boston " East " " Parker-hill " Fisher-hill " Roxbury high service Brighton " " . East Boston high service .	\$200,077 21 \$63,533 21 2,277,042 93 90,908 10 66,103 09 205,793 81 191,135 35 103,829 53 7,745 00 30,208 12	8,929,667 19
Distributing reservoirs and distribution: Brookline reservoir. Beacon-hill " (net cost) Chestnut-hill ". South Boston ". East " ". Parker-hill ". Fisher-hill ". Roxbury high service Brighton " ". East Boston high service. West Roxbury high service	\$200,077 21 \$63,533 21 2,277,042 93 90,908 10 66,103 09 205,793 81 191,135 35 103,829 53 7,745 00 30,208 12 22,346 56	8,929,667 19
Distributing reservoirs and distribution: Brookline reservoir Beacon-hill " (net cost) Chestnut-hill " South Boston " East " " Parker-hill " Fisher-hill " Roxbury high service . Brighton " " . East Boston high service . West Roxbury high service Chestnut-hill pumping-station	\$200,077 21 \$63,533 21 2,277,042 93 90,908 10 66,103 09 205,793 81 191,135 35 103,829 53 7,745 00 30,208 12 22,346 56 523,420 46	8,929,667 19
Distributing reservoirs and distribution: Brookline reservoir. Beacon-hill " (net cost) Chestnut-hill ". South Boston ". East " ". Parker-hill ". Roxbury high service Brighton " ". East Boston high service. West Roxbury high service Chestnut-hill pumping-station Jamaica-pond aqueduct.	\$200,077 21 \$63,533 21 2,277,042 93 90,908 10 66,103 09 205,793 81 191,135 35 103,829 53 7,745 00 30,208 12 22,346 56 523,420 46 88,417 20	8,929,667 19
Distributing reservoirs and distribution: Brookline reservoir. Beacon-hill " (net cost) Chestnut-hill ". South Boston ". East " ". Parker-hill ". Roxbury high service Brighton " ". East Boston high service. West Roxbury high service Chestnut-hill pumping-station Jamaica-pond aqueduct. Pipe-yards and buildings.	\$200,077 21 \$63,533 21 2,277,042 93 90,908 10 66,103 09 205,793 81 191,135 35 103,829 53 7,745 00 30,208 12 22,346 56 523,420 46 88,417 20 94,832 16	8,929,667 19
Distributing reservoirs and distribution: Brookline reservoir. Beacon-hill " (net cost) Chestnut-hill ". South Boston ". East " ". Parker-hill ". Fisher-hill ". Roxbury high service Brighton " ". East Boston high service. West Roxbury high service Chestnut-hill pumping-station Jamaica-pond aqueduct. Pipe-yards and buildings. Engineering expenses	\$200,077 21 \$63,533 21 2,277,042 93 90,908 10 66,103 09 205,793 81 191,135 35 103,829 53 7,745 00 30,208 12 22,346 56 523,420 46 88,417 20 94,832 16 57,873 58	8,929,667 19
Distributing reservoirs and distribution: Brookline reservoir. Beacon-hill " (net cost) Chestnut-hill ". South Boston ". East " ". Parker-hill ". Roxbury high service Brighton " ". East Boston high service. West Roxbury high service Chestnut-hill pumping-station Jamaica-pond aqueduct.	\$200,077 21 \$63,533 21 2,277,042 93 90,908 10 66,103 09 205,793 81 191,135 35 103,829 53 7,745 00 30,208 12 22,346 56 523,420 46 88,417 20 94,832 16	8,929,667 19
Distributing reservoirs and distribution: Brookline reservoir. Beacon-hill " (net cost) Chestnut-hill ". South Boston ". East " ". Parker-hill ". Fisher-hill ". Roxbury high service Brighton " ". East Boston high service. West Roxbury high service Chestnut-hill pumping-station Jamaica-pond aqueduct. Pipe-yards and buildings. Engineering expenses	\$200,077 21 \$63,533 21 2,277,042 93 90,908 10 66,103 09 205,793 81 191,135 35 103,829 53 7,745 00 30,208 12 22,346 56 523,420 46 88,417 20 94,832 16 57,873 58	8,929,667 19
Distributing reservoirs and distribution: Brookline reservoir. Beacon-hill " (net cost) Chestnut-hill ". South Boston ". East " ". Parker-hill ". Roxbury high service Brighton " ". East Boston high service. West Roxbury high service Chestnut-hill pumping-station Jamaica-pond aqueduct. Pipe-yards and buildings. Engineering expenses. Distribution	\$200,077 21 \$63,533 21 2,277,042 93 90,908 10 66,103 09 205,793 81 191,135 35 103,829 53 7,745 00 30,208 12 22,346 56 523,420 46 88,417 20 94,832 16 57,873 58 10,083,343 30	8,929,667 19
Distributing reservoirs and distribution: Brookline reservoir. Beacon-hill " (net cost) Chestnut-hill ". South Boston ". East " ". Parker-hill ". Roxbury high service Brighton " ". East Boston high service. West Roxbury high service Chestnut-hill pumping-station Jamaica-pond aqueduct. Pipe-yards and buildings. Engineering expenses. Distribution	\$200,077 21 \$63,533 21 2,277,042 93 90,908 10 66,103 09 205,793 81 191,135 35 103,829 53 7,745 00 30,208 12 22,346 56 523,420 46 88,417 20 94,832 16 57,873 58 10,083,343 30	8,929,667 19
Distributing reservoirs and distribution: Brookline reservoir. Beacon-hill " (net cost) Chestnut-hill ". South Boston ". East " ". Parker-hill ". Roxbury high service Brighton " ". East Boston high service. West Roxbury high service Chestnut-hill pumping-station Jamaica-pond aqueduct. Pipe-yards and buildings. Engineering expenses Distribution	\$200,077 21 \$63,533 21 2,277,042 93 90,908 10 66,103 09 205,793 81 191,135 35 103,829 53 7,745 00 30,208 12 22,346 56 523,420 46 88,417 20 94,832 16 57,873 58 10,083,343 30	8,929,667 19 14,406,609 61 \$25,052,227 58
Distributing reservoirs and distribution: Brookline reservoir. Beacon-hill " (net cost) Chestnut-hill ". South Boston ". East " ". Parker-hill ". Roxbury high service Brighton " ". East Boston high service. West Roxbury high service Chestnut-hill pumping-station Jamaica-pond aqueduct. Pipe-yards and buildings. Engineering expenses. Distribution	\$200,077 21 \$63,533 21 2,277,042 93 90,908 10 66,103 09 205,793 81 191,135 35 103,829 53 7,745 00 30,208 12 22,346 56 523,420 46 88,417 20 94,832 16 57,873 58 10,083,343 30	8,929,667 19  14,406,609 61  \$25,052,227 53
Distributing reservoirs and distribution: Brookline reservoir. Beacon-hill " (net cost) Chestnut-hill ". South Boston ". East " ". Parker-hill ". Roxbury high service Brighton " ". East Boston high service Chestnut-hill pumping-station Jamaica-pond aqueduct. Pipe-yards and buildings. Engineering expenses Distribution  Total cost of Sudbury and Credit by amount received for	\$200,077 21 \$63,533 21 2,277,042 93 90,908 10 66,103 09 205,793 81 191,135 35 103,829 53 7,745 00 30,208 12 22,346 56 523,420 46 88,417 20 94,832 16 57,873 58 10,083,343 30	8,929,667 19 14,406,609 61 \$25,052,227 58
Distributing reservoirs and distribution: Brookline reservoir. Beacon-hill " (net cost) Chestnut-hill ". South Boston ". East " ". Parker-hill ". Roxbury high service Brighton " ". East Boston high service Chestnut-hill pumping-station Jamaica-pond aqueduct. Pipe-yards and buildings. Engineering expenses Distribution  Total cost of Sudbury and Credit by amount received for	\$200,077 21 \$63,533 21 2,277,042 93 90,908 10 66,103 09 205,793 81 191,135 35 103,829 53 7,745 00 30,208 12 22,346 56 523,420 46 88,417 20 94,832 16 57,873 58 10,083,343 30	8,929,667 19  14,406,609 61  \$25,052,227 53

Cost of		c wor	ks to	Febru	ary :	1, 189	96:			
Land dam	ages	•	•	•	•			•	<b>\$</b> 152,836	63
Dam .	•	•		•		\$17,	167	26	,	
Grubbing	at lak	e				9.	393	26		
Lowering :	Mystic	rive	r			3.	012	06		
	•								29,572	58
Conduit									129,714	
Engine-ho	nse	-				\$82.	419	33	,	-
Engines		-	-	-			637			
219.1100	•	•	•	•	•				295,057	04
Reservoir									141,856	
	•	•	•	•	•	•	•	•	,	
Distribution	n	•	•	•	•	•	•	•	874,863	
Buildings	•	•	•	•	•	•	•	•	18,603	05
Engineerin	ıg, ins	pectio	on, an	d sala	aries	•			53,216	27
Mystic-val	ley se	wer				•			83,608	70
Miscellane	ous	•	•	•	•	•	•	•	24,446	88
Total	cost o	f My	stic w	orks					\$1,803,775	29
Total	cost o	f con	abine	d supp	plies	•	•	•	\$25,256,002	82

The outstanding Water Loans on this date, February 1, 1896, are as follows:

	,	Lo	ans.		Date o Maturi				Amount.
6	per	cent.	Currency,	Due	Dec.,	1897		4	\$500,000 00
6	* "	66	"	66	June,	1898			450,000 00
6	66	44	"	66	Oct.,	1898			540,000 00
6	"	"	44	66	April,	1899			250,000 00
6	"	44	4.6	"	Jan.,	1901			625,000 00
6	46	4.6	66	66	April,	1901			688,000 00
6	. "	"	66	"	July,	1901			330,000 00
6	"	4.6	44	"	July,	1902			100,000 00
5	"	"	Sterling Loan,		•				•
			(£399,500),	"	Oct.,	1902			1,947,273 98
6	66	"	Currency,	44	April,	1903	•	•	905,000 00
6	"	"	44	"	Jan.,	1904			8,000 00
6	"	"	46	44	April,	1904			38,000 00
6	"	"	"	44	Jan.,	1905			161,000 00
6	"	"	4.6	"	April,	1905			142,700 00
6	"	"	66	46	July,	1905	•		44,000 00
6	"	"	66	"	Oct.,	1905			6,000 00
5	"	"	Gold Loan,	"	Oct.,	1905		•	1,000,000 00
6	"	"	Currency,	"	Jan.,	1906			82,550 00
6	"	"	66	"	April,	1906			8,750 00
5	44	"	Gold Loan,	66	April,	1906			552,000 00
5	66	"	. 46	"	Oct.,	1906			2,000,000 00
6	64	**	Currency,	"	Oct.,	1906			4,000 00
6	"	"	"	"	Jan.,	1907	•		8,000 00
6	"	"	44	"	April,				5,000 00
6	"	"	44	"	July,	1907			1,000 00
5	66	"	Currency Loan,	"	Oct.,	1907	•		1,000 00
5	"	"	" "	"	April,	1908	•	•	12,000 00
4	44	"	66	"	April.	1908			588,000 00
4	"	"	Loan,	"	July,	1909	•	•	82,000 00
		Carr	ied forward,						<b>\$14,547,273</b> 98

		L	oans.				Date (				Amount.
		Rron	ight f	ารากลา	d.			•			<b>\$14,547,273</b> 98
41			. Loai			Due	Oct	1909			268,000 00
4	""	"	44	-,		66	April,				280,000 00
$\tilde{4}$	"	66	44			66	April,				324,000 00
$\tilde{4}$	"	66	44			46	July,	1913	•		111,000 00
$\bar{4}$	66	"	66			64	Oct.,	1913			<b>336,</b> 000 00
$\tilde{4}$	44	"	"			64	Jan.,	1914			466,000 00
4	"	66	66			"	April,			-	18,500 00
$\tilde{4}$	46	46	"			66	Oct.,	1914		•	16,000 00
4	44	66	46			46	Jan.,	1915			50,000 00
34	64	"	"			66	April,				50,000 00
4	"	66	66			66	April,				145,700 00
34	"	46	44			66	Oct.,	1915			50,000 00
4	"	44	44			46	Oct.,	1915			23,000 00
31	"	46	44			66	Jan.,	1916			100,000 00
4	"	66	66			"	Jan.,	1916			58,000 00
$\bar{4}$	44	"	66			66	April,				128,500 00
34	"	66	66			44	July,	1916			75,000 00
31	"	**	66			44	Oct.,	1916	•		25,000 00
4	44	66	66			46	Oct.,	1916			286,300 00
4	66	"	46			66	Jan.,	1917			21,000 00
3	46	"	44			"	April,	_			200,000 00
34	66	"	44			"	April,				275,000 00
4	66	**	44			66	April.				161,000 00
$\hat{4}$	"	"	46			66	July,	1917			7,000 00
4	"	44	• 6			"	Oct.,	1917			160,700 00
$\overline{4}$	44	46	66			"	Jan.,	1918			20,000 00
$\tilde{4}$	46	66	46			"	April,				6,300 00
31	66	66	44			66	July,	1918	•		100,000 00
4		66	66			"	Oct.,	1918			100,000 00
$\overline{4}$	.6	**	46			"	April,		·		200,000 00
34	66	"	46			"	Oct.,	1919			145,000 00
4	"	"	"			66	Oct.,	1919			300,000 00
34	"	"	66			"	Nov.,	1919			130,000 00
31	"	"	46			66	Jan.,	1920			220,000 00
4	66	66	44			"	Oct.,	1920			384,000 00
4	"	"	44			"	April,				100,000 00
4	44	66	44			"	Oct	1921			162,500 00
$\hat{4}$	"	"	66			44	Jan.,	1922			100,000 00
4	"	66	**			66	April,		•		75,000 00
4	"	"	46			66	Oct.,	1922			283,000 00
4	"	66	66			"	Oct	1923			576,275 00
4	"	"	"			"	Oct.,	1924	•	•	644,225 00
	To	tal	•	•				•		•	<b>\$</b> 18,261,273 98
						St	MMARY	7.			

#### SUMMARY.

3	per	cent	. Loans	3,			\$200,000	00
31	* "	"	44	•			1,170,000	00
4	66	66	46				6,214,000	00
41	"	46	66				268,000	00
5	66	66	Curre	nev	Loan	ıs.	13,000	00
5	66	44	Gold	•	44	•	3,552,000	00
5	66	66	Sterli	ng	"		1,947,273	
6	"	44	Loans				4,897,000	
	To	tal	•				<b>\$</b> 18,261,273	98

## Cochituate Water Debt, Gross and Net, At the Close of Each Fiscal Year.

Fiscal Year.	Gross Debt.	Sinking-Funds.	Net Debt.
1847–48	\$2,129,056 32 <sup>1</sup>		\$2,129,056 32
1848-49	3,787,328 98	• • • • • • • • •	3,787,328 98
1849-50	4,463,205 56		4,463,205 56
1850-51	4,955,613 51		4,955,613 51
1851-52	5,209,223 26		5,209,223 26
1852-53	5,972,976 11		5,972,976 11
1853-54	5,432,261 11		5,432,261 11
1854-55	5,403,961 11		5,403,961 11
1855–56	5,230,961 11		5,230,961 11
1856–57	5,031,961 11		5,031,961 11
1857–58	4,724,961 11		4,724,961 11
1858–59	4,754,461 11		4,754,461 11
1859-60	3,846,211 11		3,846,211 11
1860-61	3,455,211 11		3,455,211 11
861-62	3,012,711 11		3,012,711 11
1862-63	2,992,711 11		2,992,711 11
863-64	2,992,711 11		2,992,711 11
1864-65	2,942,711 11		2,942,711 11
1865–66	3,152,711 11		3,152,711 11
866–67	3,370,711 11		3,370,711 11
867–68	3,867,711 11		3,867,711 1
868–69	5,107,711 11		5,107,711 1:
869–70	5,731,711 11		5,731,711 1
870-71	6,482,711 11	\$1,100,000 00	5,382,711 1:
871–72	6,812,711 11	1,185,049 67	5,627,661 4
872-73	6,912,711 11	1,268,234 97	5,644,476 1
873-74	7,863,711 11	1,372,953 62	6,490,757 49
874-75	8,123,711 11	1,533,890 28	6,589,820 8
875–76	9,735,711 11	1,560,917 83	8,174,793 2
876-77	11,548,711 11	1,709,492 60	9,839,218 5
877-78	11,545,273 98	2,043,764 73	9,501,509 2
878-79	11,753,273 98	2,143,847 85	9,609,426 13
879–80	11,697,273 98	1,771,692 92	9,925,581 0
880–81	11,631,273 98	1,989,300 88	9,641,973 10
881-82	11,631,273 98	2,281,857 89	9,349,416 0
882–83	11,955,273 98	2,607,768 46	9,347,505 5
883-84	12,882,273 98	2,746,505 58	10,135,768 4
884-85	13,045,473 98	3,106,323 82	9,939,150 10
885–86	13,491,473 98	3,385,201 26	10,106,272 7
886–87	14,142,273 98	3,947,616 92	10,194,657 0
1887–88	14,741,273 98	4,373,304 09	10,367,969 89
:	14,941,273 98		10,077,181 44
1888-89			
1889-90	15,696,273 98	5,440,819 47	10,255,454 51 10,288,476 18
1890-91	16,267,773 98	5,979,297 80	, , ,
1891-92	16,423,773 98	6,471,545 34	
1892-93	16,758,773 98	7,019,058 38	9,739,715 60
1893-94	17,055,273 98	7,649,504 87	9,405,769 11
1894-95	17,761,273 98	8,444,773 55	9,316,500 48
1895–96	18,261,273 98	9,099,966 39	9,161,307 5

<sup>&</sup>lt;sup>1</sup> No account taken of amounts borrowed temporarily from 1846 to 1852 and afterwards funded by the issue of the water bonds that figure in this statement.

Cochituate Water Sinking-Fund Receipts.

[SINCE THE ESTABLISHMENT OF THE BOARD OF SINKING-FUND COMMISSIONERS IN 1871.]

						-	
YEAR.	From Tax Levy or City Income.	Interest on Investments.	Interest on Bank Deposits.	Water- Rates, etc.	Premiums on Loans.	Other Sources.	Totals.
1871. April 30, received from Committee on Re-							
duction of Debt	\$1,100,000 00	•		:			<b>\$1,</b> 100,000 00
1871–72	14,825 00 Taxes. 9,375 00	\$61.000 00	#849 67				85.049 67
1872-73	9,000	70,187 50	1,017	•			
1878–74	30,090 00		2,072	:			108,962 25
1874-70	75,978 28		2,121	:	:		160,936 66
1876–77	284.814 00	86,470 00	3,617 55	<b>9</b> 86.480		915 46	852.574 77
	214,500		10,809				888,240 08
:	, 207,456		6,181	177,195			493,971 87
1879–80			5,687	214,707	:	4,411 64	315,278 92
1880–81			167	195,668	:		284,058 26
1881–82	:		2,767	193,840			293,648 69
:	:	105,129 51	8,486	216,581			331,438 60
1884-85	Taxes, 973 00	188,120 90	2,268 22	900 920 90	:	:	141,862 12
1885		156 694 01	5,010	190,486	:	149 97	283,049,71
1886–87.	Taxes, 75,496 00	181,264 89	2,644	297,928 95		5.081 12	562,415 66
		199,883 90	4,178	221,620			425,682 17
1888–89	:	213,048 22	8,958	256,018	\$11,552 50		489,572 98
1889–90	:	228,000 83	11,730	300,903	86,092 50	:	576,726 98
1890–91	:	229,509 17	29,768	242,675	86,530 00		538,478 88
1891–92	:	175,808 33	22,560	275,014		78,865 00	552,247 54
1892-98			30,148 34	240,435	16,418 50		547,503 04
1893-94		298,224 44	18,133 03		14,621 75		680,446 49
1894-9b.	•		18,524 22	297,518		9,894 12	768
1895-96			5,892 29	205,791	64,690 00		655,192 84
_	\$2,037,556 28	\$3,985,460 57	\$215,515 07	\$4,018,328 20	\$179,900 25	\$113,366 98	\$118,866 98 \$10,500,127 85

#### DETAILED EXPENDITURES UNDER THE SEVERAL APPROPRIATIONS.

### FEBRUARY DRAFT, 1895, to FEBRUARY DRAFT, 1896.

## Extension of Mains, etc. (from Revenue).

Labor	•			•			\$121,841	79	
Teaming				•			6,295	05	
TO1 4.				•			7,607		
Water-pipe	s, c	ontra	cts	(includ	ling	in-	,		
spection,				`.	_		58,082	76	
Stook	•		<i>.</i>	•			52,251		
Miscellane	aro						5,907		
									\$251.98

**\$251,984** 94

### <sup>1</sup>Additional Supply of Water.

*** *	
(Account of Basin 5, Whitehall pond,	Cedar swamp,
and Protection of Supply.)	
Salaries and labor	<b>\$</b> 13, <b>4</b> 98 87
Engineering and supplies	30,246 84
Materials	3,833 42
Teaming	2,158 59
Freight and express	145 09
Travelling expenses	701 38
Advertising, printing, and stationery.	927 83
Rents	425 55
Land damages	317,831 06
Miscellaneous	4,619 53
Town of Southborough, for police ser-	1,010 00
vice	£ 199 95
	6,133 25
Town of Framingham, towards sewer-	11 000 00
age system	<sup>2</sup> 1,000 00
Marlborough filter beds	10,706 75
Miscellaneous contracts	827 00
Contract, Dam 5 (on account)	153,127 68
Contract, Section A, Basin 5 (on ac-	•
count)	15,852 34
Contract, Section B, Basin 5 (on ac-	
count)	21,209 42
Contract, Section C, Basin 5 (on ac-	•
count)	18,616 71
Contract, Section D, Basin 5 (on ac-	,
count)	36,540 91
Carried forward,	\$638,402 22
•	•

<sup>&</sup>lt;sup>1</sup> Of expenditures under this appropriation the amount of \$541,122.28 was from loans issued by the City, and \$566,905.72 from sums received from the State on account of the taking of Basin 5 by the Metropolitan Water Board.

<sup>2</sup> Additional sum of \$30,000 also paid from appropriation "Protection of Water Supply."

TO 1.4	****	~~	
Brought forward,	<b>\$</b> 638,402	22	
Contract, Section E, Basin 5 (on ac-			
count)	20,747	44	
Contract, Section F, Basin 5 (on ac-			
count)	24,999	96	
Contract, Section G, Basin 5 (on ac-			
count)	13,116	06	
Contract, Section H, Basin 5 (on ac-			
count)	11,425	26	
Contract, fence for roads, Basin 5			
$(on account) \qquad . \qquad . \qquad . \qquad .$	1,561	65	
Contract, two portions Framingham-	·		
Marlborough road	13,220	<b>56</b>	
3			<b>\$723,473</b> 15
(Account of High Service.)			• • •
Labor	\$87,888	58	
Engineering	1,342		
Materials	34,172		
Teaming	6,361		
Blasting	2,560	13	
Freight and express	348	46	
Travelling expenses	1,534		
Advertising, printing, and stationery,	333		
Miscellaneous	706		
Miscellaneous contracts	4,088		
Contract, pipes and specials (includ-	4,000	v	
	167,985	Λα	
ing inspection, \$1,012.50)	107,505	Uð	
Contract, additional pumping-engine	10 067	50	
No. 3, balance (total, \$122,499.30),	18,067	90	
Contract, laying 42-inch main in New-	0.007	00	
bury street	2,987	0Z	
Contract, laying 6-inch main between	10.001	0.0	
Long and Gallop's Islands	12,081	90	
Contract, laying sewer in Walnut	0.150	0.4	
street, Brookline	2,152	04	
Contract, laying 48-inch main in	14 000	01	
Brookline (on account)	14,909	91	
Contract, laying 42-inch main in	10 045	0.0	
Huntington avenue (on account) .	18,645	06	
Contract, laying 4-inch pipe between			
Long and Rainsford Islands (on	0.000		•
account)	8,389	อบ	004 224 02
			384,554 85
			<b>A1 100 000 00</b>
			<b>\$1,108,028 00</b>
Protection of Water Supply	y (Special	Loc	nn).
Amount paid to town of Framinghan	n, towards	svs	-
tem of sewerage filtration		- 5 ~	. 1\$30,000 00
0	-		

<sup>&</sup>lt;sup>1</sup>Payment of \$1,000 also made from appropriation "Additional Supply of Water," making total of \$31,000 paid to town under agreement.

# MAINTENANCE ACCOUNTS, COCHITUATE SYSTEM.

# (FROM REVENUE.)

# FEBRUARY DRAFT, 1895, TO FEBRUARY DRAFT, 1896.

Salaries, travelling expenses, printing, stationery, advertising, postage, and miscellaneous, on ac-	· ·
count of office	\$23,290 43
Salaries and labor, travelling expenses, printing,	
stationery, and miscellaneous, on account of In-	
come Division 1	
	33,430 46
Salaries, travelling expenses and transportation of	
men, printing, stationery, and miscellaneous, or	
account of Eastern Division	17,165 03
Salaries, travelling expenses, printing, stationery,	
and miscellaneous, on account of Western Di-	•
vision	. 27,767 70
Engineering	. 5,963 18
New meters, and setting	. 8,841 46
Meters, repairing	. 14,590 21
Machine-shop, Albany street	. 10,272 71
Telephones	. 1,482 44
Cochituate Aqueduct	. 2,361 54
Sudbury Aqueduct	7,837 80
Main-pipe relaying (including stock and labor)	. 22,282 62
" repairing " " " "	. 12,639 15
Hydrants " " " "	20,406 25
Stop-eocks " " " "	. 2,876 50
Hydrant and stop-cock boxes, and repairing (includ	
ing stock and labor)	
	. 2,096 15
Tools and repairing (including stock and labor)	. 8,090 28
Buleeus	. 6,064 66
r outleants	. 2,189 94
Stables	. 19,109 32
Waste-detection	9,858 57
Basins, Framingham and Ashland (including stock	
and labor)	. 7,972 55
Service-pipe repairing (including stock and labor)	. 20,540 63
Protection of Sudbury and Cochituate supply.	. 682 48
High service, Chestnut Hill (including fuel, salaries	,
repairs, etc.)	. 38,246 14
High service, East Boston (including fuel, salaries	•
repairs, etc.)	4,672 35
High service, West Roxbury (including fuel, salaries	
repairs, etc.)	4,053 86
Electrolysis	3,082 45
Harbor service	. 13,410 14
Carried forward,	<b>\$</b> 351,277 00

Brought forwe	ard,							\$351,277	00
Temporary high-se		, Elm	Hill					3,024	16
Albany-street yard		•			•			4,626	17
Chestnut-Hill Rese	rvoir	(care	of	groun	ids, e	tc.)		13,143	<b>58</b>
Parker-Hill Reserv				Ŭ .	•	•		1,198	23
Brookline Reservo	ir					•		2,556	35
East Boston and S	outh	Bosto	n Re	eservo	oirs			465	63
Fisher-Hill Reserv	oir	•				•	•	3,826	97
Lake Cochituate			•				•	3,745	62
Chestnut-Hill drive	eway	(incl	ading	g stak	ole)		•	10,757	63
Taxes			•	•	•	•		9,224	84
Damages .	•	•		•		•		767	90
Analyses of water	, etc.		•	•	•		•	410	00
Filtration .	•			•	•	•	. •	141	67
Biological Laborat	ory			•	•		•	1,802	44
Natick filters	•	•	•	•	•	•	•	3,321	09
								\$410,289	28

# MAINTENANCE ACCOUNTS, MYSTIC SYSTEM.

# (FROM REVENUE.)

# FEBRUARY DRAFT, 1895, TO FEBRUARY DRAFT, 1896.

of office Salaries and	expenses,	and n rinting	iscellar and st	eous,	on acco ery, tra	unt vel-	<b>\$</b> 6,292	66
Income I				, 01			7,716	53
Salaries, pr		tione	v. trav	elling	expen	ses.	.,	
and misce	llaneous, o	n acc	ount of	Mysti	c Divisi	on,	5,753	87
Engineer's							6,353	72
Meters, rep		•	•			•	3,199	40
Off and on	water (lab	or)				•	1,846	07
Main-pipe la	aying (incl	uding	stock as	nd lab	or)	•	2,605	03
Main-pipe r	elaying (ir	cludii	ng stock	and l	abor)	•	4,216	
	epairing		"	66	"	•	1,171	96
Service-pipe	e laying	66	66	"	66		1,023	07
""	repairing	"	66	"	66		1,747	
Hydrants	- "	66	66	66	66	•	1,957	95
Gates	66		66	66	"	•	942	64
Streets	66	"	66	66	"		318	31
Lake .			•				8,219	44
Conduit		•					1,494	18
New meters	, and setti	ng	•	. ,			1,178	05
Stables		•	•	•		•	5,337	23
Carrie	d forward,						\$61,373	45

Brought	forw	rd,							\$61,373	45
Reservoir	•	•	•	•	•		•		4,609	13
Pumping-serv	rice (s	alarie	8, <b>w</b> 8	iges, f	uel, re	pairs	, etc	.),	32,695	96
Repair-shop	. `		•	•		•	•		2,634	68
Fountains									683	63
Tools and rep	airin	œ.							954	53
Mystic Sewer			and 1	oumpi	ng ar	d tre	atme	ent		
of sewage)		•	•						9,529	05
Waste-detect		ervice	)						2,980	49
Protection of	wat	er so	ources	inc	luding	sala	ries	of	•	
three Speci	al Ag	ents	on Po	ollutio	n) c	•	•		5,802	41
Analyses of									125	00
Damages	•			•					5	60
Taxes .								•	115	58
New pumping	r-engi	ne No	o. 4 (	on ac	count	)			54,138	16
Addition to p							•	•	9,578	91
									<b>\$</b> 185,176	58

Contracts Made and Pending during Year commencing February 1, 1895, and ending January 31, 1896.

	Contra	Contracts marked thus (*) are completed. Amounts marked thus (†) are for extra work.	marked thus (†) are for extra	work.	•	
				РАП	PAID ON CONTRACT.	lor.
DATE.	Contractors.	<b>Мовк.</b>	Ажопит.	Previous Years.	Year 1895.	Total.
1892. *June 8, Mod'f'd Aug. 1,	N. F. Palmer, Jr., & Co.,	High-service Pumping-engine, No. 3	\$124,000 2,600 Less on account \$121,500	\$104,481 72	\$17,068 28 †999 80	\$122,490 30
Sept. 29	Sept. 29,   Lamprey Boller Furnace   Mouth Protector Co.,	Attachment to boilers at pumping stations 6 months' trial free of expense to city	\$90 per boller, if iron { if \$105 if brass   accepted.		-	
1893. July 27	, Moulton & O'Mahoney	1868. July 27, Moulton & O'Mahoney 1 Building Dam No. 5, Southboro'	\$446,729.90 paved	88,439 39	151,579 28 †1,548 45	241,567 07
Dec. 30	30, George F. Blake Manu-	Mystic Pumping-engins, No. 4	(\$88,950. N.B. \$500 retained by the city when final esti- mate was made	27,265 00	11,185 00 †118 81	88,568 81
*Mar. 7	*Mar. 7, Osgood & Hart	Iron and service box-castings	1 65-100 cents per lb	5,250 23	6,441 18	10,001 41
*	7, Granular Metal Co	Brass castings, composition, No. 1	124 cents per lb	2,885 68	1,696 55	8,961 23
*	Obarles E. Howe	Oharles E. Howe Teaming water pipes, etc., for one year	\$41.08 " over 2½ miles }	8,698 00	116 10	3,809 10
*July 13,	Thomas & Co	800 tons coal for Chestnut Hill Pumping-station	\$4.27 per ton 2,240 lbs	2,547 18	1,680 15	4,227 28
* " 21,	*	Trimming coal in bins, Chestnut Hill Pumping.	25 cents per ton	149 18	98 87	247 50
		P - 12 - 1 - 100 -				

<sup>1</sup> Taken by the State January 4, 1896.

Contracts Made and Pending during the Year. - Continued.

1894. Aug. 27, August Oct. 30, Mack & *Nov. 23, facts *Dec. 24, Martin * " 28, " 1895. *Jan. 28, " **Feb. 8, F. H. O	CONTRACTORS.				FAID ON CONTRACT.	į.
27, August 39, Mack 39, Mack 39, Mack 32, faction 26, ". 26, ". 28, David if 8, F. H. C. 28, F.		<b>Work.</b>	Ажопит.	Previous Years.	Year 1896.	Total.
30, Mack 8 23, { Georg 24, Martin 26, " 28, David i 8, F. H. C	1894. Aug. 27, Auguste Saucier	<sup>1</sup> Section A, Basin No. 5	\$52,018.50 (estimated)	\$3,254 98	\$15,852 34	\$29,107 82
23,   Georg 24, Martin 26, ". 28, David! 8, F. H. C	Mack & Moore	Addition to Mystic Pumping-station	\$10,900 (estimated)	13,000 00	7,917 91	10,917 91
24, Martin 26, "28, David f 8, F. H. O	George F. Blake Manu.	(Changes in hand-rall stanchions at Mystic Pump.) ing-station to adapt them for electric lighting.	\$125		125 00	125 00
26, ". 28, David f. 8, F. H. 0	Martin F. Kelley	Blasting, Robeson street, West Roxbury	\$5.95 per cubic yard		25 50	<b>52</b>
28, David f		" Townsend " Roxbury (for hydrant)	***************************************		41 40	41 40
8, F.H.O	*Jan. 28, David Sturtevant & Co	(800 tons George's Creek Cumberland coal, Barton) mine, in bins at the Cheskutt Hill Pumping- station	\$4.27 per ton 2,240 lbs		4,038 97	4,088 97
8 7	8, F. H. Odiorne & Co	2,000 tons Rockhill bituminous coal for Mystic Pumping-station, in bins	\$3.68 ** ** ** **		1,227 72	7,227 72
ls, Comn	13, Coffin Valve Co	Two sluice-gates for Mystic Pumping-station   \$286 each	\$286 each	:	670 00	570 00
14, Curtis & Pope .	k Pope	25,000 feet kyanized spruce	\$23.50 per M	•	906 30	906 30
14, J. O. V	14, J. O. Wetherbee	25,000 feet kyanized spruce	\$23.50 per M	:	29 089	680 52
15, Dennis	15, Dennis Lyons	Blasting Dewey street, Dorchester	\$2.24 per cubic yard		16 86	16 36
20, Chadwi	20, Chadwick Lead Works	3,400 feet 2-in. lead pipe	4 1-5 cents per lb	:	2,825 96	2,325 96
20, B.C.NI	S. C. Nightingale & Childs,	Covering with magnesia the steam-pipe from boiler to economizer-engine, and feed-water pipe from economizer to boiler, Chestuut Hill Pumping-station	\$18.00	: : :	18 00	18 00

•	\$165 00 \$166 00	108,966 68 108,966 53	100,986 86 100,986 86	5,800 14 5,800 14	19 00 11 00	00 089 00 089	26 00 25 00	6 00 8 00	7,111 22 7,111 22	9,757 10 9,757 10	8,691 20 8,691 20	28 64	
	\$166.00	\$21.60 per ton. { (Estimated \$ 108,082.00) }	\$20.00 per ton. {(Retimated \$698,879.00)}	\$29.40 per ton. { (Estimated } 5,	\$4.75 per cubic yard		\$25.00	\$6.00	48 cents per ton, 24 miles }	1 4-10 cents per lb	13 46.100 cents per lb. }	**************************************	4 1896.
	Altering low-pressure cams, Chestnut Hill Pump-	20 tons 4-in. B pipe. 250 tons 6-in. B pipe 700 " 8-in. B " 600 " 85-in. A " 8-in. A " 1,050 " 48-in. A " 150 tons special castings.	80 tons 10-in. B pipe.   500 tons 12-in. A pipe   800 " 12-in. B"   1,000 " 48-in. A pipe   2,000 " 48-in. A pipe   110 tons special castings	150 tons 6-in. flexible joint pipe	Blasting, Evergreen street, West Roxbury	(Furnishing and erecting about 1,650 feet fron-pipe fence along new roads at Basin No. 5, South-borough	Painting asbestos steam-pipes connected with Pumping-engine No. 3, Chestnut Hill Pumping-station	Painting feed-pump for boller of Pumping-Engine   No. 3, Chestnut Hill Pumping-station	Teaming water-pipes, etc	Iron and service-box castings, estimated, viz.: \ (450,000 lbs. iron, 250,000 lbs. service-box) \	Brass and Composition Castings:  10. 1, 8,000 lbs.)  11. 25,000 the Estimated	Blasting Letterfine Terrace, Roxbury	1 Taylor A tatal Atata Language 1896
	Atlantic Works	B. D. Wood & Co	Warren Foundry & Ma-	28, R. D. Wood & Co	1, James McDonald	Henry Parsons	John White	John White	Charles E. Howe	Mechanics' Iron Foundry Company	Stephen Anderson	16, Thomas Burke	
1	1895. Feb. 26,	8Î	<b>8</b> 4	28,	Mar. 1,	; 61	2,		. 7,	ø° ;	φ°	, 16,	

1 Taken by the State January 4, 1896.

Contracts Made and Pending during the Year. - Continued.

or.	Total.	\$110 77	6,363 00	19 26	270 08	14 00	<b>3</b> 6	147 00	11,006 76	870 00	12 74	18 06	18,220 56	10 14	222 83
PAID ON CONTRACT.	Year 1895.	\$110 77	6,363 00	19 26	270 08	14 00	35 8	147 00	8,886 76 72,620 99	870 00	12 74	18 06	12,830 88 † 389 68	19 14	222 82
PAD	Previous Years.		•	:	:	:	:	:	:	•	:	:	:	:	-:
	AMOUNT.	01§ cents per lb. f.o.b., Boston	\$287.00 44 \$287.00 44 \$400.00 44	\$3.21 per cubic yard	<b>\$4.</b> 78 ** ** ** ** ***	\$7.00 " " "	\$3.40 " " " "	\$147.00	\$3,950.00 (estimated)	\$370,00	\$3.98 per cubic yard	\$4.20 " "	\$10,607.00 (estimated)	\$5.80 per cubic yard	88.97
	<b>Work.</b>	Furnishing two lengths 30-inch flange pipe for   Mystic force main	Stop-cocks to be delivered at Albany-street yard, Viz. 7-20 inch 8-36 "	Blasting, Devon street, Roxbury	" Spruce street, West Roxbury	" Calumet street, Roxbury	" Humboldt avenue, Roxbury	Setting stone posts for pipe fence along roads at Basin No. 5, Southborough	1 Building filter-beds near Mariborough junction	Furnishing and erecting Edmiston patent feed water filter at Chestnut Hill pumping-station	Blasting, Savin street, Roxbury	Blasting, Calumet street, Roxbury	Building two portions Framingham-Mariborough   road, Bouthborough	Blasting, Chamblet street, Dorchester	" Oswald street, Roxbury
	CONTRACTORS.	Warren Foundry and Ma- chine Company	20, Jostah H. Long	Martin F. Kelley	Thomas Burke	:	: : : : : : : : : : : : : : : : : : : :	Henry Parsons	John Berry	Wheeler Condenser and Engineering Company.	Martin F. Kelley	Thomas Burke	A. Michelini & J. Cenedella	Thomas Burke	:
	<b>DATR.</b>	1895. Mar. 16,	% *	* " 28,	*April 8,	ະ *	, 8 *	* ** 8	.,	* " 4,	* " 12,	* " 13,	% *	* : 28,	* ** 26,

1895. *Apri l	126,	1895. **Apri 126, Martin F. Kelley   Bl	Blasting, Cranston street, West Roxbury	\$2.94 per cubic yard	#313 11	<b>\$</b> 318 11
=	8	Malone & Strang 18	<sup>1</sup> Section C, Basin No. 5, Southborough	\$82,160.00 (estimated)	18,616 71	18,616 71
=	8	Newell & Snowling	111 F, 11 11	<b>\$46,020.00</b> "	24,999 96	24,999 96
=	8	Charles Lineban	111 E, 11 11 11 11 11 11 11 11 11 11 11 11 11	<b>\$48,070.00</b> "	. 20,747 44	20,747 44
=	8	:	14 G, " " "	<b>\$24,</b> 510.00 "	13,116 06	13,116 06
=	8	Moulton & O'Mahoney	1" H, " " "	<b>\$</b> 47,060.00 "	11,425 28	11,425 26
*Мау	ě,	Thomas Burke Bl.	Blasting, Trowbridge court, Dorchester	\$4.80 per cubic yard	<b>\$</b> 53 28	\$53 28
÷	œ̂.		" Almont street, "	<b>\$</b> 2.93 " " " " " " " " " " " " " " " " " " "	101 09	101 09
± #	6	: : : : : : : : : : : : : : : : : : : :	" West Selden street, "	\$4.77 " " " " " " ************************	96 30	99
: *	Ġ.		" Maywood street, Roxbury	<b>\$4.10</b> " " " " " " " " " " " " " " " " " " "	31 16	31 16
*	10,	George F. Blake Manufac.	Altering outboard pedestal, Mystic Pumping-	*40.00	40 00	40 00
:	Ή,	Martin F. Kelley Bl	Blasting Abbotsford street, Roxbury	\$2.89 per cubic yard	203 17	203 17
:	ध्रं	: : :	" Holborn "	<b>\$</b> 2.85 *** *** *** *** *** ****	15 39	16 39
June	ø,	D. F. O'Connell   La	Laying 48-in. main pipe through Brookline	\$21,291 (estimated)	14,909 91	14,909 91
=	12,	Moulton & O'Mahoney 18	<sup>1</sup> Section B, Basin No. 5, Southborough	***************************************	21,209 42	21,209 42
: *	Ę	George W. Townsend   L		\$2.97 per foot	9,907 92	9,907 92
:	12,	T " "	Laying 4,000 linear feet 6.in. flexible joint pipe between Long and Gallop's Islands. (Section 2.)	<b>\$</b> 2.97 " "	12,081 96	12,081 96
=	12,	12, Perkins & White	Laying 2,400 linear feet 4-in. flexible-joint pipe ) between Long and Rainsford Islands		6,035 00	6,035 00
*	22,	George W. Townsend   T	Transporting flexible joint pipe from Albany street   yard to points where needed in Boston harbor . }	\$1.00 " ton	. 177 00	177 00
			1 Makes by the Otote Tenness	1000		

<sup>1</sup> Taken by the State, January 4, 1896.

Contracts Made and Pending during the Year. - Continued.

N CONTRACT.	Year 1895. Total.	\$115 50 \$115 50	52 40 52 40	36,540 91 36,540 91		66 75 66 75	3,050 60 8,050 60	171 70 171 70	290 00 290 00	11 66 11 66	17 70 17 70	79 97 790 97	148 40 148 40	
	Previous Years.		:::::::::::::::::::::::::::::::::::::::			:	:	:	• • • • • • • • • • • • • • • • • • • •	:	:	:	:	
Andrews	AMOUNT.	\$7.50 per cubic yard	\$4.00 per cubic yard	\$67,691 (estimated)	\$600.00	\$66.75	\$3.92\ perton (2,240lbs.)	\$2.94 per cubic yard	\$440.00 f.o.b. cars, Boston	\$3.24 per cubic yard	*20.90 " " " "	\$2.34 " "	58 cents each	
West	W CAA.	Blasting, Walter street, West Roxbury	Blasting, Howe street, Dorchester	Auguste Saucier	Iron stairway at "Echo Bridge" (Newton Upper   Falls).	(Furnishing and putting up 10 nickel-tin reflectors) and 6 polished brass pans, at Chestrut Hill Pumping-station	800 tons Georges Creek Cumberland coal, deliv-   ered in bins at Chestnut Hill Pumping-station . }	Blasting Ballou avenue, Dorchester \$2.94 per cubic yard	One Duplex outside plunger pump	Blasting, Abbotsford street, Roxbury	" Calumet " "	" Heath " "	1 Furnishing 500 stone bounds, Basin No. 5, South- borough.	
Commercial	CONTRACTORS.	Martin F. Kelley	E. J. Bowes	Auguste Saucier	27, L. M. Ham & Co	1, C. A. Bray	Horatio Wellington & Co.	2, Thomas Burke	George F. Blake Manu- facturing Co	10, Martin F. Kelley		15, James McDonald	15, Bonfiglio Perini	
1		1895. *June 22,	" 24,	25,	. 27,	*July 1,		* 23,	* 6,	* " 10,	* " 12,	* " 15,	" 15,	

\$2,081 84 \$2,081 84	1,561 65 1,561 65	12 85 12 86	240 48 240 48	105 88 105 88	235 27 235 27	18 70 18 70	97 64 97 64	1 267 31 267 31	196 87 196 87	14 65 14 65	2,987 82 2,987 82	11 40 11 40		154 75 154 75	253 50 253 50	12 58 12 58	8,452 90 8,452 90	15 41 15 41		
:	:	:	:	:	:	:	:	:	:	:	:	: : :		:	:	:	:	:		
\$0.02 37-100 cents per lb	\$0.79} cents per linear foot	\$4.75 per cubic yard	\$2.40 " " "	\$105.88	\$2.23 per cubic yard	<b>\$</b> 5.50 *** ****	<b>\$</b> 3.45 " " "	<b>\$4.47</b> *** ********************************	<b>\$</b> 3.75 ** ** ***	\$2.99 " cubic yard	\$2.47 " linear foot	\$3.00 " " "	1 \$4.47 (	\$3.84 " " "	<b>\$</b> 476	\$3.98 per cubic yard	\$3.34 " ton (2,240 lbs.)	\$3.95 " cubic yard	<b>\$398.</b>	
Special castings, 36-in., 42-in., and 48-in. branches and curves	20,000 linear feet of fence for roads at Basin No.   6, Southborough	Blasting, Galena street, Roxbury	" Corey road, Brighton	Covering Boiler-tops at Mystic Pumping-station	Blasting, Seaver street, Roxbury	" Calumet " "	"Glenway street, Dorchester	" Washington street, West Roxbury	"Heath street, Roxbury	Blasting, Quincy street, Dorchester	Laying 42-in. Main in Newbury street	Blasting, Howard street	" Washington street, West Roxbury	"Rockdale and Oakland streets, Dorchester,	Electric-wiring at Mystic Pumping-station	Blasting, Savin street, Roxbury	1,200 tons coal for Mystic Pumping-station	Blasting, Calumet street, Roxbury	Feed Water Heater, Mystic Pumping-station	
McNeal Pipe and Foun- dry Company	17, Henry Parsons	Martin F. Kelley	Dennis Lyons	S. C. Nightingale & Childs,	Dennis Lyons	Martin F. Kelley	*		James McDonald	Martin F. Kelley	Dennis F. O'Connell	Martin F. Kelley	:	*	Wilkinson & Feldman	Thomas Burke	L. G. Burnham & Co	Thomas Burke	Harrison Safety Boiler   Works	
1895. July 17,		8	8,	28,	88	. 30,	8	Aug. 5,	6,	7,	8	6	12,	15,	16,	17,	ei ei	19,	12	
35 P	=	=	3	:	=	z	=	Αu	=	:	:	=	=	:	=	:	=	:	=	

<sup>1</sup> Taken by the State January 4, 1896.

	- I
	Provide Community of the Community of th
-45	Martin P. Dani d. H. Schmitt, I. C. H. T. H.

# WATER DEPARTMENT.

,	10 73	00 6	48 00	132 02	480 17	44 20	9 20	9 9	90 8	386 51	8 6	42 57	33 00	529 27	10 66	8 8	7 54	124 82	90 90	
07. 71.8	10 73	8	48 00	132 02	480 17	44 20	9 6	9 9	8 8	886 51	9 6	42 57	38 00	529 27	10 56	8	7 54	124 82	90 90	
:	:	:	:	:	:	:	:	:	:	:	:	: : : :	:	:	:	:	:	:		ıst 12,
\$3.00 per cubic yard	\$3.25 " " "	\$5.00 · · · · · · ·	\$48.00 (Calorimeter pipes.) (Piston by day labor.)	\$3.74 per cubic yard	<b>\$</b> 2.34 ** ** ** ** ** ** ** ** ** ** ** ** **	\$3.48 " " "	\$5.00 " " " ii	\$10.00 " " " ·· · · · ·	\$8.00 " " " "	<b>\$2.18</b> " " " " " " " " " " " " " " " " " " "	\$10.00 " " " " · · · · · · ·	<b>\$4.</b> 95 " " " · · · · · ·	<b>8</b> 4.40 " " " "	\$31.40 per ton, 2,240 lbs	\$4.40 per cubic yard	\$4.00 °° °° °°	\$5.80 ** ** ***	\$124.82	\$6.00 per cubic yard	ie under extension of contract, Augu
Biasting, Norton street, Dorchester	" Humboldt avenue, Roxbury	" Day street, Roxbury	(Two calorimeter pipes for boiler, and low-pressure) piston for Engine No. 3 at Chestnut Hill Pump- ing-station	Blasting, Rockledge street, Roxbury	" Fowler street, Dorchester	" Delaware street, Roxbury	" Rockland street, Roxbury	"Virginia street, Dorchester	" Galena street, Roxbury	" Huntington avenue, Roxbury	" Dorr street, Roxbury	" Lambert street, Roxbury	"Galena street, Roxbury	Furnishing 50 lengths 8-inch flexible-joint pipes	Blasting, Rockland street, Roxbury	" Logan street, Roxbury	" Rockledge street, Roxbury	(Furnishing and applying magna-bestos covering to )	Blasting, South Fairview street, West Roxbury	<sup>1</sup> This amount paid includes settlement for work done under extension of contract, August 12,
Thomas Burke	Е. J. Воwев		Atlantic Works	Thomas Burke	Martin F. Kelley	Thomas Burke	E.J. Bowes			Thomas Burke	E. J. Bowes	Martin F. Kelley	E. J. Bowes (two con- tracts)	B. D. Wood & Co	Thomas Burke	• • • • • • • • • • • • • • • • • • • •		S. C. Nightingale & Childs,	E. J. Bowes	
* Sept. 14,	* " 14,	* " 14,	* " 14,	* Bept. 25,	* " 25,	* 27,	* 27,		* 30,	*Oct. 2,	<u>ئ</u> ئ	* 4,	* * * * 7,	* *	* " 11,	* " 16,	* " 16,	* " 16,	* " 19,	

Contracts Made and Pending during the Year. - Continued.

				PAID	PAID ON CONTRACTS.	ors.
Contractors.		<b>Мовк.</b>	Ажопит.	Previous Years.	Year 1895.	Total.
1895. * Oct. 21, James McDonald Blasting.	Blasting,	Blasting, Rockway and Chester streets, Dorchester	\$2.50 per cubic yard	:	\$327 50	\$327 50
21, L. G. Burnham & Co { 400 tons tional 20 to to	400 tone tional 200 to	400 tons coal for Mystic Pumping-station, addi.) tional to contract of August 19, 1895 (in bins, 200 tons, more or less)	\$3.34 per ton. \$3.59 '' ''			
21, " " \$500 tone	500 tone	600 tons Georges Creek Cumberland coal for Chestnut Hill Pumping-station (in bins)	\$3.90 *** **** ***************************	:	1,660 61	1,660 61
21, J. B. O'Rourke & Co   Laying		Laying 42-in. pipe in Huntington avenue, from point east of Francis street, towards city	\$1.90 per linear foot.			
21,   McNeal Pipe & Foundry   200 tons I		200 tons 12-in. pipe, Class B }	\$23.60 per ton, 2,240 lbs., by rail .	:	8,717 29	8,717 29
24, Wilkinson & Feldman   Alterati		Alterations in electric fixtures at Mystic Pumping.	\$16.00.			
25, Martin F. Kelley Blasting	Blasting	Martin F. Kelley Blasting, Calumet street, Roxbury	\$3.98 per cubic yard	:	96 6	9 6
	:	Harvard street, Dorchester	<b>\$3.45</b> " " "	:	43 82	48 82
25, " " " "	:	Kenliworth street, Roxbury	\$7.00 " " " " " " " " " " " " " " " " " "	:	12 60	12 60
25, " " " "	:	Standard street, Dorchester	\$3.24 " " "	:	100 76	100 76
26, " " , , ,	:	Cherokee street, Roxbury	\$2.98 " " "	:	41 42	41 42
29, " " "	:	Mapleton street, Brighton	\$4.98 '' '' ''	:	51 72	51 72
*Mov. 6, Thomas Burke	: _	Logan street, Roxbury	84.87 · · · ·	- :	18 02	18 02

				\$408 80 \$408 80	4,655 29 4,800 67	14 82 14 82	13 94 13 94	156 64 156 64	18 60 18 60	232 20 282 20		28 00 28 00	6 80 6 80	6 65 6 65	51 28 51 28	3,600 25 8,600 25	252 96 252 96	86 04 86 04	85 10 85 10	_
\$165 each.	\$195 "	*300	\$485 ··	\$2 per cubic yard	\$1.90 per linear foot	\$3.87 per cubic yard	\$3.40 " " "	<b>\$1.71</b> " " " "	***************************************	\$6.75 " " "	\$540.	\$10.00 per cubic yard	\$3.00 ** ** ** **	\$3.50 ** ** **	<b>\$1.98</b> " " " " "	\$23.80 per ton	\$3.47 per cubic yard	\$2.74 " " "	***************************************	
Stop-cocks: 4 — 20-in.	" 6 – 24-in	" 7—30-in.	6 — 36-in	Blasting, Geneva avenue, Dorchester	Laying balance of 42-in. pipe in Huntington avenue.	Blasting, Moreland street, Roxbury	" Dalmatia street, Roxbury	" Columbia street, Dorchester	"Munroe street, Roxbury	" Rosewood street, Dorchester	{ Furnishing engine-room floor-grating and materials } for Mystic Fumping-station	Blasting, Blue Hill avenue, Roxbury	"Johnson park, "	"Warren street, "	" Stanwood street, "	150 tons 30 in. pipe, Class B	Blasting, Oakland street, Dorchester	" Norton " "	" Station " Roxbury	
	Touch II I ama	out the trong		E.J. Bowes	J. B. O'Rourke & Co	Thomas Burke	:	James McDonald	Thomas Burke	Martin F. Kelley	George F. Blake Manu- facturing Co	E. J. Bowes	: : : : : : : : : : : : : : : : : : : :	***		R. D. Wood & Co	Thomas Burke		Martin F. Kelley	
1895.		· · ·		8,	د	,,	" 12,	" 13,	13,	13,	" 13,	" 14,	. 14,	., 14,	" 14,	" 14,	" 18,	" 19,	8	

Contracts Made and Pending during the Year. - Continued.

ior.	Total.	\$110 77	5,363 00	19 26	270 08	14 00	8	147 00	11,006 75	870 00	12 74	18 06	18,220 56	19 14	222 82
Раш ом Сомтваст.	Year 1895.	\$110 77	6,368 00	19 26	270 08	14 00	<b>3</b>	147 00	8,886 76 12,620 99	870 00	12 74	18 06	12,830 88 † 389 68	10 14	222 32
PAD	Previous Years.		•	:	:	:	:	:	:	:	•	:	:	:	-
	AMOUNT.	01g cents per lb. f.o.b., Boston	\$145.00 each \$287.00 ** \$400.00 **	\$3.21 per cubic yard	\$4.73 · · · · · · · · · · · · · · · · · · ·	\$7.00 " " "	\$3.40 " " "	\$147.00	\$3,950.00 (estimated)	\$370.00	\$3.98 per cubic yard	\$4.20 " " " · · · · · · ·	\$10,607.00 (estimated)	\$5.80 per cubic yard	<b>\$</b> 3.97 '' '' '' '' ''
	<b>Work.</b>	Furnishing two lengths 30-inch flange pipe for   Mystic force main	Stop-cocks to be delivered at Albany-street yard, viz.: 7-20 inch 8-36 "	Blasting, Devon street, Roxbury	" Spruce street, West Roxbury	" Calumet street, Roxbury	" Humboldt avenue, Roxbury	Setting stone posts for pipe fence along roads at   Basin No. 6, Southborough	<sup>1</sup> Building filter-beds near Marlborough junction	Furnishing and erecting Edmiston patent feed water filter at Chestnut Hill pumping-station	Blasting, Savin street, Roxbury	Blasting, Calumet street, Roxbury	A. Michelini & J. Cenedella   Building two portions Framingham-Marlborough   road, Southborough	Blasting, Chamblet street, Dorchester	Oswald street, Roxbury
	Сомтвастовв.	Warren Foundry and Machine Company	20, Josiah H. Long	Martin F. Kelley	Thomas Burke			Henry Parsons	John Berry	Wheeler Condenser and Engineering Company.	Martin F. Kelley	Thomas Burke		Thomas Burke	:
	DATE.	1895. Mar. 16,	* " 20,	* " 28,	*April 8,	,	* " 3,	* " 8		* :	* " 12,	* " 18,	; ; *	* :: 28,	* " 26,

\$318 11	18,616 71	24,999 96	20,747 44	13,116 06	11,425 26	\$58 28	101 09	99	31 16	<b>4</b> 0 90	203 17	15 39	14,909 91	21,209 42	9,907 92	12,081 96	6,085 00	177 00	
\$313 11	18,616 71	24,999 96	20,747 44	13,116 06	11,425 28	\$53 28	101 09	96 30	31 16	40 00	203 17	15 39	14,909 91	21,209 42	9,907 92	12,081 96	6,035 00	177 00	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
\$2.94 per cubic yard	\$82,160.00 (estimated)	\$46,020.00 "	<b>\$48,070.00</b> "	<b>\$24</b> ,510.00 "	<b>\$</b> 47,060.00 "	\$4.80 per cubic yard	<b>\$</b> 2.93 '' '' ''	84.77 " " " "	<b>44.10</b> " " "	<b>\$</b> 40.00	\$2.89 per cubic yard	<b>\$2.85</b> " " " " "	\$21,291 (estimated)	*68,788	\$2.97 per foot	<b>6</b> 2.97 " "	<b>84.</b> 75 " "	\$1.00 " ton	.896.
Blasting, Cranston street, West Roxbury	<sup>1</sup> Section C, Basin No. 5, Southborough	14 H, 4	14. 田, " " " " "	14 G, " " "	1" Н, " " "	Blasting, Trowbridge court, Dorchester	" Almont street, "	" West Selden street, "	" Maywood street, Roxbury	Altering outboard pedestal, Mystic Pumping.	Blasting Abbotsford street, Roxbury	" Holborn " " "	Laying 48.in. main pipe through Brookline	<sup>1</sup> Section B, Basin No. 5, Southborough		Laying 4,000 linear feet 6-in, flexible-joint pipe) between Long and Gallop's Islands. (Sec. tion 2.)	Laying 2,400 linear feet 4-in. flexible-joint pipe   between Long and Rainsford Islands	Transporting flexible joint pipe from Albany street       yard to points where needed in Boston harbor.	<sup>1</sup> Taken by the State, January 4, 1896.
*Apri 126, Martin F. Kelley	29, Malone & Strang	29, Newell & Snowling	29, Charles Lineban		29, Moulton & O'Mahoney	Thomas Burke	: : : : : : : : : : : : : : : : : : : :			10, George F. Blake Manufac- turing Company	11, Martin F. Kelley	: : :	D. F. O'Connell	12, Moulton & O'Mahoney	12, George W. Townsend	2	Perkins & White	22, George W. Townsend	
1896. *Apri 126,	28	29		. 88	., 39,	*May 6,	* **	°6 **	6 ,, *	* " 10,	* " 11,	, . *	June 6,	. 12,	* *	* " 12,	" 12,	* " 22,	

• • ļ

## APPENDIX A.

### REPORT OF THE WATER-INCOME DIVISION.

CITY HALL, BOSTON, February 1, 1896.

HON. JOHN R. MURPHY,

Water Commissioner:

SIR: Agreeable to the request of January 31, I herewith submit the doings of the Income Division for the preceding financial year, ending January 31, 1896.

The receipts and expenditures of the Division were:

#### RECEIPTS.

		Cochituate.	Mystic.	Total.
For water off and on for repairs	•	<b>\$2,248</b> 50	<b>\$484</b> 50	<b>\$2,733 00</b>

#### EXPENDITURES.

			Cochituate.	Mystic.	Total.
Salaries			\$51,054 90	\$13,168 30	\$64,223 20
Travelling expenses			1,651 85	546 66	2,198 51
Printing and stationery	7	•	1,509 70	339 92	1,849 62
Miscellaneous .		•	3,369 92	608 <b>25</b>	3,978 17
Total			<b>\$</b> 57,586 37	<b>\$14,663</b> 13	<b>\$</b> 72,249 50

#### TABLE I.

	COCHIT- UATE.		Mys	STIC.		
	Boston, excluding Charlestown.	Charlestown.	Somerville.	Chelses.	Everett.	Totals.
Number of takers by annual rates	85,183 4,049	6,905 186	13,383 115	6,727 104	4,938 28	117,136 4,482
Number of takers of all kinds,	89,232	7,091	13,498	6,831	4,966	121,618

TABLE II.

Showing the purposes for which water was taken by Annual Rates, and the districts where taken.

	COCHIT-		Mys	TIC.		
Purposes for which Water was taken by Annual Rates.	Boston, excluding	Charlestown.	Somerville.	Chelses.	Everett.	Totals.
Armories Bakeries Bath-houses Building purposes Cattle-yards Cemeteries Churches Clubs Depots Disinfecting-places Dwelling-houses Fire Department:	3 249 5 1,401 1 10 212 91 19 47,274	3 21 	351 	1 21 79 1 15 30 1	5 179 9 3 5	7 307 5 2,019 2 11 271 162 32 1 68,080
Chemical engines Combination wagons Hose companies Hydrants Ladder companies Steam-engines Fire-pipes Fountains Freight-houses Greenhouses Greenhouses Halls Hand-hose Hospitals and asylums Hotels	8 3 5 6,031 16 40 337 20 2 75 2 76 8,527 47	272 	115  115  8 12 10  18  11 2,719	85 	32 	6,535 6,535 15 62 402 45 13 104 2 108 12,865 48
Laundries Libraries Manufactories Model houses Morgue Motor Offal-stations Offices Photograph-rooms Police-stations Public buildings Restaurants Saloons	367 8 6,612 1 4 2 1,471 22 6 17 280 429	31 3 381 35 1 1 1 12 42	28 1 15 390  17 17 1  3	27 1 24 187 	7 90  22 1 1	464 11 49 7,660 1 6 2 1,601 27 8 19 306 471
Schools Sewers Schops Shops Shipping Stables Steam-engines Steam-rollers Stone-crushers Stores Theatres (special) Urinals (public) Washing carts Watering streets	117 12,665 38 3,290 269 6 5 5,107 4 1 1 3	327 24 	1,188 2 110 1,188 2  1 262	3 1 109 344 8 1 315 1	489 	136 11 3,082 39 5,638 303 6 8 6,161 4 1

TABLE III.

	COCHIT- UATE.		Mys	TIC.		
Purposes for which Water was taken By Meter.	Boston, excluding Charlestown.	Charlestown.	Somerville.	Chelses.	Everett.	Totals.
Bakeries Baths Boarding Bottling Breweries Cemeteries Chemicals Club-houses Distilleries Electrical companies Elevators and motors Factories Fish-houses Gas companies Greenhouses Halls Hospitals Hotels Lec-manufacturing companies Iron-works Laundries Marble-works Markets Mills and engines Models Navy Yard and barracks Offices, stores, and shops Oil-works Parks Police-stations Public buildings Saloons and restaurants Schools Slaughtering-houses Stables Steam and street R.R. co's Stone-works Sugar-refineries Tanneries Theatres Warehouses Wharves and shipping	33 10 1 7 25 706  1,077 6 10 15 35 278 240 18 301 68 6 1 4 13 7 64	4 1 2 1 6 30 2 3 6 1 3 2 9 18 2 11 1 1 1 1 2 4 1 1 1 1 1 2 4 1 1 1 1	1 1 6 21 1 2 2 2 1 1	1	3 6 	15 6 6 6 35 26 4 10 22 7 8 533 358 32 17 15 7 22 102 2 39 16 1 7 41 7 7 11 17 11 17 11 11 11 11 11 11 11 1
Totals	4,049	186	115	104	28	4,482

TABLE IV.

Bakeries         8           Baths         2           Boarding         2,           Bostling         3,           Breweries         22,           Cemeteries         Chemicals           Chub-houses         5,           Distilleries         5,           Electrical companies         35,           Elevators and motors,         70,           Pactories         41,           Fish-houses         2,           Gas companies         11,           Greenhouses         11,           Halls         40,           Hotels         40,           Lee-manufg.companies         3,           Iron-works         5,	ic feet. 808,000 .854,000 .747,000 .238,000 .858,000 .588,000 .588,000 .	Opposite feet. 674,000	54,000	Somerville.	Cubic feet.	Cubic feet.
Bakeries         8           Baths         2           Boarding         2,           Bostling         3,           Breweries         22,           Cemeteries         Chemicals           Chub-houses         5,           Distilleries         5,           Electrical companies         35,           Elevators and motors,         70,           Pactories         41,           Fish-houses         2,           Gas companies         11,           Greenhouses         11,           Halls         40,           Hotels         40,           Lee-manufg.companies         3,           Iron-works         5,	808,000 854,000 747,000 238,000 840,000 282,000 588,000	674,000	54,000	Cubic feet.	Cubic feet.	
Marble-works Markets Mills and engines 4,4 Models 47, Navy Y'd and barracks Offices, stores, and shops 92, Oil-works 1, Parks 1, Police-stations 1, Public buildings 23, Saloons and restaurants Schools 8, Slaughtering-houses 1, Stables 14, Steam and street R.R. companies 69, Stone-works Sugar-refineries 32, Tanneries 2, Warehouses 4,	384,000   787,000   971,000   455,000   513,000   722,000   558,000   588,000   588,000   577,000   517,000   517,000   517,000   517,000   375,000   700,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,000   331,00	2,118,000 146,000 201,000 288,000 2,931,000 1,723,000 106,000 423,000 299,000 423,000 1,357,000 4,606,000 269,000 269,000 49,000 35,000 111,000 522,000 1,487,000 25,664,000 3,069,000 3,069,000	14,000 887,000 146,000 5,606,000 52,000 29,000 297,000 104,000 143,000 420,000 2,859,000	18,000 28,000 1,311,000 1,311,000 146,000 2,558,000 2,154,000 123,000 22,000 666,000 666,000 146,000 13,607,000 797,000 11,126,000	28,000 99,000 37,000 37,000 186,000 47,000 139,000 151,000	1,536,000 2,779,000 2,779,000 3,272,000 24,958,000 734,000 383,000 5,384,000 1,164,000 38,169,000 2,776,000 2,776,000 2,776,000 3,766,000 4,308,000 7,1,000 4,308,000 7,1,000 4,308,000 7,1,000 93,224,000 4,308,000 1,792,000 10,256,000 11,792,000 11,792,000 10,256,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 12,795,000 23,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000 11,792,000

Table V.

	COCHIT- UATE.		Mys	TIC.		
AMOUNTS ASSESSED BY MRTER.	Boston, excluding Charlestown.	Charlestown.	Somerville.	Chelses.	Everett.	Totals.
Bakeries	\$1,062 70 1,005 40 3,646 40 4,417 85 27,963 60 822 20 6,378 30 1,071 65	\$848 00 47 60 2,569 40 195 10 264 10	\$28 20 	\$76 20 19 60	\$39 20	\$1,986 90 1,005 40 3,694 20 4,465 45 30,553 00 404 80 1,017 30 6,378 30 1,569 45
nies Elevators and motors	37,917 60 66,862 65	408 80	1,597 20 172 40	1,088 40 218 60	45 00	40,603 20 67,707 45
Factories	51,280 50 3,534 20 15,771 20 810 70 1,095 60 11,207 00 50,181 90	3,825 21 1,552 40 131 60 578 30	3,359 80 15 00 2,632 00 171 20	7,197 90 72 80 892 60	3,066 70 51 80	68,730 11 3,534 20 17,396 40 877 50 1,227 20 14,731 60 50,931 40
companies Iron-works Laundries Marble-works Markets Mills and engines Models Navy Yard barracks	4,016 80 6,552 30 4,919 40 91 20 524 00 5,888 05 64,214 17	319 80 401 70 551 20 3,002 20 1,898 30 5,557 69	30 80 30 80 355 30 504 70	63 00 168 80 	345 60 247 20	4,336 60 7,393 40 5,886 60 91 20 524 00 9,934 75 66,670 37 5,557 69
Offices, stores, and shops	123,281 00 962 10 1,317 20 2,246 30 21,419 30	381 60 35 00 67 00 49 00 4,416 00	847 60 	445 10 147 80 	71 00	125,026 30 1,144 90 1,384 20 2,387 60 28,069 30
rants	31,267 35 11,638 00 1,434 30 19,680 40	162 40 730 90 2,674 00	937 20 13,968 40 1,101 40	219 60 596 90	329 50 190 00	31,429 75 13,855 20 15,402 70 24,242 70
railroads Stone-works Sugar-refineries	70,454 37 761 60 27,252 00 409 80 2,256 40 3,137 70 22,348 60	26,638 60 	10,784 80 	3,493 70 	223 30	111,594 77 761 60 27,252 00 409 80 2,256 40 3,749 70 26,748 10
	\$711,467 39	<u> </u>			\$4,609 30	\$832,903 49

TABLE VI.

Showing the amounts assessed for water taken by Annual Rates, the purposes for which and the places where taken.

	COCHITUATE.		Mys	TIC.		
Amounts Assessed by Annual Rates.	Boston, excluding	Charlestown.	Somerville.	Chelsea.	Everett.	Totals.
Armories Bakeries Bath-houses Build'g purposes, Cattle-yards Cemeteries	\$93 00 3,188 09 218 00 12,911 15 15 00 96 00 2,464 08	\$56 50 276 50 53 20 10 00	\$148 00 1,630 01 232 50	\$15 00 276 00 309 96 5 00 187 50	\$71 00 553 49	218 00 15,457 81 25 00 101 00
Clubs	1,647 51 305 09 25 00 687,214 99	270 41 63,164 42	166 58 122 50 104,862 08	298 50 19 50 61,754 62	45 00 84 00 36,286 13	2,428 00 531 09 25 00 953,282 24
engines Combination wagon Hose companies, Hydrants	120 00 45 00 75 00 120 62	544 00	3,220 00	2,418 00	896 00	120 00 45 00 75 00 19,140 00
Ladder companies Steam engines, Fire-pipes Fountains Freight-houses Gymnasiums Halls Hand-hose	225 00 1,000 0 6,096 84 423 00 10 00 1,329 17 32 00 1,014 32 42,635 00	127 00 650 00 60 00 65 50 146 50 1,350 00	164 00 240 00 55 00 119 00 113 00 13,595 00	129 58 135 00 50 00 34 00 113 00 3,040 00	57 50 30 00 25 00 59 00 109 17 3,705 00	225 00 1,478 08 7,151 84 613 00 75 50 1,641 17 32 00 1,495 99
Hospitals and asylums	3,917 00 150 00 6,710 71 100 00 140,985 06 10 00 19 58 225 00	546 67 10 00 27 00 7,043 84	509 67 24 00 213 30 7,718 57	20 00 502 50 12 00 278 67 3,855 08 35 00	194 50 64 00 1,806 95	3,937 00 150 00 8,464 05 146 00 582 97 161,409 50 10 00 59 58 225 00
Offices	12,156 19 457 35 90 42 7,647 50 5,502 87 15,313 05 1,695 62 500 00 21,937 46	298 33 24 00 23 00 44 50 203 00 1,713 57 18 00 86 38 1,201 76	179 50 22 00 170 00 55 00 78 00 90 00 710 32	465 58 35 00 	171 16 17 00 20 00 32 50 64 00	13,270 76 555 35 133 42 7,862 00 5,941 20 17,026 62 1,949 12 1,76 38 24,884 54
Shops	1,211 74 23,463 67 3,549 13 150 00 125 00 53,209 91 163 12 5 00 150 00	2,680 70 2,680 70 279 00 3,096 51	710 32 5,805 86 24 00 152 00 2,246 85	1,682 81 126 00 10 00 2,965 16	1,904 30 24 40 866 09	1,214 74 35,537 34 3,978 13 150 00 311 40 62,384 52 163 12 5 00 150 00
Watering streets,	796 00	84,294 79	4,294 32 \$146,966 06	80,537 41	443 68 347,782 79	6,137 04 \$1,433,067 67

33

TABLE VII.
Shows the Number and Amounts of Abatements Allowed in 1895, and the Several Districts where Water was Taken.

		Сосы	COCHITUATE.				Mrstic.	TIC.			
ABATEMBNTS.	<b>T8.</b>	Boston, Charle	Boston, excluding Charlestown.	5 	Charlestown.		Chelses.	Воп	Somerville.		Everett.
On account of Assessments.	sessments.	No.	Amount.	Ŋ.	Amount.	No.	Amount.	No.	Amount.	No.	Amount.
1896		2,848 174 1,240 2	\$17,592 66 10,743 01 17,473 54 304 80	209	\$918 95 873 73	252 183	\$1,044 77 1,189 17	245	\$1,174 41 1,708 75	128	\$720 08 765 30
Totals		4,264	\$46,114 01	300	\$1,792 68	435	\$2,233 94	219	\$2,883 16	88	\$1,485 38
Total n The abstemen vacancles, errors: sponsible, and for	number ints allowed on in valuation ar r other reason The Abat	account of account of swhich, in t	Total number	its, to the of meter of the Ger 1894,	Total number	Total a. 3.66, were sta, under int, entitle 392 wer.	Total amount	n occupanc which the r to conside	y of premises, c. s owner could no pration.	\$54,509 17 thanges in or of be held at	17 1 ownership, 1 entirely re.
	Overcharges, changes in premises, vacancies, errors in valuation, assessments.	changes in vacancies, valuation, s.	Gity Accounts.	unts.	Uncollectible — Change of ownership, failures, shut off for non-payment, cleaning up of old accounts.	Change allures, on-pay-	Consolidation of N.Y., N.H. & H. R.R. Co.	of N.Y., R.R. Co.	Fire-pipes.		Total.
1894	\$1,455 18 1,259 20	5 18 9 20	\$6,446 68	89	\$2,093 95 12,270 74 304 80		\$747 20	2 2 2	\$290 00	<u> </u>   : :	\$10,743 01 17,473 54 304 80

Tables VIII. and IX. represent the work of the Off and On Service, as follows:

TABLE VIII.

	COCHIT- UATE.		Mys	STIC.		
NEW ELEVATOR, MOTOR, FIRE, AND SERVICE PIPES.	Boston, excluding Charlestown.	Charlestown.	Somerville.	Chelses.	Everett.	Totals.
Elevator	15 8 26 2,632		429	130	265	15 8 27 3,494
Totals	2,681	39	429	130	265	3,544

## TABLE IX.

	COCHIT- UATE.		Mys	STIC.		
TURNING WATER OFF AND ON.	Boston, excluding Charlestown.	Charlestown.	Somerville.	Chelsea.	Everett.	Totals.
For repairs in mains For repairs in service For non-payments	1,342 4,854 1,977 13 2,224	387 98 58	186 153 358	170 198	131 148 	1,342 5,728 2,574 13 3,039
Totals	10,410	543	697	462	584	12,696

TABLE X.

Showing the kinds of fixtures in use January 31, 1896, their number, and the districts wherein located.

	COCHIT- UATE.		Mys	STIC.		
FIXTURES IN USE JANUARY 31, 1896.	Boston, ex- cluding Charlestown.	Charlestown.	Somerville.	Chelsea.	Everett.	Total.
Bath-tubs	48,755 78,541 513 138,081 18,457 4,611 70,313 115,138	1,613 2,423 5 11,830 1,056 152 2,068 8,134	6,450 6,625 2 15,428 3,054 56 7,464 13,148	2,170 2,749 1 9,471 1,026 85 2,303 6,988	2,622 2,415 5,045 790 24 2,210 3,561	61,610 92,753 521 179,855 24,383 4,928 84,358 146,969
Totals	474,409	27,281	52,227	24,793	16,667	595,377
The Waste Detect	on repo	ort for	the year	ar is as	follow	78:
Premises on which defective a Premises reëxamined Second notices to repair Wilful-waste notices issued .	ixtures we			• • • • •		7,970 8,150 595 39
The defective fixtuclasses:	ires maj	y be d	livided	into 1	the foll	lowing
Ball-cocks and valves Sink, hopper, bowl, and bath Service-pipes burst Wilful waste	faucets			· · · · · · · · · · · · · · · · · · ·	• • • •	5,282 3,551 407 39

Most respectfully submitted,

J. H. CALDWELL, General Superintendent Income Division.

# APPENDIX B.

REPORT OF THE RESIDENT ENGINEER AND SUPERINTENDENT OF THE WESTERN DIVISION.

South Framingham, January 1, 1896.

CHARLES W. SMITH, Esq.,

Water Commissioner:

SIR: The annual report for the Western Division of the Boston Water Works is herewith submitted.

## SUDBURY-RIVER BASINS.

Water-shed, 75.2 Square Miles.

The rainfall for 1895 was 51.40 inches at Framingham, and 45.96 inches at Chestnut-Hill Reservoir. The mean rainfall on the Sudbury-River water-shed was 50.75 inches, which is about 2.75 inches above the average.

This abundant rainfall has enabled us to keep up the full supply to the city. A season of extreme drought would find the city still behind in its supply, but the completion of Basin No. 5, now well under way, will meet every demand for several years and until the Metropolitan works are completed, when the question of quantity will be finally settled.

Probably the largest fall of rain in a single and continuous storm that has ever been registered in Boston since accurate records have been kept occurred October 12–14, 1895. The Weather Bureau record seems to be defective, inasmuch as only slightly over five inches was reported from this station. The Boston Water-Works gauges having been located with care and near the surface of the ground can be depended upon, especially since there are at Chestnut-Hill Reservoir several gauges which act as a check on each other. Any gauges situated on the tops of high buildings are likely to give unsatisfactory results, on account of the effects of the wind.

Rain began to fall in Boston at 1.30 P.M. on Saturday, October 12, and ceased at 4.15 A.M. on Monday, October

14, 1895. The following are the amounts of rain collected in the different gauges on the Boston Water-Works:

Locality.					Rainfall. Inches.
Chestnut-Hill Res	ervoir		•	•	7.45
Chestnut-Hill Rese	ervoir				7.55
West Medford		•		•	7.42
Lake Cochituate		•		•	$\boldsymbol{6.95}$
Framingham .			•	•	8.49
Ashland .	•				7.50
Cordaville .	•			•	7.60
Cordaville .					7.90

This great rain of 7.5 inches (in round numbers) in less than thirty-nine hours would certainly have produced very great freshets in the rivers had the rain occurred when the ground was frozen or when the water tables were high and the streams full. As it was, the ground was exceedingly dry and absorbed readily a large proportion of the rain. On the Sudbury river the maximum flow in twenty-four hours represented about one-half inch collected over the water-shed, a very small amount. The rate of rainfall at any portion of the storm, as shown by the self-recording rain-gauge, was remarkably uniform and not large.

Plans and specifications were completed early in the year for stripping the loam and muck from about one-half the area of Basin No. 5, and the contracts advertised in April. The following table shows the names of the bidders to whom the contracts were awarded, with the dates, prices per cubic yard for earth excavation, and the amounts of the contracts. Section "A" was let the previous season. A series of filter beds was planned in connection with the basin to filter the water from one of the brooks flowing through the city of Marlboro'. The whole work included in all of these sections covered all of the contemplated improvements on the southerly half of the basin, with the exception of the bridge under the N.Y., N.H., & H. R.R.

Names.	Work.		Price per cu. yd.	Date Contract.	Amount.
John Berry	Filter-beds, Marlb	oro' .	<b>\$</b> 0 23	April 29	\$3,950
A. Michelini & Jos. Cenedella	2 Portions Fram.		0 21	April 22	10,607
Moulton & O'Mahoney	Section B		0 29	June 12	68,788
Malone & Strang	" O		0 21	April 29	82,160
Auguste Saucier	" D	. <b>.</b> .	0 21	June 25	67,691
Chas. Linehan	" E		0 23	April 29	. 48,070
Newell & Snowling	" F		0 26	""	. 46,020
Chas. Linehan	" G		0 19		. 24,510
Moulton & O'Mahoney	" н	. <b>.</b>	0 26	" "	47,060
Henry Parsons	Iron fences			July 17	

The work on these sections has been half completed, and as the whole basin will be seized by the Metropolitan Water Board in a few days, the completion of this portion of the Boston Water Works will rest with the Commonwealth.

Work on this dam has progressed rapidly during the year. The masonry section has been carried from grade 190 to grade 217, and the earth embankment at the northerly end of the dam has been carried to grade 210, and the southerly embankment to grade 224.

Owing to past experience with epidemics of typhoid fever among the workmen where such extensive works are undertaken, a Medical Inspector was appointed early in the season, and a set of sanitary rules adopted for the regulation of latrines and to prevent contamination of the water supply. The rules were printed on cloth in English and Italian and properly posted. The effect of this course has been excellent.

No unusual growths of Algæ have occurred this year in the sources of supply. The color of the water in the city taps has averaged 0.64 at Park Square, and 0.54 at Mattapan (Platinum Scale).

Extensive tracts of land have been secured in Cedar Swamp for the better carrying out of the drainage scheme already devised, but no construction has as yet been undertaken.

Plans for a new dam at Whitehall Pond have been perfected. An extended series of experiments was made during the year to determine the effects of sixteen years of tuber-culation on the interior of the 48-in. mains at the Rosemary siphon of the Sudbury Aqueduct. The results were

fully published in the Transactions of the American Society of Civil Engineers, and showed that the carrying capacity of the pipes had been diminished 25% by the growths of tubercles. These were removed from one of the lines of pipe without material injury to the original coating, and the line then carried practically as much water with the same losses of head as when first laid.

For ordinary velocities the coefficient "c" in the Chezy formula  $V = c\sqrt{RI}$  was found to be 110 for the incrusted mains and 140 for the clean pipes. On February 2 the weirs were all removed from the aqueduct and the normal flow resumed.

The town of Ashland made another effort in March to secure legislation for damages from the city for lands taken in years past and for which settlements had already been made with the private owners, but were again unsuccessful.

In January and February a large and substantial weir 10 feet long was erected at Fisher-Hill Reservoir to measure the flow from the new pumping machinery of the High Service Supply erected at Chestnut-Hill Reservoir. A preliminary test by the students of the Institute of Technology has been made, but the final test of the pumps has not yet been arranged.

The most important event of the year in connection with the Boston Water Works was the passage of an Act, approved June 5 (and printed in full in the Appendix), to provide for a Metropolitan water supply. Under the provisions of this bill the Commonwealth has undertaken the duty of supplying the Metropolitan District with its water.

On June 29 the title of Superintendent of the Western Division was changed to that of General Superintendent of the Western Division.

#### BASIN 1.

Grades, H.W., 161.00; Tops of Flash-boards, 159.29 and 158.41; Crest of Dam, 157.54.

Area, Water Surface, 143 acres; Greatest Depth, 14 ft.; Contents, below 161.00,
376,900,000; below 159.29, 288,400,000 gals.

On January 1, 1895, water in this basin stood at elevation 156.50, and remained at about this level until January 11, when it commenced to rise, and on January 13 was wasting over the stone crest. Waste continued until February 1. The surface then fell, and remained about one foot below the stone crest until March 11, when waste over the stone crest again commenced and continued until May 9, when both sets of flash-boards were placed in position. From May 20 to June 11 water was wasting over the flash-boards.

By July 30 the water-surface had fallen to 158.54; there

was a sudden rise to 158.91 on July 31, after which it fell again, reaching 158.11 on October 12, when it began to rise. The flash-boards were removed on October 16, and water was wasted over the stone crest for the remainder of the year.

The only waste of water through the flood gates was on

October 13, 14, and 15.

The highest elevation reached during the year was 159.33, on May 23; and the lowest, 156.17 on January 2.

Water was drawn from this basin for the supply of the city

from 7 A.M., January 1, to 2 P.M., April 8.

The slope paving at the dam, above elevation 158.00, was relaid in the autumn.

#### Basin 2.

Grades, H.W., 168.00; Tops of Flash-boards, 167.12 and 166.49; Crest of Dam, 165.87.

Area, Water Surface, 134 acres; Greatest Depth, 17 ft.; Contents, below 168.00,
568,300,000; below 167.12, 529,860,000 gals.

On January 1, 1895, water in this basin stood at elevation 166.00 and was flowing over the stone crest, and this over-flow continued until February 10. The surface then fell gradually, reaching elevation 161.22 on March 1, when it began to rise; and on March 10 water was again flowing over the stone crest. It continued to overflow until May 9, when both sets of flash-boards were placed in position. From May 15 to May 17 water was flowing over the flash-boards. The surface then fell, and on July 3 had reached elevation 163.54.

From July 3 to October 13 the water was kept between elevations 163.00 and 163.50, by drafts from Basins 4 and 6. On October 13 the surface rose rapidly, and water was flowing over the flash-boards from October 14 to October 20, and again from November 1 until the flash-boards were removed. The upper set of flash-boards was removed on November 5, and the lower on November 6. During the remainder of the year the water was flowing over the stone crest.

The highest elevation reached by the water-surface was 167.32, on November 3; and the lowest, 161.22, on March 1.

Water for the supply of the city was drawn wholly from this basin from 11.40 A.M., June 27, to 11 A.M., July 19; from 7 A.M., July 24, to 12 M., October 1; from 10 A.M., October 13, to 11 A.M., October 24; from 11 A.M., November 25, to 7 A.M., December 2; from 5 P.M., December 2, to 11 A.M., December 3; and from 11 A.M., December 23, to the end of the year.

Water was drawn partly from this basin and partly from Basin 3, from 2 P.M., April 8, to 11.40 A.M., June 27; from 11 A.M., July 19, to 7 A.M., July 24; from 2 P.M., October 3, to 10 A.M., October 13; from 11 A.M., Octo-

ber 24, to 11 A.M., November 25; from 7 A.M. to 5 P.M., December 2; and from 1 P.M., December 5, to 11 A.M., December 23.

A new fence has been built on the northerly side of Union Street, Ashland, by the South Middlesex Street Railway Company to replace the fence which was removed when the street was widened by the town. This fence is on the relocated street line of the city's land, at the head of the basin.

The town of Ashland has widened Fountain Street along the line of the property of the city, taking a narrow strip of the city's land for this purpose. I advise that steps be taken to secure compensation therefor.

Very few organisms were present during the year 1895. The average number for the year was 55 per c.c., and the amorphous matter was 374 per c.c.

#### Basin 3.

Grades, H. W., 177.00; Crest of Dam (no flash-boards), 175.24.

Area at 177.00, 263 acres; Contents, below 177.00, 1,224,500,000 gals.

Area at 175.24, 248 acres; Contents, below 175.24, 1,081,500,000 gals.

Greatest depth, 31 feet.

On January 1, 1895, water in this basin stood at elevation 175.24, the top of the stone crest. On January 12 it began to overflow, and continued until February 6. On March 2 the surface had fallen to 172.21, but on March 11 it flowed over the crest again, and continued to overflow until May 7. During the remainder of May the surface was a little below elevation 175.00, but in June it began to fall, and by June 27 it had receded to elevation 169.08; it then began to rise, and by July 14 had reached elevation 170.04. During the remainder of July it was very nearly stationary, but in August it rose again to elevation 172.50 on September 1, and it remained at about this level until October 4, after which it fell again, reaching elevation 171.03 on October 14. water then rose rapidly, and on October 15 it flowed over the crest, and continued to overflow, except on October 29 and November 16, for the remainder of the year.

The highest elevation reached was 176.21, on March 15; and the lowest, 169.08, on June 27.

The water for the supply of the city has at no time during the year been drawn wholly from this basin. Water has been drawn partly from this basin and partly from Basin 2 on the dates already given under the head of Basin 2.

The joints between the stones in the overflow at the dam have been in bad condition for some years, and this year they were cleaned out and pointed with Portland cement mortar. It was found necessary to scrape some of the joints to a depth of eighteen inches or more. Advantage was taken of this opportunity to point the joints in the wing-wall of the overflow, and in some parts of the substructure of the gate-house, which were in poor condition.

The paving in front of the overflow has been relaid, and the rip-rap below it brought up to grade where accessible.

The alge growths were exceptionally heavy in 1895. The diatoms appeared as usual in the spring and autumn. The spring growth did not begin till May, but continued into August. Tabellaria appeared first; they reached their highest development in June, but continued until August. In July Stephanodiscus were abundant. The fall growth of diatoms was heavier than the spring growth, but was of shorter duration. Tabellaria and Asterionella predominated.

Chlorophyceæ were present in July and in October, being

chiefly Protococcus and Closterium.

The Cyanophyceæ were very abundant during the summer. Cœlosphærium appeared soon after the ice broke up. creased steadily until the last of August. Anabæna appeared in July; it increased slowly for several weeks, and finally during the first week in September rose suddenly to very large Thus it happened that in September Colosphærium and Anabæna were both present in large numbers. September 10 there were 1,360 standard units of Anabaena and 1,240 units of Colosphærium at the surface. extended throughout the entire basin. The water at this time had a deep brownish color, characteristic of the coloring-matter of the Cyanophyceæ when seen by reflected light. When concentrated these organisms had a strong taste like that of uncooked sweet corn. The Anabæna disappeared by the middle of October, but the Colosphærium continued for another month.

Infusoria were found in small numbers throughout the summer.

The average number of organisms for the year was 550

per c.c., and of the amorphous matter, 466 per c.c.

Owing to the stripping and other work going on in Basin 5, which is but a short distance above Basin 3, the water has been of poor quality in the latter basin, and has been used but little for the supply of the city.

## Basin 4.

Grades, H. W., 215.21; Tops of Flash-boards, 215.31 and 214.89; Crest of Dam, 214.23.

Area, Water Surface, 167 Acres; Greatest Depth, 49 feet; Contents, below 215.21, 1,416,400,000 gals.

On January 1, 1895, water in this basin was at elevation 196.18; it rose gradually, and on April 9 flowed over the

stone crest, and continued to overflow until May 10, when the lower set of flash-boards was placed in position. The water then rose, and on May 13 flowed over the boards. This overflow continued until May 24, when the upper set of flash-boards was put in place. The water rose and overflowed the flash-boards from May 29 to June 19 and from June 28 to July 3. On July 3 one of the outlet gates was opened to furnish water to Basin 2, and the water gradually fell, reaching elevation 191.84 on October 13, when the outlet gate was closed. The water immediately rose again, and on December 31 had reached elevation 213.59.

The highest elevation reached during the year was 215.39, on June 6; and the lowest, 191.78, on October 12.

Some repairs have been made to the gate-house and other

buildings.

The new channel of Cold Spring brook, from Dam 4 to Main Street, and the waterway under Main Street, should be finished, for it may at any time become necessary to draw from Basin 4 a quantity of water which the brook in its present condition could not carry without flooding the meadows and rendering the city liable for damages.

The organisms in Basin 4 throughout the year were slightly higher than in 1894, but still very low. The average number for the year was 39 per c.c., and amorphous matter, 158

per c.c.

## Basin 6.

Grades, H. W., 295,00; Top of Flash-boards, 295.00; Crest of Dam, 294.00. Estimated Area, 185 Acres; Estimated Contents, 1,530,300,000 Gallons.

On January 1, 1895, water in this basin stood at elevation It then rose gradually, and flowed over the stone crest from April 4 to May 9, when the lower set of flashboards was put in position. On May 19 water flowed over these boards, and continued to overflow until the upper set of flash-boards was put in place, on May 23. On May 29 water was flowing over the flash-boards, and the overflow continued until July 13, except June 20 to June 27. On July 13 an outlet gate was opened to supply water to Basin The water then fell gradually to elevation 272.26 on October 13, when the gate was closed. The water immediately began to rise, and on December 26 was overflowing the stone crest. This overflow continued for the remainder of the year. The highest elevation reached during the year was 295.08, on June 6; and the lowest, 272.26, on October 12 and 13.

All of the elevations at Basin 6 are subject to a correction, as no good line of bench levels has yet been run to connect these with our permanent benches.

The present channel of the brook is insufficient to pass the quantity of water required during the summer, without flooding and consequent claims for damages. I recommend that surveys and plans be made for a new channel.

A force of men has been continually employed since March 30 in grading the grounds immediately below the dam

and preparing filter beds.

A stone chamber with wooden cover has been built around the gate on the 36-inch pipe leading to filter bed No. 1. A brick measuring well with wooden roof has been erected at the outlet of the drain from Bed No. 1.

The water in both Basins 4 and 6 has been of excellent quality throughout the year, and the supply for the city during the summer was taken almost entirely from these sources.

Diatoms were present in small numbers from May to October. Chlorophyceæ were somewhat abundant in September and October. A few infusoria were present in the spring and fall. The average number of organisms for the year was 72 per c.c.; of amorphous matter, 234 per c.c.

#### Basin 8.

Elevation, H.W., 327.91; Bottom of Gates, 317.78.

Area at 327.91, 601 acres; Contents, between 327.91 and 317.78, 1,256,900,000 gallone.

On January 1, 1895, water in this basin stood at elevation 323.23, or 4.68 feet below high water. It gradually rose to elevation 325.61 on March 25, and, although water was wasted at various times after this date to prevent the water from rising too rapidly, it reached elevation 326.96 on April 30. The water was kept at about this elevation, by occasionally wasting, until June 14, when the quantity wasted was increased, and the surface fell to elevation 325.90 on June 22. The water then fell slowly, the amount of waste being small, to elevation 323.22, on October 12, after which it rose, at first rapidly and then more slowly, to elevation 326.31 on November 27. The waste gate was opened on November 27, and on December 31 the water had fallen to elevation 325.35.

The highest elevation reached during the year was 327.01, on June 6; and the lowest, 323.22, on October 12.

Water was wasted at various times, both to regulate the height of the water and to furnish water to Basin 2 for the supply of the city. The outlet gate was closed and no water drawn from the basin from 7 A.M., January 1, to 7 A.M., March 25; from 7 A.M., April 5, to 7 A.M., April 9; from 7 A.M., April 12, to 7 A.M., April 15; from 7 A.M., April 20, to 7 A.M., April 30; from 6 P.M., May 9, to 7 A.M.,

May 10; from 6 P.M., May 16, to 7 A.M., May 18; from 7 A.M., May 23, to 7 A.M., June 14; from 10 A.M., June 22, to 7 P.M., June 23; from 6 P.M., July 24, to 6 P.M., August 8; and from 5 P.M., October 14, to 5 P.M., November 27.

Weir measurements of the waste have been taken as usual during the year, when the outlet gate was open and also when it was closed. Observations during the summer show that with Whitehall Pond brook in its present condition, very little water can be drawn from the basin without flooding the meadows along the entire length of the brook, and consequently making the city liable for damages.

The scows, dredger, and steamer are still in fair condition.

The roof of the dredger has been shingled.

The Wood Bros. shoe factory has been sold and torn down,

but the rubbish has not yet been cleaned up.

There is quite a large leak in the bulkhead in which the waste gates are located. This bulkhead should be renewed, unless the new dam is to be built soon.

#### FARM POND.

Grades, H. W., 149.25; Low Water, 146.00.
Area at 149.25, 159 acres; Contents, between 149.25 and 146.00, 165,500,000 gals.

On January 1, 1895, water in this pond was at elevation 148.79. On January 26 it had risen to elevation 149.03, and it remained at about this height until March 7. It then began to rise, reaching elevation 149.32 on March 14, and remained nearly at this elevation until June 9, when it receded, falling to elevation 149.00 on June 21. The height again remained nearly constant until August 21, when the water began to go down, reaching elevation 148.44 on October 11 and 12. This fall was followed by a rise, the surface reaching elevation 149.87 on November 28 and 29, when water was wasted into the Sudbury river; the water then fell, reaching elevation 149.36 on December 1, and remained a little above high water until the end of the year.

The highest elevation reached during the year was 149.87, on November 28 and 29; and the lowest, 148.44, on Octo-

ber 11 and 12.

No water for the supply of the city has been drawn from

this pond during the year.

The Framingham Water Company has pumped from the pond 132,200,000 gallons during the year, an average of 362,192 gallons daily.

The total amount of waste was 34,900,000 gallons, of which 7,300,000 gallons were used in cleaning the aqueduct,

and the remainder was wasted into the Sudbury river.

The paving on the slope at the south side of the influent chamber, which had settled in many places, has been taken up and relaid to grade. During the winter the coping on both sides of the entrance of Farm Pond sluice was moved out of place by the ice. This has been replaced, and heavy paving laid against it, to prevent, if possible, any future movement.

## LAKE COCHITUATE.

Grades, H. W., 134.36; Invert of Aqueduct, 121.03; Top of Aqueduct, 127.36.

Area, Water Surface at 134.36, 785 acres.

Contents, between 134.36 and 127.36, 1,615,180,000 gals.; between 134.36 and 125.03, 1,910,280,000 gals.

Approximate Contents, between 134.36 and 121.03, 2,447,000,000 gals.; between 134.36 and 117.03, 2,907,000,000 gals.

On January 1, 1895, water in the lake was at elevation 126.28, or 8.08 feet below high water. On January 6 it had fallen to elevation 126.13, but by January 14 it had risen to elevation 126.55, and until March 9 it remained between elevations 126.50 and 127.00. On March 9 the water began to rise, and on March 10 water from the Sudbury-river basins began to flow into the lake; and on April 1, when the flow from the Sudbury sources was cut off, the water had risen to elevation 132.97. On April 14 it had risen to highwater mark, elevation 134.36. From this time until May 28 the surface was kept at about this height, by wasting from the lake in April, and by a few drafts from the Sudbury basins, in May. On May 28 the water began to fall, and, although the fall was checked temporarily by a draft from the Sudbury, in June, by October 12 the surface had fallen to elevation 128.27. At this time there was a heavy rainfall, and the water rose in consequence, reaching elevation 133.05 on December 6, when the waste gate in the new dam was opened and the water drawn down, receding two feet below high water on December 15. For the remainder of the year the surface was kept at about this level by occasionally wasting water.

The amount of water wasted from the lake at the outlet dam was 285,000,000 gallons in April, and 372,600,000 gal-

lons in December; a total of 657,600,000 gallons.

In January, 1,300,000 gallons were turned into the lake from the Sudbury sources; in March, 680,000,000 gallons; in May, 87,700,000 gallons; in June, 114,000,000 gallons; in October, 6,600,000 gallons; in November, 5,600,000 gallons; and in December, 1,600,000 gallons; or a total amount of 896,800,000 gallons.

All of the flash-boards have been in place on the crest of

the outlet dam during the entire year.

Four of the stop-planks at the circular dam were removed

on March 19, and replaced on July 5. On September 23 nearly all of the stop-planks were removed, and that part of the lake above the circular dam was drawn down to allow repairs on the dam. These planks were not replaced during the year, as the temporary works at the new bridge of the Boston & Albany Railroad, just below the circular dam, maintained the water in the lake at the usual grade, and the stop-planks were not needed.

The sheet-piling core of the circular dam, which was rotten at the top, has been repaired by sawing off from eighteen to twenty-four inches and replacing by new sheet-piling, thoroughly spliced to the old. The slopes of the dam have also been brought up to grade, and repaved where necessary.

A small force of men and teams has been employed from September 30 to October 25 in grading and paving the banks of the pool between the old upper dam and the new dam. The paving of the north bank, which was not finished last year, was also completed. The work above the new dam is now entirely completed. In all, about 168 square yards of paving have been laid.

About 900 feet of fence have been built on the line between the city and Edward Hammond, on the east side of the lake, just south of Snake brook.

The Pegan filter beds have been in use the larger part of

the time during the year.

The following table shows the total number of gallons of water pumped, the amounts delivered to each bed, etc., for each month of the year:

	No. of		OF WATER	AMOUNT	OF WATER I	DELIVERED.
Монтн, 1895.	Days on which Pumps were run.	Total for the Month.	Average for each Day Pumps ran.	No. 1.	No. 2.	No. 8.
		Gallons.	Gallons.	Gallons.	Gallons.	Gallone.
January	29	28,879,000	978,600	6,746,000	8,819,000	12,814,000
February	26	14,246,000	547,900	1,894,000	8,817,000	9,585,000
March	81	40,062,000	1,292,800	11,457,000	18,208,000	10,402,000
April	30	38,064,000	1,268,800	10,175,000	9,648,000	18,241,000
Мау	21	19,824,000	944,000	8,618,000	9,686,000	6,520,000
June	17	12,474,000	783,800	527,000	3,128,000	8,819,000
July	15	18,756,000	917,100	1,432,000	829,000	11,495,000
August	9	7,952,000	883,600	754,000	8,241,000	8,957,000
September	8	5,658,000	706,600	603,000	151,000	4,899,000
October	18	21,080,000	1,168,300	2,714,000	4,711,000	18,605,000
November	29	39,836,000	1,878,700	9,987,000	6,181,000	23,668,000
December	29	82,422,000	1,118,000	7,090,000	8,801,000	17,031,000
For the Year	262	273,698,000	1,044,600	56,497,000	76,215,000	140,986,000

The total amount of coal used during the year was 225,843 pounds; 1,211.9 gallons were pumped per pound of coal.

Water ran over the overflow in the dam across Pegan brook during the entire twenty-four hours on March 14, and for part of the day on March 13 and 15, April 14, 15, 16, 17, 18, 20, and 22, October 13 and 14, November 18, 26, 27, 28, and 29, and December 2.

Bed No. 1 was cleaned in May, June, August, and October; Bed No. 2 in May, July, and August; and Bed No. 3 in June, August, September, and October.

Considerable work was done early in the year in removing stumps, muck, etc., from the meadow to high ground.

The new location of the Boston & Albany Railroad crosses the filter beds. The railroad has built other filter beds to take the place of those destroyed. A considerable amount of filling in the lake has been done by the company on their new line during the year, and this filling has pushed up a large amount of mud, and otherwise has affected the quality of the lake water. Negotiations are now going on between the city and railroad authorities, and it is to be hoped that the evil will be properly remedied.

It was found that the Hoadley engine in use at the beds

was not large enough. It was consequently removed, on December 19, and replaced by one of the Atlas engines stored near the effluent gate-house.

The spring growth of diatoms in the lake was the lowest for many years. In the fall there was a vigororous growth of Asterionella followed by one of Melosira.

Protococcus was rather more abundant than usual during the summer.

In July and August there was considerable Microcystis, and in November Anabæna (the so-called "sterile form") was very abundant. At one time it rose to the surface, forming a thick scum, covering one or two acres in the Middle Division. When concentrated this organism had a strong odor not unlike that of a raw squash.

Infusoria were not abundant except for a short time after the "turning over."

Crenothrix was observed at the bottom in July and again in November.

The average number of organisms for the year was 360 per c.c., against 363 for 1894.

While the organisms in the lake do not show an increase over last year, the amount of matter in suspension has been very largely increased owing to the work on the B. & A. R.R., already referred to.

Feeders of Lake Cochituate.

Means of Monthly Observations (1895).

Locality.	Temperature.	Color.	Organisms.	Amorphous.	Bacteria.
Beaver Dam brook	51.9	1.00	83	149	423
" " mouth of brook	52.0	0.91	48	286	552
Course brook (last culvert)	53.5	0.88	50	158	207
Dug pond	56.5	0.21	387	271	149
Circular dam	51.8	0.88	57	141	295
Pegan brook	54.5	0.19	42	1,730	1,875
Snake brook	51.7	0.60	81	348	402

#### DUDLEY POND.

Grades, H. W., 146.46; 18-inch Pipe, 130.36 and 127.36.

Area, Water Surface, 81 acres; Greatest Depth, 27 feet; Contents, above 130.36, 250,000,000 gals.

On January 1, 1895, water in the pond was at elevation 139.96, or 6.50 feet below high water. The water gradually rose during the year, reaching elevation 143.53 on December 31.

No water has been drawn from this pond during the year.

### SUDBURY-RIVER AQUEDUCT.

Grades, 141.352 at Farm Pond; 184.051 at Terminal Gate-House. Length, 15.89 miles; Sise, 7 ft. 8 in. × 9 ft.; Capacity, 109,000,000 gals. in 24 hours.

The three portions of this aqueduct are in good condition. The Supply and Farm-pond aqueducts were cleaned twice by machine, on April 11 and December 12. The main aqueduct was cleaned once, by hand, from Farm pond to Station 400 on April 17 and 18, and from Station 400 to Chestnut-Hill Reservoir on May 2 and 3. The brick-work was very dirty as far as the Rosemary siphon. In the Beacon-street tunnel about 50 lbs. of rock which had fallen from the roof was found at Station 780+53. The concrete lining and railway track were in excellent condition.

The 48-in. pipes in Basin 1 have been flushed into the

river below Dam 1 twice during the year.

The three portions of the aqueduct have been in use for the same length of time, 335.9 days. The flow was stopped only for the experiments at the siphon pipes, for cleaning the aqueduct, and for repairs at the Waban Valley and Charles-river bridges.

The amount of water sent to the city has been 12,908,-500,000 gallons, a daily average of 35,366,000 gallons. Besides the above, 896,800,000 have been turned into Lake Cochituate.

Hitherto the machine used in cleaning the Supply and Farm-pond aqueducts has simply scraped or brushed the deposit from the masonry. In the autumn of this year a force pump was attached, operated by the movement of the cleaning-machine, to force water through a perforated iron pipe against the whole circumference of the aqueduct, thus washing off the material loosened by the brushes. The pump was tried in the December cleaning, and showed that, with some slight modifications, it will doubtless work successfully.

Extensive repairs were made on the Waban arches in October. This bridge has always given a great deal of trouble from cracks and leaks, and it was determined to

repair it thoroughly, and see if the work could be maintained in a permanent condition in spite of temperature changes to which the masonry is subjected. The plastering on the inside of the aqueduct was removed wherever it was found necessary, and the cracks were followed up, cut out to a depth of two inches, and carefully cleaned before pointing. Portland cement mortar, mixed one to one, was forced into the cracks with a calking-iron. The plastering was then restored. It is intended to watch carefully the results of the work. The aqueduct was found to be perfectly tight under a large flow of water by test made in November. It is expected that the cracks will open again under the effect of very low temperatures.

Charles-river bridge, which has also leaked to a considerable extent, was repaired in November. The plastering on the lines of the cracks was loose from the skew-back to a point about 6 inches above the springing line. It was removed, the cracks pointed and the plastering replaced.

The brick masonry of the aqueduct bridges should be thoroughly overhauled, oiled, and pointed during the summer. In some portions of the walls it will be necessary to cut out the bricks and insert new ones. The granite masonry of all the bridges requires pointing.

A considerable amount of work was done towards erecting an iron stairway to connect the upper levels of the bridge with the street which was made under one of the arches. Owing to lack of funds the work was suspended. The foundations were protected during the winter.

The usual attention has been given to the culverts along the line, especially during the cold months, when they are apt to fill up with snow and ice.

Mr. Oldham, in charge of the aqueduct force, was called to Dam No. 6 to take charge of the seeding of the embankments. He also acted as Inspector of Masonry at Dam 5 for two weeks.

A building for storage of tools is much needed, and I recommend that one be erected during the present year. The Westerly Siphon Chamber would be a good location for the building.

## COCHITUATE AQUEDUCT.

Grades, 191.03 at Lake; 116.77 at Brookline Reservoir. Length, 14.60 miles; Size, 5 ft.  $\times$  6 ft. 4 in.; Capacity, 20,000,000 gals. per 24 hours.

This aqueduct has been in constant service during the year, except from 5 P.M., February 24, to 5 A.M., February 28, when the flow was stopped for cleaning the interior.

From the lake to Station 25 there was a great amount of

Spongilla growing upon the walls, some of it being 4 inches in length. From Station 25 to Station 130, Division 1, the Spongilla gradually decreased, but the black deposit all along the line was worse than it has been for several years. The brick-work was given a double washing in the upper portions of the aqueduct as far as Station 35. From Station 130 to the Westerly Pipe Chamber there was a considerable amount of the Spongilla in some sections. From the Easterly Pipe Chamber to the Ventilator there was very little sponge, but it was abundant in the tunnel.

New galvanized-iron gate rods were inserted in the gates at Dedmans, Grantville, and Newton Centre Waste Weirs, and in the first two of the above structures new southern pine bulkheads were placed.

A depth of  $6\frac{1}{2}$  feet has been maintained in the aqueduct, except from January 1 to March 11, when the lake was not

high enough to furnish this flow.

## CHESTNUT-HILL RESERVOIR.

H. W., 135.00; Dam, 128.00; Effluent pipes, 99.80. Area, Lawrence Basin, 87.5 acres; Contents, 166,000,000 gals.; Bradley Basin, 87.5 acres; Contents, 391,000,000 gals. Total Contents above grads 100.00, 557,000,000 gals.

The extension of Commonwealth avenue has cut through a portion of the driveway near the entrance arch and necessitated many changes. The arch which has marked the beginning of the drive must be taken down, and as it possesses no architectural merit and would be an inappropriate monument under the new conditions, it is to be hoped that it will never be reërected, except perhaps at the entrance to some cemetery. The new entrance to the Chestnut-Hill Reservoir Drive, which is on the brink of a deep slope towards the reservoir, would be better marked by some simpler device of stone posts and shrubbery.

On the grounds of the Lawrence Basin a new connection with the Boulevard has been made and the old driveway to

South street abandoned.

Four wells have been sunk on the grounds at this reservoir for use in the summer months, and the public have appreciated them highly.

## BROOKLINE RESERVOIR.

H. W., 125.00; Area, 23 acres; Greatest Depth, 24 feet; Contents, 119,583,960 gals.

Everything in connection with this reservoir is in good condition. No other work than maintenance has been done at this point during the year.

## FISHER-HILL RESERVOIR.

H. W., 241.00; Pipe Inverts, 220.00; Depth, 21 feet; Contents, 15,400,000 gals. above 223.00.

This high-service reservoir is in good condition. It has been maintained by the Chestnut-Hill Reservoir force.

## INSPECTION OF WATER SOURCES.

The following is a digest of the report of Mr. J. S. Concannon, Chief Inspector:

Total number	er o	f case	s insp	ected			•		668
Old cases	•	•			•			•	637
New cases		•	•	•		•		•	31
Present co	ondi	ition o	f all	cases :	;				
Remedied								•	156
Present safe								•	405
Seem safe	•	•	•		•		•	•	42
Suspected				•	•			•	20
Unsatisfacto	ry	•			•			•	45
Legal notice	s	•							14
							_		

No legal injunctions were necessary during the year.

#### BIOLOGICAL LABORATORY.

During the year 1895 2,044 microscopical examinations of water and 1,217 cultures of bacteria were made at the laboratory.

Some of the special subjects investigated during the year

The circulation of water in an ice-covered reservoir as shown by color and temperature observations.

Comparisons of the effect of storage in Basins 4 and 6.

Temperature of the water at various depths in Lake Winnipiseogee and other frozen lakes.

Continued investigation of stagnation phenomena, with an extensive series of thermophone observations.

Continued investigation of the cause of the seasonal distribution of micro-organisms.

New method of collecting samples for bacteriological examination.

The seasonal changes in the color of streams.

Use of aspirator in connection with the Sedgwick-Rafter method of water examination.

The following report of experiments made in the laboratory has been prepared by Mr. G. C. Whipple.

Studies made in the laboratory previous to 1894 estab-

lished the following facts in regard to the growth of diatoms in surface-waters:

In deep ponds there are two well-marked seasons of growth, one in the spring and one in the fall. These periods of growth follow the periods of stagnation, due to the thermal stratification of the water, and are coincident with the seasons when the water is in complete vertical circulation. In shallow ponds, where the phenomena of stagnation and circulation are somewhat different, there is usually a regular recurring spring growth, and occasional growths in the summer and autumn. The explanation heretofore offered for this peculiar seasonal distribution was based chiefly upon food-supply. In a former report, it was shown that diatoms require a sufficient supply of nitrogen as nitrates and a free circulation of air; and that during the periods of circulation this food-supply is abundant.

More extended observations and experiments, however, seem to indicate that the food-supply theory, taken by itself, is inadequate to explain all the phenomena: and while it is true that the question of food is one of fundamental importance, yet there are other factors which materially influence the growth. Of these factors *light* is perhaps the most im-

portant.

Diatoms, in common with all chlorophyllaceous plants, require a certain amount of light for their proper development. They will not grow in the dark, although they will there preserve their vitality for a long time. Exposure to bright sunlight, on the other hand, is usually fatal. The amount of light most favorable to their growth must, of course, lie between these two limits, and it will be seen that here lies a wide field for experiment. With a view to determining the relation between the intensity of light and the corresponding growth of diatoms several series of experiments have been made in the laboratory, the results of which are here described.

Preliminary experiments showed that, on account of the extreme sensitiveness of diatoms to external influences, cultures made in the laboratory would have little comparative value, and it was also found to be a very difficult matter to control properly the intensity of the light. It was therefore decided to make the experiments in the reservoirs under conditions as nearly as possible like those found in nature.

The method employed was an extremely simple one. It consisted of suspending bottles, filled with water from the same source, at different depths in the reservoir, the bottles

<sup>&</sup>lt;sup>1</sup> Nineteenth Annual Report of the Boston Water Board for the year ending January 31, 1895.

being tied to a rope suspended from a buoy. After certain intervals of time the bottles were drawn to the surface and the water examined, records being kept of the number of diatoms in each sample both before and after exposure. The bottles varied in capacity from 150 to 1,000 cubic centimeters. In the early experiments they were tightly stoppered, but in the later ones cloth was tied over the mouths of the bottles, and above these inverted tumblers were secured. The latter arrangement was found to give heavier growths on account of providing better opportunities for the circulation of air and for the renewal of food-supply.

The practical question to be decided by the experiments was not the exact amount of light necessary for the development of diatoms, but the variations in their growth at dif-

ferent depths due to the intensity of light.

The subject of the penetration of light into bodies of water has not been as thoroughly investigated as its importance appears to demand. Forel and others have studied the transparency of the water in some of the Swiss lakes, and similar studies have been been made upon the water of the In most cases the experiments consisted simply of the determination of the limit of visibility of a white disc or incandescent light lowered into the water, the results being valuable only for comparing the relative transparency of different waters, or of the same water at different times. In a few instances photographic methods have been used, and the results show approximately the relative intensity of light at different depths. All the observations, however, have been made on waters which were almost colorless, and the results are of little value when applied to the brown-colored waters of many of our New England ponds. For example, Forel found that in Lake Geneva a white disc 20 cm. in diameter was visible at a depth of 70 feet. A similar disc lowered in Chestnut-Hill Reservoir at a time when the color was 0.92 (Platinum Scale) disappeared from view at a depth of 6 feet.

The decrease in intensity of light below the surface is due to two causes: first, the absorption of a certain portion of light by the water; and, second, the presence of fine particles in suspension which act as a screen to shut out the light. The coefficient of absorption of light by water varies greatly with the quality of the water, its temperature, etc. Theoretically, the reduction of light passing through water follows the law that as the depth increases arithmetically the intensity of the light decreases geometrically. For example, if the intensity of the light falling upon the surface of a pond is 1, and if ½ of the light is absorbed by the first foot of

water, then the intensity of the light at a depth of one foot The second foot of water will absorb 1 of 3, and the intensity of light at a depth of two feet will be  $\frac{9}{18}$ , and At this rate of decrease, the intensity of light at a depth of ten feet will be only 5 per cent. of that of the sur-Not only does the intensity of the light vary at different depths, but its quality also varies. The red and yellow rays are said to be most readily transmitted. Several series of observations on the growth of diatoms at different depths are given in the tables printed below. In experiment No. 1, which may be considered as typical of the general results obtained, bottles were filled with water from Lake Cochituate and placed in Chestnut-Hill Reservoir at depths of 2, 4, 6, 8, 10, and 25 feet, where they remained from April 29 to May 13. During this time the temperature varied from 53° to 62°, and the color of the water in which they were immersed averaged 0.58. The relative growths at the different depths will be readily seen from the table. Near the surface, there was a vigorous growth of several genera, Synedra, however, being by far the most abundant. greater depths the total numbers were less. At the bottom, there were fewer than in the original sample. In experiment No. 3, the surface sample was so placed that at times it was partially above the water and consequently exposed to the varying atmospheric temperature, and occasionally to direct sunlight. The effect was seen in a diminished growth. most of the experiments the "surface" samples were immersed about six inches.

One of the most interesting features of the experiments was the determination of the depth below which the diatoms would not grow. This, as would naturally be expected, was found to vary with the character of the water, — its color, turbidity, etc. For example, two series of observations (Experiments Nos. 5 and 6) were made upon water from the same source, one series of bottles being located in the white water of Lake Cochituate, and the other in the darker water of the Chestnut-Hill Reservoir. The time of growth was the same for both. The results showed that in Lake Cochituate the limit of growth was about twelve feet, while in the Chestnut-Hill Reservoir it was about six feet. That the limit of growth depends to a large extent upon the color of the water may be seen from the following table, which shows the average limit of growth for three groups of observations arranged according to the color of the water:

	Color	r of the Water.	
Group.	Number of Observations.	Average Color (Platinum Standard).	Average Limit of Growth,

Table showing the Relation between the Limit of Diatom Growth and the

Group.	Number of Observations.	Average Color (Platinum Standard).	Average Limit of Growth, Depth in Feet.
No. 1.	5	0.29	15
No. 2.	5	0.60	12
No. 3.	2	0.86	8

Thus, in dark waters the limit of growth is only about 8 feet, while in the light-colored waters it is 15 feet. depth at which diatoms will grow in perfectly colorless waters is unknown, but the experiments of Forel indicate that the limit of growth might be found at a considerable depth. ground waters (practically colorless) stored in comparatively deep open reservoirs diatoms have often been found growing upon the bottom.

In order to appreciate better the fact that the luxuriance of diatom growths depends upon the intensity of light, diagrams have been drawn showing the average growth at different depths, and the intensity of light calculated for each depth according to the above-mentioned law, using a coefficient of absorption approximately determined by laboratory experiment. The parallelism between the two curves was very striking.

Diatoms are said to be positively heliotropic, that is, they tend to move towards the light. In some genera this power is strong, but in most it is comparatively weak. Our experiments have shown that all of the common diatoms found in water-supplies sink rapidly in quiet water, and are of their own accord unable to rise towards the light through any Very slight convection currents, however, great distance. serve to overcome the effect of gravity and keep them near the surface.

The bearing which these facts have upon the seasonal distribution of diatoms is obvious, and we are now better able to understand why it is that their growths occur during those seasons of the year when the water is in circulation. During those periods not only is food more abundant, but the vertical currents keep the diatoms near the surface where there is light enough to stimulate their growth, and where there is an abundant supply of air. If this theory be true it must follow that the weather has a marked influence on their growth. We should expect the greatest growths to occur on warm fair days when there is just wind enough to keep the diatoms near the surface. On quiet days we should expect the diatoms to sink in the water, — perhaps below the limit of their growth. During a long period of quiet weather they might even sink in a deep pond to such a depth that the circulation induced by the wave action would not be able to bring them

again to the surface.

This was exactly what took place in Lake Cochituate in the spring of 1895. In this lake there is almost invariably a heavy spring growth of diatoms, but in 1895 the growth was small. It began as usual, the diatoms being apparently in good condition. Early in May, however, there were several days of uncommonly warm weather. The temperature of the air went above 90°, and the temperature of the water at the surface one day reached 76° F. For almost a week the water was perfectly calm. ing this calm weather the diatoms settled rapidly, disappearing almost entirely from the surface. Meanwhile the water was becoming stratified on account of the high surface temperature, and when once more the wind began to blow, its influence was felt only to a depth of ten or fifteen feet. The diatoms, however, having settled below that depth, were unable to rise, and consequently their growth ceased.

In Basin 3, which is not nearly as deep as Lake Cochituate, the growth of diatoms was arrested during the same warm quiet period, but inasmuch as circulation afterwards extended to the bottom, the growth began again and continued until the next warm quiet period, which occurred in

June, checked it.

In this connection it will be recalled that when the ice

forms over a pond the diatoms growths usually cease.

Since diatoms are dependent upon light, and since light penetrates to greater depths in light than in dark waters, we should expect to find heavy growths most common in ponds where the water has a low color. An examination of the analyses of the Massachusetts State Board of Health shows that in a general way this is true.

Experiment No. 1.

Cochituate Water in Chestnut-Hill Reservoir, April 29 to May 13, 1895.

Temperature, 58° to 62°.

Color, 0.58.

			Num	BER PER CU	BIC CENTI	METER.	
DATE.	Depth.	Asterio- nella.	Melosira.	Stephano- discus.	Synedra.	Tabellaria.	Total.
April 29	*	94	196	3	11	15	319
May 18	2 ft.	4,040	910	20	22,010	550	27,530
"	4 "	570	80	10	6,800	120	7,580
"	6 "	380	650	26	4,510	284	5,850
"	8 "	650	840	10	1,304	100	2,920
"	10 "	154	1,380	26	80	0	1,624
"	25 ''	16	132	0	88	28	264

<sup>\*</sup>Representative sample of the water before exposure.

Experiment No. 2.

Cochituate Water in Chestnut-Hill Reservoir, May 15 to June 3, 1895.

Temperature, 62° to 68°.

Color, 0.57.

			Num	BER PER CU	BIO CENTI	METEB.	
DATE.	Depth.	Asterio- nella.	Melosira.	Stephano- discus.	Synedra.	Tabellaria.	Total.
May 15	*	61	29	12	17	10	129
May 20	Surface,	196	28	12	896	104	1,236
"	2 ft	108	32	20	1,408	56	1,624
"	4"	116	56	36	584	80	872
"	6"	88	20	32	288	28	456
"	8"	56	8	24	136	24	248
"	10 "	0	0	36	220	8	264
"	15 "	48	24	8	192	28	300
"	20 "	16	16	8,2	204	16	284
"	25 "	80	36	20	104	0	240
May 23	Surface,	140	0	40	9,340	80	9,600
"	2 ft	80	0	80	6,870	0	7,030
"	4"	572	76	48	3,464	204	4,364
"	6"	176	36	60	1,020	104	1,896
"	8"	256	76	48	500	68	948
"	10 "	56	56	16	904	24	1,056

<sup>\*</sup> Representative sample of the water before exposure.

# CITY DOCUMENT No. 32.

# Experiment No. 2. - Concluded.

			Num	BER PER CU	BIO CENTI	meter,	
DATE.	Depth.	Asterio- nella.	Melosira.	Stephano- discus.	Synedra.	Tabellaria.	Total.
May 23	15 ft	60	16	20	876	56	528
"	20 "	20	0	0	400	0	420
"	25 "	12	20	24	152	8	216
May 27	Surface,	200	0	60	18,800	40	19,100
"	2 ft	0	0	0	10,100	80	10,180
	4"	140	100	60	21,550	290	22,140
"	6"	70	50	90	4,580	90	4,880
"	8"	188	56	40	1,184	160	1,628
"	10 "	60	92	80	1,256	64	1,480
"	15 "	104	56	16	816	16	508
"	20 "	40	82	16	404	0	492
"	25 "	0	16	20	96	16	148
June 3	Surface,						
"	2 ft	170	0	0	28,050	40	28,260
"	4 "	0	0	0	88,600	40	88,640
"	6"	0	0	20	15,850	110	15,980
"	8"	160	0	30	14,250	170	14,630
"	10 "	80	120	50	5,140	0	5,390
"	15 "	80	20	10	1,830	0	1,940
"	20 "	60	80	20	950	10	1,120
"	25 "	50	20	20	70	70	280

Experiment No. 3.

Cochituate Water in Lake Cochituate, May 31 to June 7, 1895.

Temperature, 64° to 70°.

Color, 0.29.

	:		Num	BER PER CU	віо Свиті	METER.	
DATE.	Depth.	Asterio- nella.	Melosira.	Stephano- discus.	Synedra.	Tabellaria.	Total.
May 81	*	81	62	2	2	7	104
June 7	Surface,	850	0	70	880	0	800
"	2½ ft.,	120	40	80	11,100	50	11,390
"	5 "	810	0	40	2,030	160	2,5 <b>4</b> 0
"	10 "	82	0	8	44	28	112
"	15 "	20	0	8	24	8	60
"	20 "	48	12	8	12	4	84
"	25 "	24	0	8	82	12	76
"	80 "	24	48	8	4	16	100
"	40 "	56	16	28	4	40	144
"	50 "	40	48	12	20	28	148
"	60 "	12	56	12	44	40	164

<sup>\*</sup> Representative sample of the water before exposure.

Experiment No. 4.

Cochituate Water in Chestnut-Hill Reservoir, July 11 to July 26, 1895.

Temperature, 60° to 77°.

Color, 0.58.

NUMBER PER CUBIC CENTIMETER. DATE. Depth. Stephano-discus. Asterio-nella. Melosira. Synedra. Tabellaria. Total. July 11 . . . July 26 . . . Surface, 21 ft., 4,400 4,400 1,472 1,472 " 

<sup>\*</sup> Representative sample of the water before exposure.

## Experiment No. 5.

Cochituate Water in Lake Cochituate and Chestnut-Hill Reservoir, November 22 to November 29, 1895.

Temperature, 42° to 46°.

Color, { Lake Cochituate, 0.83. C.H. Reservoir, 0.90.

D. —	Dank		Num	BER PER CU	BIC CENTI	MITER.	
DATE.	Depth.	Asterio- nella.	Melosira.	Stephano- discus.	Synedra.	Tabellaria.	Total.
Nov. 22	*	824	244	8	24	8	1,108

#### In Lake Cochituate.

Nov. 29	Surface,	2,820	675	20	0	0	8,515
"	2½ ft.	2,540	285	10	0	10	2,845
"	5 "	2,180	290	10	0	50	2,580
" • • .	71 "	1,485	495	5	50	5	2,040
44	10 "	840	110	0	0	0	950
"	15 "	290	205	15	0	0	510
"	30 "	520	360	10	40	20	950
"	50 "	285	520	10	0	15	830
			1	l	l		I

#### In Chestnut-Hill Reservoir.

Nov. 29	Surface,						
"	2½ ft.	1,070	125	10	0	10	1,215
"	5 "	770	230	5	0	20	1,025
"	71 "	840	810	5	0	0	1,155
"	10 "	485	140	10	0	. 0	<b>6</b> 35
"	15 "	470	145	25	0	0	640

<sup>\*</sup> Representative sample of the water before exposure.

# Experiment No. 6.

Cochituate Water in Lake Cochituate and Chestnut-Hill Reservoir, November 29 to December 9, 1895.

Temperature, 40° to 44°.

Color Lake Cochituate, 0.33, C.H. Reservoir, 0.84.

_				Num	BER PER CU	BIC CENTI	METER.	
D	ATE.	Depth.	Asterio- nella.	Melosira.	Stephano- discus.	Synedra.	Tabellaria.	Total.
Nov.	29	٠	625	150	13	17	0	810
				In Lake	Cochituate.			
Dec.	9	Surface,	8,010	685	35	60	0	3,790
"	• • •	2½ ft	1,570	505	25	0	0	2,100
44		5".	1,240	240	40	20	0	1,540
"	•	10 " .	990	270	0	0	0	1,260
**		15 " .	865	260	15	0	20	1,160
"	• • •	20 " .	680	230	15	0	30	955
			In C	hestnut-1	Till Reserv	oir.		
Dec.	9	Surface,	895	435	40	60	50	1,480
"	•	2½ ft	1,125	265	20	0	10	1,420
"		5 " .	965	260	30	0	0	1,255
**		10 " .	510	170	55	10	0	745
"		15 " .	110	430	20	60	55	675
"		20 " .			<b> </b>		[ <b></b>	

<sup>\*</sup> Representative sample of the water before exposure.

# QUALITY OF WATER.

Owing to the stirring up of a large extent of country above Basin 3 due to the stripping in Basin 5, it has been very difficult to maintain the usual standard of quality in the Boston water, but there has been no complaint.

The following tables give first the average condition of the chemical analyses of the tap water as made under the direction of the State Board of Health, and second the averages of monthly analyses of the sources of supply; then follow biological tables, which are the result of the work in the laboratory at Chestnut-Hill Reservoir. Following these tables are the usual tables of detailed expenditures and rainfall.

Very truly yours,

Desmond FitzGerald, Resident Engineer and Gen. Supt.

Averages of Monthly Analyses, January 1 to December 31, 1895.

PARTS IN 100,000. (STATE BOARD OF HEALTH.)

		KESII EVAPO	RESIDUE ON EVAPORATION.	. ž			N	Nitrogen.	٠				
	+	-	·uoı	1		Albuminoid Ammonia.	inoid inia.	.8.			.bemu		
Color.		Total,	tingl no sao.I	Fixed.	Сріогіве.	.bereilfaU	.berediff	Free Ammon	.aeistiiN aA.	As Mitrites.	Oxygen Cons	Hardness.	Квильке.
Reservoir No. 2, influent 1.	1.07	17.7	2.20	2.51	8.	.0301	9720.	.0014	.000	9800.	.9939	1.1	
Reservoir No. 2, near outlet 1.	1.08	4.65 2	2.06	2.60	<b>\$</b> :	.0244	.0211	.0016	.0001	0000	.9837	1.2	
Reservoir No. 3, influent 1.	1.03	6.55	2.30	4.25	8.	.0310	.0266	.0041	.0008	9610.	.9781	2.0	
Reservoir No. 3, near outlet 0.	0.86	5.43	2.22	8.21	7.	.0273	.0231	.0027	.0001	.0151	.8440	1.8	
Reservoir No. 4, influent	1.19	4.70	2.46	2.26	.32	.0285	.0261	9000	0000	.0034	1.1584	2.	
Reservoir No. 4, near outlet 0.	68.0	1.22	2.04	2.18	25.	.0246	.0223	\$100.	0000	.0062	-9047	1.1	
Reservoir No. 6, influent	1.66	6.02	8.17 2	2.82	35	.0351	.0819	6000	0000	.0029	1.7360	1.6	
Reservoir No. 6, near outlet, surface 0.	0.81	4.33	1.99	2.34	9	.0247	.0219	9100.	0000	.0048	.8857	1.8	Surface means 1 foot be-
Reservoir No. 6, " bottom 0.	0.76	4.33	1.94	2.39	7.	.0204	.0181	9800	1000	.0064	.7656	1.8	IOW BUILBOS.
Lake Cochituate, gate-house 0.	0.25	5.08	1.68	3.40	19.	.0178	.0158	3100.	10001	.0112	.4208	2.1	
Service-pipe, Mass. Inst. Tech., Boston	10.72	4.90	2.02	2.88	9.	7610.	.0176	9000	1000	1710.	7689.	1.7	
Mystic Lake 0.	0.15	16.07	2.96	18.11	8.26	.0271	7610.	.0550	.0016	.0585	.8228	5.4	Mystic Supply.

1=0.59 Boston Water-Works Standard (Platinum-Cobalt).

Average Condition of Tap Water, Boston, 1895. (State Board of Health.)

PARTS IN 100,000.

	f	KARAKKS.	Averages of monthly analyses.				
		Hardness.	1.7				
	.bemn	Охувел Соля	.6897				
		As Mitrates.	.0171				
٠.		.aotinilN aA	.0001				
NITROGEN.	.ai	попппА ээтЧ	9000.				
Z	Ibuminoid Ammonia.	Filtered.	.0175				
	Album	Unfiltered.	910.				
		Oblorine.	<b>8</b> .				
N.O.W.		Fixed.	2.88				
IDUE PORATI	Total.  Loss on Ignition.  Loss of Ignition.						
RES	Total. Total						
		Color.	1 0.72				
	•	LOCALATE	Bervice-pipe, Mass. Inst. of Technology 10,72 4.90 2.02 2.88				

<sup>1</sup> = 0.59 Boston Water Works Standard (Platinum-Cobalt).

Lake Cochituate, 1895.

Момпе		Овел	Organisms,1			Амовя	Амоврнотв.		
	Bar.	Mid.	Bot.	Мевп.	Bur.	Mid.	Bot.	Mean.	KBMARKS.
January	265	401	422	361	181	174	848	284	Diatomaces.
February	\$	8	282	8	ш	155	739	388	
March	10	83	20	83	187	157	450	285	
April	97	100	101	102	209	286	708	409	Diatomacem.
Мау	188	149	133	167	ğ	393	832	476	<b>Diatomacem.</b>
June	487	188	188	27.1	144	188	678	320	Chlorophyces. Diatomaces. Cyanophyces.
July	480	689	808	200	365	346	3,400	1,870	Cyanophyces. Crenothrix at the bottom.
August	877	329	280	280	138	396	2,181	805	Cyanophyces.
September	137	193	83	128	129	387	2,278	086	Chlorophyces. Cvanonhyces.
October	450	400	252	367	252	247	1,928	808	Cyanophyces. Diatomaces.
November	1,169	1,199	1,198	1,185	358	333	152	479	(Cyanophycese.) Distomacese. Crenothrix at the bottom. Infusoria.
December	762	126	808	88	203	197	222	207	Diatomaceæ.
Mean	355	878	363	360	230	368	1,208	699	

1 Standard units per c.c.

Basin 2, 1895.

		0	ORGANISMS.1	E8.1			7	Амокрнопя.	UB.1		
Monte.	Sur.	Mid.	Bot.	Mean.	Influent.	Bur.	Mid.	Bot.	Mean.	Influent.	Remarks.
January	9	9	4	5	4	142	138	158	145	206	
February	90	1	7	-	9	123	118	127	123	191	
March	9	18	11	*	83	181	169	186	179	126	Distomacese present from May to
April	49	52	22	88	97	167	186	170	174	800	October:
Мау	99	59	47	2	8	209	685	1,065	736	363	Chlorophycem present from June to
June	109	76	8	88	16	221	297	840	458	297	October. Cyanophyces present in July and
July	163	195	92	173	88	514	199	77.6	619	310	August.
August	152	108	88	116	4	445	440	625	203	147	Infusoria present in small numbers
September	82	93	74	8	12	311	330	529	390	188	Irom March to December.
October	72	53	49	82	32	680	969	629	628	449	
November	15	14	83	11	19	375	482	412	83	207	
December	18	11	•	15	21	102	110	131	116	124	
Меал	19	99	14	25	33	310	88	474	374	231	

1 Standard units per c.c.

Basin 3, 1895.

		0	ORGANISMS.1	1.81			ų.	AMORPHOUS.1	1.80		
MONTH.	Sur.	Mid.	Bot.	Mean.	Influent.	Bur.	Mid.	Bot.	Mean.	Mean. Influent.	KEMARKS.
anuary	13	18	47	98	19	101	104	108	104	208	Diatomaces were abundant in June,
February	တ	н	4	က	16	83	81	105	28	106	July, and October. Chlorophycee present in July and
farch	71	14	13	7	2	158	178	232	189	526	October. Oyanophycea very abundant from June
April	8	94	57	99	27	440	262	520	317	363	to November, especially in August and September, when Calosphæ-
<b>f</b> аy	376	780	235	280	40	635	639	1,303	826	453	rium and Anabana predominated. Infusoria present from April to Octo-
fune	787	708	284	697	114	167	158	443	256	788	Der.
raly	1,197	1,072	633	196	100	\$2	908	2,546	1,229	1,912	
August	1,675	1,134	1,146	1,318	146	898	839	434	347	401	
leptember 1,778	1,778	1,813	1,487	1,693	8	448	380	619	448	208	
October	1,227	1,161	1,342	1,243	88	201	678	962	84	391	
November	366	263	222	247	7	429	960	838	841	263	
December	23	\$	81	4	60	325	288	276	808	273	
Mean	621	543	485	999	67	365	881	159	468	18#	

<sup>1</sup> Standard units per c.c.

Basin 4, 1895.

No.			Organibes.	r.9.1			∢	Ажоврнотв.1	UB.1		į
HON I D	Bur.	Mid.	Bot.	Mean.	Influent.	Bur.	Mid.	Bot.	Mean.	Influent.	LVE BLAKK B.
January	78	18	13	8	8	8	186	168	191	28	Distomaces present from May to Au-
February	7.4	10	81	31	•	8	130	170	122	89	gust, and Irom October to December.
March	91	14	18	Ħ	81	11	83	188	8	200	•
April	27	23	13	82	t-	103	11	72	2	8	Chlorophyces were occasionally ob-
Мау	42	33	2	84	81	201	147	151	166	131	served auring the summer.
June	18	47	4	20	28	185	118	146	133	108	Cyanophycem absent.
July	123	<b>3</b>	8	Ľ	88	162	111	150	168	157	
August	16	18	88	\$	2	133	146	182	154	110	Infusoria present in January, Febru-
September	8	8	-	ឌ	8	186	178	164	166	184	ary, and from July to September.
October	3	28	æ	4	14	401	881	827	870	163	
November	0#	83	23	æ	œ	188	218	155	187	83	
December	83	19	56	22	-	100	8	88	16	8	
Мевр	57	8	28	88	8	162	191	160	168	101	

1 Standard units per c.c.

Basin 6, 1895.

		3	ORGANISMS.1	M.B.1			7	Амоврноця,1	1.800		ç
MONTH.	Bur.	Mid.	Bot.	Mean.	Influent.	Bur.	Mid.	Bot.	Mean.	Influent.	AKMAKKS.
January	41	88	•	24	6	228	127	240	198	68	
February	90	10	19	22	61	102	128	184	138	16	Diatomaceæ present from May to Oc-
farch	38	4	21	20	1	125	153	229	169	89	tober.
Npril	64	57	78	99	9	101	105	129	114	62	
flay	16	42	19	19	4	343	338	447	376	139	Chlorophyces abundant in September
fune	193	61	88	86	101	228	236	284	249	112	and October.
fuly	203	46	18	68	27	233	220	198	438	168	
August	16	92	47	89	15	217	285	329	277	132	Cyanophycem absent.
September	243	130	88	162	-	215	256	387	286	146	
October	186	190	214	161	37	299	298	336	311	179	Infusoria present from January to June,
November	41	56	8	22	4	139	143	147	143	99	and from September to November.
December	13	0	16	13	64	100	104	112	109	4	
Mean	104	89	8	62	21	194	199	307	234	108	

1 Standard units per c.c.

		CHR	CHESTNUT-HILL RESERVOIR.	L RESERV	OIB.		Ввоокга	NE GATE-		TAPS IN THE OITY.	FRE CITY.	
MONTH.		Organisms.1			Amorphous.1		Ħ	Нотви.	Organ	Organisms.1	Amor	Amorphous.1
	Sudbury.	Sudbury. Cochituate. Effluent.	Effluent.	Sudbury.	Sudbury. Cochituate. Effluent.	Efficient.	Organ- isms.1	Amorphous.1	Park Sq.	Mattapan.	Park Sq.	Mattapan.
January	27	263	22	103	189	142	180	149	79	78	76	8
February	11	4	38	116	145	117	ផ	102	71	9	85	2.
March	2	•	15	167	200	176	8	175	21	33	100	. 29
April	<b>8</b>	8	52	192	225	191	62	196	88	38	182	83
Мау	139	128	57	997	238	200	76	196	88	42	363	118
June	886	295	307	373	167	202	329	178	233	111	216	88
July	186	878	494	628	243	360	320	400	873	156	383	154
August	100	307	810	291	333	312	269	280	188	47	248	86
September	73	135	179	478	96	247	116	243	142	61	197	36
October	267	419	286	454	186	200	279	205	258	8	236	103
November	88	1,090	808	270	220	184	297	150	138	<b>27</b>	148	88
December	91	963	114	124	190	149	210	138	140	20	102	67
Mean	112	816	178	819	203	205	186	200	143	25	188	88

1 Standard units per c.c.

Temperature (Fahrenheit), 1895.

	LAKE	LAKE СОСНІТОАТЕ. <sup>1</sup>	IATE.1		BASIN 2.			Вавти 3.		-	BASIN 4.1			Basin 6.1	
MONTH.	Bur.	Mid.	Bot.	Bur.	Mid.	Bot.	Bur.	Mid.	Bot.	Bur.	Mid.	Bot.	Bur.	Mid.	Bot.
January	86.4	88.4	39.0	83.3	34.0	34.7	33.7	35.4	36.2	83.9	8.58	86.9	84.3	86.8	8.08
February	33.4	87.7	88.9	83.3	84.2	35.4	33.5	85.6	87.8	32.9	36.5	38.7	32.8	38.0	40.0
March	34.8	38.4	39.7	83.1	34.2	8.68	33.2	34.6	87.6	82.9	8.38	38.7	34.7	98.0	40.0
April	41.3	41.6	40.4	41.3	42.2	43.0	41.5	41.5	42.1	41.6	41.1	41.8	41.6	8.04	39.7
Мау	1.09	8.7	42.1	62.4	4.09	50.2	61.6	9.63	67.9	58.3	9.09	46.5	67.0	6.6	48.5
June	74.0	44.6	42.2	9.91	8.02	6.99	74.2	11.6	66.5	72.1	64.9	46.3	73.1	9719	47.6
July	74.9	1.4	42.2	78.0	72.1	8.79	78.6	10.2	67.9	71.9	8.43	46.4	74.3	62.2	47.9
August	76.0	44.9	42.2	74.0	78.1	70.1	74.4	73.5	11.6	74.0	58.6	47.8	74.6	67.1	63.9
September	69.4	45.6	42.6	72.1	11.1	69.3	11.8	10.8	68.3	6.69	8.4.8	47.6	71.5	68.7	62.0
October	56.5	49.3	43.4	54.5	54.5	54.5	9.99	9.99	6.63	56.4	54.1	50.3	58.2	56.5	999
November	46.5	979	0.44	44.2	43.9	44.3	44.6	4.4	649	45.2	45.3	46.4	46.7	46.7	46.6
December	88 89	38.5	38.6	36.1	86.9	37.5	36.0	86.9	87.7	86.9	87.9	88.0	87.2	38.1	38.7
Mean	68.6	42.9	41.2	52.8	52.8	61.6	52.8	52.5	61.9	62.2	46.2	43.6	62.9	48.7	46.6

<sup>1</sup> Temperature observations taken with the thermophone.

# Temperatures (Fahrenheit), 1895.

	R	TNUT- ISBRVO E-Hou	IR		STNUT-		Brook- LINE.	TA	PS.
Монти.	Sudbury.	Cochituate.	Effuent.	Surface.	Middle.	Bottom.	Gate-House.	Park Sq.	Mattapan.
January	36.5	87.7	36.3				87.0	87.6	40.3
February	35.3	37.6	35.5	32.3	34.8	36.2	36.0	36.9	88.9
March	36.8	87.4	86.6		<b> </b>		86.9	88.0	86.6
April	42.5	41.0	42.8	42.3	41.8	40.6	42.8	43.2	40.1
Мау	58.4	57.7	57.8	59.6	57.8	48.7	57.6	57.5	49.9
June	69.0	69.3	67.7	72.7	67.5	49.4	69.1	66.7	59.1
July	70.5	71.1	70.5	78.6	69.6	50.4	71.2	69.2	63.2
August	72.2	73.0	72.3	74.7	71.1	51.4	78.0	70.4	63.7
September	69.1	69.7	70.2	70.7	67.9	52.1	69.6	69.8	64.3
October	56.3	57.3	57.9	54.2	58.9	52.4	57.2	57.8	56.6
November	46.1	48.2	46.7	44.1	43.6	43.5	46.6	48.4	51.1
December	87.9	39.8	38.8			• • •	38.4	39.6	48.9
Mean	52.6	53.8	52.7				52.9	52.9	50.6

<sup>&</sup>lt;sup>1</sup>Temperature observations taken with the thermophone.

Colors, 1895. (Platinum Standard.)

	Influent.	1.48	1.70	1.04	1.20	1.88	1.99	1.49	2.10	1.32	1.56	1.68	1.18	1.54
	Мевп.	8	ş	.75	22	.78	1.	ş	8	S.	8	8	8.	Ľ.
Bastn 6.	Bot.	.58	\$	.13	7.	1	55	Ľ.	27	ş	19.	ġ	76.	7.
<b>a</b>	Mid.	8.	Si	8	.75	22	8	.67	.67	<b>8</b>	99.	86.	8.	02:
	·mg	8.	\$	8.	.75	.79	.70	.58	4.	47	8.	8	8.	8.
	Influent.	1.08	1.11	8.	1.00	1.53	1.12	8.	ŝ	.61	1.47	1.61	1.21	1:11
ند	Мевп.	8.	.82	.75	.78	.81	.81	.75	.67	8	8	.87	.97	.77
Basin 4	Bot.	.78	2.	8	.75	æ	.77	.77	.70	.62	89.	.87	.97	.76
Д	.biM	77.	.74	.75	.79	.82	æ	.76	.67	.61	.62	.87	.97	11.
	.ru8	8.	1.03	.81	٤.	.82	æ	.73	8.	.55	.62	86.	.97	.79
	.taentaI	8.	8.	82.	8	1.37	1.36	1.03	1.02	86	1.17	1.34	86	1.06
ند	.пвоМ	98.	.85	.77	.75	<b>%</b>	.92	.87	25	85	.73	1.28	1.02	8.
Basin 3.	Bot.	8.	.83	.81	.76	8.	1.06	1.00	3	19.	7.	1.26	8.	8.
_ m	Mid.	₹.	જ્ઞ	.78	.75	28	88	82	.65	-57	7.	1.20	1.01	.82
	Sur.	9.	\$.	.72	.75	18.	\$	.75	8	.57	.72	1.24	1.06	.82
	.taentaI	1.06	1.05	.74	88.	1.13	1.20	.93	.87	.70	1.11	1.24	.75	.97
	.пвоМ	.91	1.00	7.4	7.	86	86	8	22	8	1.02	1.31	8.	8.
Basin 2.	Bot	.93	8	.77	.75	8	1.13	1.02	8	7.	1.02	1.30	8.	, si
g	Mid.	.91	1.01	7.	47.	86	.93	8	.72	8	1.02	1.84	S.	8.
	.mg	88.	1.01	55.	.72	.84	8.	.97	.70	8	1.01	1.28	11.	86
	.taenhaI	.73	.85	.77	.92	86.	8.	.67	.81	.37	.85	98.	.72	.78
tuate.	Мевп.	88	38.	.87	\$	g	ૹ	4	84.	8	જ્ઞ	.67	Si.	á
Coohi	Bot.	88.	84.	.47	86.	.37	83	Ľ.	7.	1.40	1.46	1.08	8	8.
Lake Cochituate	Mid.	뚕.	12.	8	32	32	8.	.31	.31	8	क्ष	.32	-82	8
,	gar.	8	83	\$	35	18:	ŝ	8.	22	12:	12.	.31	.32	8
	Монтн.	January	February	March	April	Мау	June	July	August	September	October	November	December	Mean

Colors, 1895 (Platinum Standard).

	R	TNUT- SBRVO E-Hou	IR I		STNUT- SERVO		Brook-	TA	PS.
Монтн.	Sudbury.	Cochituate.	Effluent.	Surface.	Middle.	Bottom.	Gate-House.	Park Sq.	Mattapan.
January	.84	.30	.76				.59	.74	.61
February	.82	.30	.72	.73	.72	.72	.58	.71	.68
March	.75	.85	.71				.59	.69	.61
April	.72	.86	.58	.57	.58	.58	.51	.56	.47
Мау	.81	.32	.58	.57	.57	.57	.50	.56	.49
June	.87	.38	.60	.61	.61	1.57	.56	.61	.54
July	.89	.29	.62	.62	.62	1.57	.58	.64	.58
August	.71	.24	.56	.56	.56	1.57	.51	.53	.46
September	.70	.22	.51	.51	.52	1.74	.45	.50	.43
October	.91	.21	.52	.52	.58	.55	.48	.58	.41
November	1.24	.29	.88	.86	.85	.82	.77	.81	.65
December	.90	.31	.77				.65	.77	.62
Mean	.85	.29	.65	2.61	2.62	2.75	.56	.64	.54

<sup>&</sup>lt;sup>1</sup> Five feet above the bottom.
<sup>2</sup> Mean for nine months only.

# Bacteria, 1895.

	R	TNUT- SERVO FE-HO	IR.		TNUT-		Brook-	TA	P8.
Монте.	Sadbury.	Cochituate.	Efficient.	Burface.	Middle.	Bottom.	Gate-House.	Park Sq.	Mattapan.
January	222	154	145				105	95	69
February	119	48	46	39	54	56	40	25	23
March	460	516	270				268	146	64
April	162	59	64	43	168	201	59	55	37
May	157	207	36	78	80	191	92	50	. 85
June	94	597	39	89	320	168	21	62	106
July	87	156	148	72	320	364	64	89	156
August	191	885	157	98	221	113	49	56	84
September	171	216	103	128	88	83	40	58	87
October	283	371	186	49	118	169	157	50	17
November	370	144	49	54	54	<b>5</b> 5	58	50	19
December	122	19	55	1 55	1 46	1 45	44	65	23
Mean	203	235	108	2 70	2 146	2 145	88	67	56

<sup>&</sup>lt;sup>1</sup> Two weeks only.

<sup>&</sup>lt;sup>2</sup> Ten months only.

Maintenance of Western Division for 1895-96.

Totals.	\$2,836 75	5,604 55	7,293 58	6,619 72	6,898 06	8,008 28	7,817 43	7,207 95	7,568 81	6,824 32	9,119 67	10,778 50	\$86,067 12
Filtration.	\$141 67	:	:	:	:	:	:	:	:	:	:	:	\$141 67
Inspection Department.	\$82 29	499 87	361 56	391 65	419 00	438 18	507 22	523 83	494 85	474 12	521 63	643 85	\$6,363 14
Biological Department.	<b>8</b> 80 8 <b>4</b>	250 18	427 80	296 90	417 42	363 26	589 55	818 98	801 99	898 68	801 88	469 69	84,205 24
Figher-Hill Geservoir.	\$570 15	303 15	706 61	409 54	898 06	161 76	178 76	135 50	266 00	172 06	439 61	192 45	\$3,928 62
Brookline Reservoir.		\$83 00	88	107 08	240 00	362 80	383 50	385 25	855 00	231 00	207 52	212 26	\$2,556 35
Chestnut-Hill Drivewsy.	\$295 77	766 24	914 27	869 43	680 89	1,161 90	981 06	831 64	906 48	810 46	1,308 62	1,247 87	10,757 68
Chestaut-Hill Reservoir.	\$112 36	765 97	1,407 59	1,124 46	1,116 35	1,917 67	1,268 70	1,708 54	1,158 62	1,081 98	1,612 56	2,185 34	\$16,399 13
Pegan Filters.	\$96 13	279 00	246 49	279 45	296 37	816 30	217 42	277 81	202 43	230 00	819 15	671 29	\$3,831 84
Lake Cochituate.	\$119 06	171 06	157 52	220 21	228 67	281 27	828 78	286 14	304 92	208 02	1,157 92	864 15	\$3,806 66
Cochituate Aqueduct.	\$111 41	8	613 80	227 11	246 58	400 25	265 99	102 41	126 35	148 61	280 00	461 92	\$3,032.38
Sudbury Aqueduct.	\$52 23	462 43	469 20	567 62	876 75	612 08	496 67	724 41	677 11	1,089 17	1,833 76	1,211 19	\$8,412 62
Bseine.	\$521 39	370 80	467 25	738 50	703 89	690 72	806 31	726 97	1,474 16	644 55	966 10	1,502 11	<b>\$9,</b> 300 25
Western Division.	\$644 87	1,565 40	1,492 40	1,397 73	1,280 54	1,467 11	1,304 53	1,292 97	1,287 40	1,350 78	1,026 97	1,721 89	\$15,832 09
Draffs.	February 1, 1896	March 1, "	April 1, "	Мау 1, "	June 1, "	July 1, "	August 1, "	September 1, "	October 1, "	November 1, "	December 1, "	January 1 and 31, 1896,	Totals

Table of Rainfall at Chestnut-Hill Reservoir for Year ending December 31, 1895.

DAT	E.		Inches.	Snow or Rain.	Duration.	DAT	3.		Inches.	Snow or Rain.	Duration.
Jan.	6	}	0.49	Snow and	5.00 a.m. to	Mar.	25	_	0.13	Rain.	1.80 p.m. to 4.40 p.m.
"	7	)		rain.	6.45 a.m.	"	27	ļ	0.25	Snow.	11.15 p.m. to
"	7	ļ	0.25	Rain and	6.45 p.m. to	"	28	)			2.45 p.m.
"	8	)		snow.	11.45 p.m.	"	29	ļ	0.06	"	11.00 p.m. to
"	10	}	1.08	Snow and	7.30 a.m. to	"	80	)			2.00 a.m.
"	11	,		rain.	11 a.m.			-			
"	13		0.08	Rain.	4 a.m. to 10.30 a.m.	Tot	al.		2.91		
"	16		0.50	Snow.	7.45 a.m. to 9.15 p.m.	-		-			
"	18		0.18	**	8.30 p.m. to 11.00 p.m.	1		}	0.44	Rain and	11.40 p.m. to
"	21	}	0.24	Rain.	5.15 p.m. to	"	3	)		snow.	11.30 am.
"	22	)			5.00 a.m.	**	9		0.94	Rain.	1.00 a.m. to 9.45 a.m.
"	26			Snow and rain.	2.30 a.m. to 2.30 p.m.	"	10		0.26	"	12.40 a.m. to 5.30 a.m.
"	29		0.16	Snow.	5.00 a.m. to 2.30 p.m.	"	18	1			5.00 p.m.
	_					**	14	}	2.46	**	to
Tot	al.	l	3.91			"	15	J			3.00 a.m.
	_					"	15	}	0.05	"	6.30 p.m. to
Feb.	2		0.20	Snow.	9.80 a.m. to 3.45 p.m.	"	16	)			1.30 p.m.
"	4		0.25	"	5.00 a.m. to 7.00 p.m.	"	22		0.17	"	3.80 p.m. to 9.00 p.m.
**	7	1	0.38	"	8.30 p.m. to	"	27		0.15	"	4.15 a.m. to 6.00 a.m.
"	8	١			7-45 a.m.	"	80		0.13	44	1.30 a.m. to 8.30 a.m.
"	21		0.05	66	10.15 p.m. to 11.50 p.m.	-					
	-					Tot	al.		4.60		
Tota	al.	_	0.88			May	4	-	0.09	Rain.	8.30 p.m. to 9.30 p.m.
Mar.	2	i	0.52	Snow.	6.30 a.m. to 5.30 p.m.	"	12	)		"	11.00 a.m. to
66	4		0.07	Rain.	8.30 p.m. to 10.30 p.m.	"	18	}	1.19	••	9.30 a.m.
**	6		0.11	Snow.	3.30 p.m. to 8.30 p.m.	"	14	)		"	9.30 p.m. to
"	7	1	0.79	Doin	3.30 p.m. to	"	15	}	0.65	**	10.00 a.m.
"	8	Ì	0.79	Rain.	11.80 a.m.	"	18		0.25	"	5.45 a.m. to 2.30 p.m.
"	13	)			9.30 p.m. to	"	26		0.10	"	3.00 a.m. to 9.80 a.m.
"	14	Ì	0.80	"	9.30 a.m.	"	27		0.80	"	5.45 p.m. to 7.30 p.m.
"	15	)			11.45 a.m. to						
"	16	Ì	0.16	Snow.	10.30 a.m.	Tot	al.		2.58		
44	22		0.02	"	2.30 a.m. to 7.30 a.m.	ı		1			

Table of Rainfall at Chestnut-Hill Reservoir. - Continued.

_		_									
Dat	m.		Inches.	Snow or Rain.	Duration.	DAT	'E.		Inches.	Snow or Rain.	Duration.
June	1 8	,	0.29	Rain.	7.40 p.m. to 8.15 p.m. 1.20 p.m. to	Sept.	9 10	~	0.52	Rain.	9.30 p.m. to 4.00 a.m.
**	4	{	0.11	**	9.30 a.m.	"	11	ľ	0.75	"	2.00 p.m. to 3.05 p.m.
**	6	ľ	0.12	66	3.00 a.m. to 10.30 a.m.	"	12		0.29	"	12.30 a.m. to 2.00 a.m.
"	22		0.02	"	4.00 a.m. to 4.30 a.m.	"	18		0.10	"	8.00 a.m. to 3.00 p.m.
"	25		0.27	**	12.30 a.m. to 1.30 a.m.	"	26		0.05	"	5.00 a.m. to 6.00 a.m.
46	27	,			12.05 p.m. to	**	26	)			6.00 p.m. to
"	28	}	1.17	66	8.00 p.m.	66	27	}	0.15	"	12.30 a.m.
"	30		0.23	44	1.00 p.m. to 4.40 p.m.	"	80		0.29	"	2.30 a.m. to 6.30 a.m.
Tot	al.	-	2.21			Tot	al.		2.15		
July	. 4	ŗ	0.50	Rain.	5.00 p.m. to 11.00 p.m.	Oct.	8		0.31	Rain.	11 15 a m to 4 00 =
"	6	1	0.40	66	5.30 a.m. to 5.30 p.m.	"	12	l	V.01	realii.	11.15 a.m. to 4.00 p.m. 1.30 p.m.
**	9		1.81	**	5.40 a.m. to 2.45 p.m.	"	18	П	7.55	66	to
"	18		0.45	"	11.30 a.m. to 11.80 p.m.	"	14	[			4.15 a.m.
**	16		0.05	44	12.10 p.m. to 6.30 p.m.		15	ľ	0.05	66	3.30 p.m. to 10.80 p.m.
"	22		0.18	**	12.45 a.m. to 2.80 a.m.	"	28		0.03	41	2.00 a.m. to 3.00 a.m.
"	27	)			9.00 p.m. to	"	31	l L	1.30	"	4.20 p.m. to midnight.
46	28	}	0.08	"	12.30 a.m.			_			
"	30	}	0.63	"	3.00 p.m. to 5.30 p.m.	Tot	al.		9.24		
Tot	al.		<b>3.5</b> 5			Nov.	1	-	1.56	Rain.	Midnight, Oct. 31, to 7.30 a.m.
Aug	. 2	_	0.01	Rain.	2.30 p.m. to 3.00 p.m.	"	2 3	}	0.62	Rain and Snow.	10.45 a.m. to 1.00 a.m.
**	7		1.48	"	9.05 a.m. to 1.30 p.m.	44	9	1	0.15	Rain.	11.80 a.m. to
**	12		0.44	**	2.00 a.m. to 9.00 a.m.		10	3	0.10	Kain.	11.00 a.m.
**	18		1.17	"	7.30 a.m. to 12.15 p.m.	"	14	1	1.86	44	4.30 p.m. to
**	24		0.01	44	7.45 p.m. to 9.15 p.m.	"	15	5	1.00	-	12.80 p.m.
46	28	}	0.08	**	10.40 p.m. to	**	15		0.07	66	4.00 p.m. to 5.00 p.m.
64	29	)			12.30 a.m.	"	17		0.81	64	12.30 p.m. to 10.30 p.m.
**	81		0.72	"	7.00 p.m. to 10.00 p.m.	"	20		0.68		12.15 a.m. to 4.45 a.m.
	_	-				66	20	}	0.39	Rain and	3.00 p.m. to
Tot	al.		3.91			"	21	)		Snow.	12.80 a.m.

Table of Rainfall at Chestnut-Hill Reservoir. - Concluded.

DATE.	Inches.	Snow or Rain.	Duration.	DAT	E.		Inches.	Snow or Rain.	Duration.
Nov. 23 " 24 " 25 " 26 " 28 " 27 Total.	} 0.18 } 0.12 } 1.25	Rain.	5.30 p.m. to 8.30 p.m. 12.50 p.m. to 2.00 a.m. 3.15 p.m. to 12.30 a.m.	Dec.	4 5 6 22 27 30 31	] }	0.56 0.60 0.84 0.67	Snow. Rain.	9.00 p.m. to 5.30 a.m. 2.30 a.m. to 7.30 a.m. 1.00 a.m. to 4.00 a.m. 7.30 p.m to 6.30 a.m.

NOTE. - Total Rainfall for Year, 45.96 Inches.

[CHAP. 488.]

# AN ACT

# TO PROVIDE FOR A METROPOLITAN WATER SUPPLY.

Be it enacted, etc., as follows:

#### METROPOLITAN WATER BOARD.

Section 1. The governor, by and with the advice and consent of the council, shall appoint three water commissioners, who shall constitute the Metropolitan Water Board. Said commissioners shall hold office, one for the term of five years, one for the term of four years and one for the term of three years, beginning with the first Monday in May in the year eighteen hundred and ninety-five; and in the year eighteen hundred and ninety-eight, and annually thereafter, the governor shall appoint, as aforesaid, one member of said board to hold office for the term of three years, beginning with the first Monday in May in the year of his appointment. The governor, with the consent of the council, may remove any member of said board, and may appoint for the residue of the term, in the same manner in which the original appointment was made, a commissioner to fill any vacancy occurring by removal, resignation or otherwise. One of said commissioners shall be always a citizen of Boston, one shall be always a citizen of one of the other cities or towns in the water district hereinafter described, and one shall be always a citizen of this Commonwealth. The chairman of said board shall receive a salary of five thousand dollars a year, and the other members a salary of four thousand five hundred dollars a year.

#### OFFICERS AND ACCOUNTS.

SECT. 2. The governor shall, as soon as may be after the appointment of said board, and annually thereafter on or before the first Monday of May, designate one of their number to serve as chairman for the ensuing year; said board shall from time to time appoint an engineer, secretary, and such other agents, officers, clerks and other employees as said board may deem necessary, shall determine the duties and compensation of such appointees, and may remove the same at pleasure, and may employ counsel; shall at all times keep full, accurate, and separate accounts of the doings, receipts, expenditures, disbursements, assets and liabilities of said board, and include an abstract of the same in an annual report to the general court on or before the first Wednesday in January in each year, such report to be numbered as one of the series of public documents; and four thousand five hundred copies thereof to be printed annually.

#### METROPOLITAN WATER DISTRICT.

SECT. 3. Said board, acting for the Commonwealth, shall construct, maintain and operate a system of metropolitan water works substantially in accordance with the plans and recommendations of the State Board of Health, contained in their report to the legislature of the year eighteen hundred and ninety-five, and shall provide thereby a sufficient supply of pure water for the following named cities and towns, and the inhabitants thereof, to wit: — The cities of Boston, Chelsea, Everett, Malden, Medford, Newton and Somerville, and the towns of Belmont, Hyde

Park, Melrose, Revere, Watertown and Winthrop, which cities and towns shall constitute the Metropolitan Water District; shall secure and protect the purity of said water; shall on application furnish water to any city or town aforesaid that at the time of application owns its water pipe system; shall on application admit any other city or town, any part of which is within ten miles of the state house, into said water district, and furnish water to the same on the terms prescribed by this act for the cities and towns aforesaid, and on such payment of money as said board may determine; shall on application furnish water to any water company owning the water pipe system in any town within said ten miles, on such water company assuming the assessments of the town, if any, and making such payment of money as said board may determine; and may from time to time furnish water to any other city, town or water company, on such payment of money as said board may determine. All payments of money aforesaid shall be distributed to the cities and towns in said district in proportion to the total amount of the annual assessments theretofore paid by them respectively. board shall furnish said water to the city, town or company, by delivering the same into a main water pipe, reservoir, or tank of the city, town, or company, under sufficient pressure for use without local pumping, unless delivered in some other manner by mutual agreement be-tween the parties interested; and shall have the direction and control of the connections between the metropolitan and local systems. board may utilize the fall of water at any dam under their charge, and may thereby produce power or electricity, and may transmit such power or electricity by pipes, wires, or other suitable means, and sell the same, or the right to use such water, by written or other contract, to run for a term not exceeding fifteen years. Any person or corporation authorized by said board shall have all the powers relating to the production, sale and transmission of power and electricity given by this act to said board.

# WATER SOURCES.

SECT. 4, Said board may take, by purchase or otherwise, the waters of the south branch of the Nashua river, at and above a point above the dam of the Lancaster Mills in the town of Clinton, but shall allow not less than twelve million gallons of water to flow from a reservoir above said dam in each week, and such further quantity, not exceeding twelve million gallons a week, as the owner of said mills shall from time to time certify to be necessary for use therein and in other buildings now or hereafter owned by him, for domestic or manufacturing purposes, other than the production of water power, and said board, in regulating the flow of said quantities, shall, as far as practicable, conform to any reasonable request in writing of the owner of said mills; said board may also take the waters of Sandy pond, so-called, in the town of Clinton, and the waters which may flow into and from said pond or river, and the tributaries thereof above said point; may take such water rights as they deem necessary connected with said waters; said board shall forthwith, after taking the waters of said Nashua river, take by purchase or otherwise all real estate which will be submerged or flooded, or submerged to an increased depth, by the construction of the proposed reservoir on the Nashua river hereinafter provided for, and all parcels of real estate above the dam of said reservoir used for mill purposes and owned by the owner of any mill property of which any part will be submerged or flooded by the construction of said reservoir, including all the machinery used on such real estate and tenements for operatives; shall, on or before the first day of January in the year eighteen hundred and ninety-eight, take all the lands and all the ponds, basins, reservoirs, filter beds, dams, aqueducts, conduits, pumping stations, pipes, pumps, and other property held by the city of Boston for the

purpose of supplying water or for the purpose of storing or of protecting or preserving the purity of the water, and situated westward of Chestnut Hill reservoir in said city and westward of the intersections of the main pipes to be laid from Chestnut Hill reservoir to Spot pond, with the main pipes which convey water from the Mystic distributing reservoir; also the pumping station at Chestnut Hill reservoir and lands under and surrounding the same, and the pipes and aqueduct leading thereto; also Spot pond, so-called, in or near the town of Stoneham, and the lands under and surrounding the same, now owned by the cities of Malden and Medford and the town of Melrose, or either of them, held for the purpose of water supply or of protecting or preserving the purity of the water, and the pumping stations and pumps thereon; any or all of the aforesaid lands to be taken in fee or otherwise, as said board may determine. Said board may take any other lands in fee, easements, rights and other property that said board may deem necessary or desirable for carrying out the powers and duties conferred upon them by this act.

#### RECORD OF TAKING.

SECT. 5. Said board, to take any property by right of eminent domain, shall sign and cause to be recorded in the registry of deeds for the county and district in which the property to be taken is situated, a statement containing a description thereof, as certain as is required in a common conveyance of land, and stating that the same is taken for the Metropolitan water works; and upon such recording the ponds, works, lands, waters, easements, rights and other property described in said description shall be taken for the Commonwealth. Said board, upon entering upon any land for the purpose of using the same for carrying out any of the purposes of this act, shall sign and cause to be recorded in the registry aforesaid a statement containing a general description of the land and the purposes for which it is to be used, and the probable time for which the same is to be used, and after they have taken any property under the right of eminent domain shall notify the owner thereof, and on the request of the owner within three years after such taking, shall, within thirty days after such request, furnish him with a plan or description, in writing, of his land or other property so taken.

#### RESERVOIRS.

SECT. 6. Said board shall forthwith, after taking the waters of said Nashua river, construct a storage reservoir upon said Nashua river above said dam of the Lancaster Mills; shall forthwith construct the reservoir in Southborough already partially constructed by the city of Boston, and the dams thereof, and assume and carry out the agreement made by said city with the town of Southborough, and all contracts made by said city relating to the building of said reservoir; may construct other reservoirs, and may raise the level of any pond or reservoir under their charge. Said board may, as they deem desirable in constructing, or raising the level of, any pond or reservoir, raise or alter or discontinue parts of any railroad or public ways, and in case of a railroad shall make such raisings or alterations of the railroad, or construct upon existing or other locations, parts of the railroad to take the place of the parts so discontinued, as, and in such manner as, shall be mutually agreed upon by said water board and the board of directors of the railroad company; and if they cannot agree thereon then as, and in such manner as, shall be determined on the application of either party, in writing, by the board of railroad commissioners of this Commonwealth, who are hereby authorized and directed to adjudicate finally upon the same; and if said water board shall be of the opinion that the making of any such change of grade, alteration or construction requires

that lands be taken therefor, said board shall, in the name of the Commonwealth, take such lands and convey the same to the railroad company to be thereafter held and used as the board of directors of such company may determine, and the railroad company may if it desires locate its lines over any lands so conveyed to it, and when said new lines of railroad are completed the railroad company may discontinue the operation of the portions of its existing lines for which the new lines are substituted, and may maintain and operate said new lines of railroad; and said water board shall build the dam of any pond or reservoir constructed, or whose level is raised, as aforesaid, and make the raisings or alterations of the public ways aforesaid, and build in place of the parts of public ways discontinued, as aforesaid, such other reasonable and suitable ways, which shall thereafter be highways, as, and in such manner as, shall be mutually agreed upon by said water board and the county commissioners of the county in which such dam is to be built; or if they cannot agree thereon then as, and in such manner as, shall be determined on the application of said board, in writing, by the highway commission of this Commonwealth, which commission is hereby authorized and directed to adjudicate finally upon the same. Said water board, in flooding or otherwise affecting any burial ground, shall conform to any reasonable requirements relating thereto of the board of health of the city or town in which the same is situated.

#### CHESTNUT HILL RESERVOIR.

SECT. 7. Said water board shall forthwith lay pipes to connect the pumping station at Chestnut Hill reservoir with the main water pipes through which water is now supplied to the cities of Somerville, Chelsea and Everett, and the Charlestown district of the city of Boston, and with Spot pond, and on the first day of January in the year eighteen hundred and ninety-eight the contracts of the city of Boston with the cities of Somerville, Chelsea and Everett, described in, and confirmed by, chapter three hundred and fifty-one of the acts of the year eighteen hundred and eighty-six, for a supply of water, shall be cancelled. Said board shall also forthwith, after taking the waters of Nashua river as aforesaid, connect said river with the tributaries of said reservoir in Southborough.

# DELIVERY OF WATER TO LANCASTER MILLS.

SECT. 8. Said board, until they shall have completed the dam of said proposed reservoir on the Nashua river, and rebuilt the dam of said Lancester Mills, shall, unless otherwise agreed by said board and the owner of said mills, deliver each week day at, and at the level of, the present top of the dam of said mills at least one million gallons of the water of said river, unpolluted by any acts or doings of said board, conforming in the delivery of said quantity, so far as practicable, to any reasonable request in writing of the owner of said mills.

#### CONSTRUCTION OF BUILDINGS, ROADS, ETC.

SECT. 9. Said board in carrying out the powers and duties hereinbefore conferred upon them may construct and maintain buildings, machinery, roads, conduits and aqueducts; may lay and maintain pipes, drains and wires; may alter or change the grades or directions of any water course; may carry and conduct any aqueduct, conduit, pipe, drain or wire under or over any water course, or any railroad, street or other way, in such a manner as not unnecessarily to obstruct or impede travel thereon; may dig up any such road, street or way, and lay, maintain and repair aqueducts, conduits, pipes, wires and other works beneath the surface thereof, conforming to any reasonable regulations made by the mayor and aldermen of cities and the selectmen of towns, respectively,

wherein such works are performed, and restoring, so far as practicable, any such road, street or way, to as good order and condition as the same was in when such digging was commenced; said board may enter upon and use the lands of others; may take down dams to such an extent as they may deem necessary for prosecuting their works, and shall rebuild such dams whenever the necessity for keeping them down ceases; shall use such lands and do all work relating to such dams, in a reasonable manner with regard to the interests of the owners thereof, and, so far as practicable, shall heed all reasonable requests made by such owners; and in general may do any other act or thing necessary or proper for carrying out the powers and duties conferred upon them by this act.

#### OPERATION OF WORKS TAKEN FROM BOSTON.

Sect. 10. Said board, on or before the first day of January in the year eighteen hundred and ninety-eight, shall commence the operation of the works taken by them from the city of Boston, and shall thereafter keep the same and all water works constructed by them, and all bridges which they may build across said reservoir upon the Nashua river, and (until they abandon the same by notice in writing to said city) said Chestnut Hill reservoir, safe, and shall have charge of, use, maintain and operate the same, and the Commonwealth shall exclusively be responsible for all damages caused thereby or by any defect or want of repair therein; said board shall have the exclusive right and control over all ponds and reservoirs used by them in supplying water, and may order all persons to keep from entering in, upon or over, the waters thereof and the lands of the Commonwealth, city or town, surrounding the same; may inspect the water works and fixtures in any city or town supplied wholly or in part from the works under their charge, and may take all proper measures to determine the amount of water used and wasted and to prevent the improper use or waste of water.

#### PURCHASE AND SALE OF PROPERTY.

Sect. 11. Said board and any city, town or water company aforesaid, may agree with each other for the storing or pumping of water, or the furnishing of the same as aforesaid by either party to any city, town or company; and any such city, town or company may sell to said board, and said board may purchase any property of such city, town or company, whether taken by eminent domain or otherwise, that said board may deem desirable for use in furnishing, as aforesaid, water to any city, town or water company; and said board may sell at public or private sale any property, real or personal, whether taken by eminent domain or otherwise, no longer needed for the water works under their charge, or may from time to time lease any property not then so needed. The proceeds from the operations of said board shall be paid into the treasury of the Commonwealth.

#### EXPENSES AND DAMAGES.

Sect. 12. Said board shall incur such expenses as they deem necessary in constructing, operating and maintaining the water works under their charge; may agree with the party injured, upon the damages sustained by any city or town by the taking or use of its lands, ponds, reservoirs, water sources, acqueducts or other property, or the cancellation of contracts, as aforesaid; the damages sustained by the town of Clinton by any interference with its sewerage system or with its drainage rights or privileges; the damages sustained by any person or railroad or other corporation in property by any taking of property or by any change of grade, alteration or discontinuance of any railroad or public way, or by the construction or maintenance of any reservoir or other work, or by the interference with the use of any water, or by any other

act or thing done by said board under this act; shall save harmless the several cities and towns within which any road, street or way is dug up as aforesaid, against all damages for injuries resulting from a defect or want of repair in any road, street or way, caused by such digging up, or by constructing, laying, maintaining or repairing any aqueduct, conduit, pipe, wire or other works therein, and shall furnish without charge to all towns within which any work is done under authority of this act such additional police protection as may be necessary in consequence thereof: provided, said board shall have due and reasonable notice of the claims for such damages and opportunity to make a legal defence thereto.

#### PETITION FOR JURY.

SECT. 13. Said board, city, town, person or corporation, if they cannot agree upon any damages, sustained as aforesaid, may, except in the cases in which payment is otherwise provided for in this act, within two years after the day of the taking of any land, water, easements or other property, or of the use of any property, or of the making of any change of grade, alteration, discontinuance or location of a way or railroad, or of the doing of any other act or thing causing the damage, file in the office of the clerk of the superior court for the county in which the property taken, used or affected in value by such taking or other act of said board is situated, a petition, signed by the petitioner or the attorney of the petitioner, for a jury to determine such damages, and thereupon, after such notice as said court shall order, the damages so sustained shall be determined by a jury in said court, in the same manner as damages for lands taken for highways are determined. In determining any damages caused by any change of grade or discontinuance of a public way or railroad, or the substitution of a part of a public way or railroad for another part, there shall be taken into account any benefit to the party injured received from this act and anything done thereunder. Interest shall be included in such damages from the date of the taking, or the doing of the act or thing causing the damages, and costs shall be taxed and execution issued as in civil cases, against the Commonwealth in case the petitioner prevails, and against the petitioner in case he does not prevail. Damages for the temporary use of or injury to property may, on the request of the petitioner, be assessed by monthly payments, to be continued so long as the property is used.

# COMMISSIONS MAY BE APPOINTED TO DETERMINE DAMAGES.

SECT. 14. Said board, upon the application of the owner of any real estate taken for said proposed reservoir upon the Nashua river, or the owner of any real estate entered upon and used, or of any real estate injured by the taking of the waters of said Nashua river, whether said real estate is within or without the Commonwealth, or of any real estate not taken but directly or indirectly decreased in value by this act or the doings of said board thereunder, situated in the town of West Boylston or in that part of the town of Boylston on the northerly side of said proposed reservoir, or in that part of the town of Clinton on either side of River or Grove streets, between the dam of said proposed reservoir and a line drawn from the northerly corner of Oak and Boylston streets to the northerly corner of said Grove and Nashua streets, and not owned on the first day of April in the year eighteen hundred and ninety-five, by the owner of the Lancaster Mills, may agree with such owner upon the damages to be paid for such taking, injury or decrease in value, and if said board and the owner of any such real estate cannot agree upon such damages, such owner may, within two years after the first taking of water, or of land for said reservoir, under the right of eminent domain, file in the clerk's office of the supreme judicial court for the

county of Worcester, in term time or vacation, a petition for the determination of such damages, and thereupon said court, after notice by publication in some newspaper published in the county of Worcester, and in such other manner as the court may order, that all persons entitled to file such petitions will be heard by said court on a day therein named, and a hearing thereon; shall from time to time appoint one or more commissions, each consisting of three disinterested persons, and may after notice and hearing fill any vacancy occurring in any such commission until all petitions referred to it have been heard and determined. Each of said commissions shall, after notice and hearing, determine the damages specified in all such petitions as may be filed as aforesaid and referred to it by said court; and if the owner of any such real estate, no part of which is taken but which is decreased in value, shall in the petition aforesaid signify his willingness to surrender the real estate, or if there is a mill thereon, the real estate and machinery thereon, to the Commonwealth, the commission shall also determine the value of such real estate, or real estate and machinery, and interest may be included in such damages and in such value at such rate and for such time as the commission may deem just and equitable. Said commissions shall determine the damage to and value of real estate, machinery and business, and from time to time report their determinations on the petitions of such owners to said court. In case any individual or firm owning on the first day of April in the year eighteen hundred and ninetyfive an established business on land in the town of West Boylston, whether the same shall be taken or not under this act, or the heirs or personal representatives of such individual or firm, shall deem that such business is decreased in value by the carrying out of this act, whether by loss of custom or otherwise, and unable to agree with said board as to the amount of damages to be paid for such injury, such damages shall be determined and paid in the manner hereinbefore provided. The words "real estate" as used in this section shall include water rights, and in the case of mills all machinery thereon.

#### PAYMENT OF DAMAGES.

SECT. 15. Said board shall, upon agreeing upon any damages, or upon the acceptance by said court of any determination specified in the preceding section, notify the owner that they will pay the damages, or in case the petitioner offers to make surrender, if they so prefer, they will pay the value so agreed upon or determined, and if any such owner shall in accordance with such notice and within one year after being so notified, deliver a release of such damages or a deed of the real estate, to and satisfactory to, said water board, said water board shall certify to the treasurer of the Commonwealth the amount to be paid such owner, and said treasurer shall pay the same from the proceeds of the bonds hereinafter provided for. Said water board, or any persons whose property is taken under the right of eminent domain, or entered upon or injured by the taking of said water, if dissatisfied with any determination of damages made by any commission, may at the term on which such determination is filed in court, or at the succeeding term, claim a trial by jury to determine such damages, and thereupon the damages shall be determined by a jury in said supreme judicial court as provided in section thirteen of this act.

# PAYMENT TO CITY OF BOSTON AND TOWNS OF BOYLSTON AND WEST BOYLSTON.

SECT. 16. The treasurer of the Commonwealth shall, from the proceeds of the bonds hereinafter provided for, reimburse the city of Boston for all moneys paid or that may hereafter be paid by said city for land damages, or otherwise, in connection with the location, building or

maintenance of reservoirs or basins not yet built, or for lands taken for the preservation or protection of the purity of the waters of any reservoirs, or basins or of the tributaries thereof, and shall pay as part of the expenses of said metropolitan water works to the town of Boylston the sum of two thousand dollars a year, and to the town of West Boylston the sum of twelve thousand dollars a year for the year of and each year succeeding said taking of the waters of said Nashua river, so long as each of said towns remains a municipality, and shall pay no tax or other payment to either of said towns on account of any property held by said water board for the purposes of a water supply.

#### METROPOLITAN WATER LOAN.

SECT. 17. The treasurer and receiver general shall, from time to time, on the request of said board, issue negotiable bonds in the name and behalf of the Commonwealth, and under its seal, to an amount not exceeding twenty-seven million dollars, designated on the face thereof, Metropolitan Water Loan. Said bonds shall be deemed a pledge of the faith and credit of the Commonwealth, shall be countersigned by the governor; shall have the principal and interest made payable thereon, in gold coin of the United States of America or its equivalent; shall bear interest payable semi-annually on the first days of January and July of each year; shall be registered, or with interest coupons attached; shall be payable within such terms not less than thirty nor more than forty years, and shall bear such rates of interest not exceeding four per cent. per annum, and be issued and disposed of in such amounts and in such modes and at such times and prices as the treasurer and receiver general, with the approval of the governor, shall from time to time determine. Said treasurer shall, on issuing any of said bonds, establish a sinking fund, and determine the amount to be paid thereto each year, sufficient with its accumulations to extinguish the debt at maturity.

# PROCEEDS FROM SALES OF PROPERTY AND BONDS.

SECT. 18. Said treasurer shall apply the proceeds from the sales of property made as hereinbefore provided, and the proceeds from the sales of said bonds, exclusive of the amounts received from premiums, to the payments for the property taken by said board, the payment of the damages aforesaid, and the payment of the expenses of construction of said water works, and the other payments specified in this act, and shall apply any premiums received from sales of said bonds, any assessments hereinafter provided for paid by the cities and towns, and the proceeds from the operations of said board, exclusive of the proceeds from sales of property, to the payment of the interest, sinking fund requirements and expenses of maintenance and operation of said water works, and shall take the balance required for said payments, if any, from the proceeds of said bonds, and shall apply the surplus, if any, to the payment of said interest, sinking fund requirements and expenses, for the following year. Said treasurer shall advance to such person as shall have been designated by said water board and shall have given a bond with sufficient sureties, to be approved by the auditor of the Commonwealth, in the sum of ten thousand dollars, such sums, not exceeding ten thousand dollars at any time, as said auditor may certify to be necessary to enable said board to make direct payment upon the pay rolls and other accounts of said board, and such persons shall, as soon as may be after expending any sum so advanced, and in all cases within thirty days from the receipt of any such sum. file with the auditor a statement in detail of the moneys expended subsequent to the last previous accounting, approved by said water board, and where it is practicable to obtain them, also file receipts or

other like vouchers of the persons to whom the payments have been made.

#### ESTIMATE AND APPORTIONMENT OF ANNUAL EXPENSES.

SECT. 19. Said treasurer shall in each year estimate the amount, in addition to the premiums from sales of said bonds and the proceeds from the operations of said board, exclusive of the proceeds from sales of property, required during the year to pay the interest, sinking fund requirements, expenses of maintenance and operation of said water works, and shall apportion to the city of Boston the proportion of such amount that the valuation of said city for the preceding year bears to the total of all such valuations of all cities and towns in said water district: provided, however, there shall be included only one sixth of the total valuation of any such city and town which has not reached the safe capacity of its present sources of supply in a dry year, as determined by said water board and certified to said treasurer, and has not made application to said board for water, and the remainder to the other cities and towns in said district, one third in proportion to their respective valuations and the remaining two thirds in proportion to their respective populations, including however only one sixth of the total valuation and one sixth of the total population of any such city and town which has not reached the safe capacity of its sources or of the sources of supply of the water company by which a town is supplied, or has not made application for water as aforesaid; and provided, further, that any city or town assessed upon its full valuation and population, which furnishes a part of its water supply from its own works or receives a supply from a water company, shall be allowed and credited in its apportionment with a sum equal to twelve dollars for each million gallons of water furnished as aforesaid, as determined by said water board and certified to said treasurer, and provided, further, that no such amount shall be so apportioned until the year eighteen hundred and ninety-eight, and in said year only the amount of three hundred thousand dollars shall be apportioned, and the sums of money expended by the state board of health under chapter four hundred and fifty-nine of the acts of the year eighteen hundred and ninety-three and chapter four of the resolves of the year eighteen hundred and ninetyfive, and in the succeeding years the said amount of three hundred thousand dollars and two hundred thousand dollars additional for each year thereafter shall be so apportioned until the entire amount required as aforesaid is reached, and thereafter such entire amount shall be so apportioned. Said treasurer shall in each year notify each city and town of the amount of its assessment, and the same shall be paid by the city or town into the treasury of the Commonwealth at the time required for the payment and as part of its state tax.

#### CONTROL AND DISTRIBUTION OF WATER.

Sect. 20. The water board, water commissioners or superintendent of any city or town in the metropolitan water district, shall for their respective cities or towns, on and after the first day of January in the year eighteen hundred and ninety-five, have the charge and control of the water sources, water and water works owned and used by said city or town and not taken or used by said metropolitan water board as herein provided. Said water board, water commissioners or superintendent shall distribute and control the use of the water so furnished, and apply meters and extend the pipes and other work as said water board, water commissioners or superintendent may deem expedient; shall keep the pipes, fixtures and other works under their charge in good condition and repair, but shall not expend in any year more than the amount appropriated by the city or town therefor. Said water

board, water commissioners or superintendent, with the approval of the mayor or selectmen, shall determine the rate to be paid for water by the owner of the premises to which the water is furnished, or by the person or persons using the water: provided, however, that the minimum rates to be paid for water, and the premises to which the high service supply shall be furnished, shall be subject to the approval of said metropolitan water board. Any water board, water commissioner or superintendent as aforesaid shall for the water works under his charge do all the acts and things relating to buildings, machinery, roads, conduits, aqueducts, pipes and drains, which said metropolitan water board is authorized to do for the water works under their charge, and may take lands therefor, in fee or otherwise, and shall do all such acts and things and make all such takings in the manner in which said metropolitan water board are authorized to do similar things, and the damages sustained shall be recovered of, and paid by, the city or town for which such water board, water commissioners or superintendents are appointed or elected, in the same manner as damages caused by similar acts of said metropolitan water board are recovered of, and paid by, the Commonwealth.

#### APPLICATION OF INCOME.

Sect. 21. The income received in each city or town from the water works under the charge of its water board, water commissioners or superintendent, shall be applied to the payment of the expenses of maintenance and operation incurred by said water board, water commissioners or superintendent; the interest and sinking fund requirements of all bonds, notes or scrip of the city or town issued on account of the water works of such city or town; the assessment of the city or town to be paid to the treasurer of the Commonwealth as hereinbefore provided; the expenses of the extension of the works; and the balance, if any, as the city or town may determine. If such income in any year shall not be sufficient for said payments the balance required therefor shall be raised by taxation or by loan, as the city or town may determine; and the city or town is hereby authorized to assess such taxes and make such loans without further authority from the legislature.

# WORCESTER AND CERTAIN TOWNS MAY TAKE WATER.

SECT. 22. The towns of Clinton, Sterling, Boylston, West Boylston, Lancaster, Holden, Rutland, Princeton, Paxton and Leicester, and the city of Worcester, may take from the south branch of the Nashua river, above the dam of the proposed reservoir on said river, so much of the water thereof as they have already been or may hereafter be authorized by the legislature to take, for supplying their inhabitants with water, and in case either of the towns of Lancaster, Holden, Rutland, Princeton, Paxton or Leicester, or the city of Worcester, shall so take water, it shall pay to the Commonwealth, to be paid into the sinking funds for said bonds, a fair proportion of the cost incurred by the Commonwealth for said water and for the construction, maintenance and operation of said works, the same to be determined by the engineer of said board and an engineer to be appointed by the city or town, and if they cannot agree, the proportion shall be determined by a master to be appointed by the supreme judicial court on the petition of either party interested, and the report of such master made and accepted by said court shall be final and binding on all parties.

#### USE OF WATER IN DISTRICT RESTRICTED.

SECT. 23. No city or town, any part of which is within ten miles of the state house, or any water company owning a water pipe system in any such city or town shall, except in case of emergency, use, for domestic purposes, water from any source not now used by it except as herein provided or as shall be hereafter authorized by the legislature. If any town or towns in said district shall take the franchise, works and property in such town or towns, of any water company, the compensation to be allowed and paid therefor shall not be increased or decreased by reason of the provisions of this act. No town in said water district now supplied with water by a water company owning the water pipe system in such town, shall introduce water from the metropolitan water works until it shall first have acquired the works of such company.

#### SANITARY PROTECTION OF WATER.

SECT. 24. The state board of health is hereby authorized and required to make rules and regulations for the sanitary protection of all waters used by the metropolitan water board for the water supply of any city, town or water company aforesaid, and to transfer and deliver to said water board, such plans, maps and other information in their possession as will assist said board in carrying out the provisions of this act.

#### IMPROPER USE OF WATER PROHIBITED.

SECT. 25. No person shall take or divert any water of a water supply of any city or town in said water district from any water source, reservoir, conduit or pipe used for supplying such water to, or in any such city or town, or occupy, injure or interfere with any such water, or with any land, building, aqueduct, pipe, drain, conduit, hydrant, machinery or other work or property so used, and no person shall corrupt, render impure, waste or improperly use, any such water.

#### PRECEDING SECTION NOT TO APPLY IN CERTAIN CASES.

Sect. 26. The provisions of the preceding section shall not apply to any person in taking or diverting any such water or interfering with or occupying any water, land or works therein described, by permission of said metropolitan water board, or the water board, water commissioners or superintendent of any city or town having charge of the land, water or work; nor to the individual inhabitants of any city or town within the watershed of any water supply used by said metropolitan water board, or by any city or town aforesaid, in taking from the part of the supply or from the tributaries of the supply within their respective city or town limits so much of the water thereof as they shall need for their ordinary domestic household purposes, for extinguishing fires, or for generating steam.

#### ENFORCEMENT.

SECT. 27. Said metropolitan water board, and their employees designated for the purpose, shall enforce the provisions of this act, and of the rules, regulations and orders made thereunder, and may enter into any building, and upon any land for the purpose of ascertaining whether sources of pollution there exist, and whether the provisions of this act and of the rules, regulations and orders made as aforesaid are complied with; and, where the enforcement of any such provisions, rules, regulations or orders will require public works for the removal or purification of sewage, said metropolitan water board shall not enforce the same until they have provided such works, and the amount paid therefor shall be considered as part of the expenses of construction of the metropolitan water works, and such works shall be maintained and operated as a part of said water works.

#### JURISDICTION OF THE COURTS.

SECT. 28. The supreme judicial court or any justice thereof, and the superior court or any justice thereof, shall, in term time or vacation, on the petition of said board or any city, town, corporation or person interested, or of the attorney of any such petitioner, have jurisdiction in equity or otherwise to enforce the provisions of this act, and of any rule, regulation or order made under the authority of this act, and to prevent any violation of said provisions, rules, regulations or orders.

#### PENALTIES.

SECT. 29. Whoever shall do any of the acts herein prohibited, or shall violate or refuse to comply with any rule, regulation or order made under the authority of this act shall, on complaint or indictment therefor and conviction thereof, be punished for each offence by a fine not exceeding five hundred dollars, to be paid to the Commonwealth, or by imprisonment not exceeding one year in the house of correction, or by both such fine and imprisonment.

#### GENERAL LAWS.

SECT. 30. All general laws relating to the water supplies of cities and towns or the lands and other property used for such supplies shall, so far as they are not inconsistent with the provisions of this act, apply to and be observed in carrying out the purposes of this act.

#### CONSTRUCTION OF WORKS.

SECT. 31. In the construction of these works preference in employment shall be given to citizens of this Commonwealth.

SECT. 32. This act shall take effect upon its passage. [Approved June 5, 1895.

# APPENDIX C.

# REPORT OF THE SUPERINTENDENT OF EASTERN DIVISION.

Office of Superintendent of Eastern Division, 710 Albany Street, Boston, January 31, 1896.

HON. JOHN R. MURPHY,

Water Commissioner:

DEAR SIR: I herewith submit the annual report of the Eastern Division of the Boston Water Department for the year ending January 31, 1896:

# EXTENSION OF MAINS.

During the year there have been laid 26½ miles of pipemains, and 16,421 feet of main pipe abandoned, making a total of 595.9 miles now connected with the system, an increase of 8.3 miles over the length laid last year.

There were laid for the Park Department, 3,674 feet of 10-in. pipe. This pipe is not included in the total amount

named in our system.

A 48-inch high-service main has been laid from the connection with Fisher-Hill Reservoir, at Fisher avenue and Boylston street, Brookline, through Boylston, Walnut and Washington streets, Brookline, — through the Muddy River Park District to the junction of Huntington avenue and Heath street, Boston, where it was reduced to a 42-inch and a 36-inch. The 42-inch was continued through Huntington avenue, across Boylston street, through Clarendon and Newbury streets, crossing Arlington street and the Public Garden and Charles street on to Boston Common, where, at a point nearly in a line with Temple place, it was reduced to 30-inch, then continued 30-inch to a line with Winter street, where it was reduced to 16-inch, and continued to and connected with Park street.

Connections were made at Waite street, Gainsboro' street and Boston Common, with the 20-inch and 16-inch high-service mains, and branches left for connections at various other points.

This 42-inch line is now in commission as far as Huntington avenue and Gainsboro' street. There still remains about 200 feet to lay across the Boston & Albany Railroad bridge, on Huntington avenue, when this bridge is rebuilt the com-

ing summer.

There has also been laid 4,600 feet of 36-inch pipe in Heath street, from the connection at Huntington avenue to the New York, New Haven & Hartford Railroad crossing on Heath street, and connection was made near Day street with the supply to Parker-Hill Reservoir. On account of change of grade of railroad no more could be done at this point, but this Roxbury and Dorchester line was continued by laying 2,000 feet of 36-inch pipe in Ruthven street and Walnut avenue.

We laid a temporary 2-inch lead pipe in March, 1895, from Moon Island to Long Island, and when the weather permitted, a 6-inch pipe was laid from Moon Island to Long Island, and also a new 6-inch pipe from Long Island to Galloupe's Island. A 4-inch pipe is being laid from Long Island to Rainsford Island.

A thorough monthly inspection has been made of all main pipes crossing over, under or through railroad bridges and culverts, and where made necessary by vibration, joints have been calked, and blocking and straps renewed.

# GATES, OR STOP-COCKS.

The number of gates established during the year was 321. Of this number there were eight 36-inch, two 30-inch, two 24-inch and four 20-inch gates connected with the new high-service main, thirty-two gates were abandoned; making the total number now in service 6,648, all of which have been attended to in the matter of oiling, packing, etc.

#### RESERVOIRS.

Parker-hill Reservoir. — The grounds, buildings, fences and gate-house have received the usual attention, and are in good condition.

East Boston. — The reservoir grounds, gates and fences

are in good condition.

South Boston. — This reservoir, which is not in use, and which probably will never be used again, is in a poor and leaky condition.

The fences will need painting the coming year. Some repairs have been made to the same during the past year.

# HIGH-SERVICE STAND-PIPES.

The Breed's Island and Mt. Bellevue stand-pipes are in fair condition. The Mt. Bellevue tank and grounds have been kept open for the public during the past season. The buildings covering both will require some repairs, also painting, during the coming year.

The grounds at Mt. Bellevue are in good condition. It is now partly surrounded by a fence. This fence should be

continued to enclose the grounds.

# HYDRANTS.

Three hundred hydrants were established and 58 abandoned, making a net increase for the year of 242, and there are now 6,459 in service connected with the system. Of the new pattern independent Post hydrant, 20 were put in during the year. These seem to be a favorite hydrant with the Fire Department in hazardous districts, and I recommend that more of them be used.

We have still 1,103 Boston hydrants, old pattern, in use. These should be discontinued as rapidly as possible and

replaced by Post hydrants.

Requests from the Fire Department, such as raising and lowering hydrants, etc., have received prompt attention. All hydrants have been examined, tested and oiled during the summer months, and during the winter months a daily inspection and test has been made of all hydrants connected with the system.

This department supplies the Fire Department gratis with the salt used on hydrants, which we deliver to the various fire-houses upon request. During the year 4,194 bushels of salt have been delivered to them. We have used 1,756 bushels in care of gates and hydrants.

# WATER-POSTS.

Twelve new water-posts were established, making the number now in use 378. These are established and locations changed upon request of the Superintendent of Streets, or Deputy of Street Watering.

# FOUNTAINS.

Two new fountains have been established for man and beast, and one for beast only; and one change made as to location.

I earnestly recommend that more of these fountains for beasts be established during the coming year. The opportunities offered for procuring water by horses and dogs are all too few at present. The public safety requires that every opportunity should be offered dogs to obtain water.

# SERVICE-PIPES.

During the year 2,734 service-pipes have been laid, with an aggregate length of 61,615 feet, and 411 have been abandoned, making a net increase of 2,323 pipes during the year. Of the abandoned pipes 74 services, equalling 910 feet, have been the ½-in. services connected with the old Jamaica Pond system, which were replaced by §-in. from our system. There still remains a few of the old Jamaica Pond Aqueduct service-pipes.

Under the law of laying out new streets, we were obliged to lay 65 service-pipes, from which no revenue is at present

derived.

# METERS.

Cochituate Division. — Three hundred and nineteen meters have been set, 248 have been discontinued, 1,296 have been changed, and 6 have been lost in service during the year; making a net gain of 65, and the total number now in use 4,398.

Mystic Division. — Thirty-eight meters have been set, 27 have been discontinued, 147 have been changed, and 1 has been lost in service during the year; making a net gain of 10, and the total number now in service 504.

# BLASTING.

We have had seven breaks of main pipe by blasting, but the most serious one occurred on the evening of November 27, 1895, at Walnut street, Brookline, when a sewer contractor for the town of Brookline exploded a blast within a few feet of our new 48-inch high-service main. This blast broke the main, and a piece, V-shaped, about 6 feet long and 3 feet wide on the widest end, was blown out.

This break discharged water at the rate of seven and one-half million gallons per hour. We pressed every available man into service, and at 4.30 A.M., November 28, we had a new connection made at another point, our high-service district being supplied meanwhile from Parker-Hill Reservoir, which had been held full for an emergency.

# MAINTENANCE.

The work of relaying mains in a large number of streets in the city proper has been delayed the past year on account of the large amount of work on extensions. Some of these should be delayed no longer than the coming season, as the portions we have taken out indicate that it is hardly safe to continue them through another winter, and I hope to be able to do a large portion of the relaying already authorized by the Water Commissioner.

Of repairs on pipes of all sizes we have made 1,535 during the year. Of those on main-pipes (215), we have found the most numerous causes to be defective joints (71), defective packing (58), defective stop-cocks (19), and settling of earth (25).

The causes of leaks and stoppages on service-pipes, which number 1,320, are many, but chief among them are: Rust, 557; fish, 39; struck by pick, 75; settling of earth, 235; and defective pipe, 67.

The following tables show in detail the work performed by this department:

Table showing the Length of Supply and Distribution of Mains laid and the Number of Stop-cocks established during the Year of 1895, and the Length connected with the Sudbury and Cochituate Works, January 31, 1896.

								DIAMET	ER OF F	ress n	DIAMETER OF PIPES IN INCHES.	ei ei						Total
	2	<b>\$</b>	\$	40	98	80	8	46	9	16	21	10	•	•	4	69	a	
Kastern Division.																		
Length in use Jan. 31, 1896.	:	25,571	:	23,054 26,298	26,298	62,464 244	4	56,784	56,784 61,483	76,629	847,251	53,196	875,117	76,629 847,251 63,196 875,117 1,250,421 133,841	183,841	990'6	:	8,000,908
Stop-cocks in same	:	_	:	۲	16	8	:	4	87	112	1,302	72	787	3,841	965	61	:	6,859
Length laid or relaid during the year	:	8,290	15,478	:	6,640	8,873	:	108	1,830	8,041	81,124	1,562	18,664	39,187	•	:	3,746	138,592
Stop-cocks in same	:	:	:	:	œ	19	:	4	<b>60</b>	Ħ	8	4	3	150	•	:	:	321
Length abandoned during	:	:	:	:	:	:	:	:	:	:	200	:	740	6,582	7,664	98	•	16,431
Stop-cocks in same	:	:	:	:	:	:	:	:	:	:	61	:	-	19			:	88
Length in use Jan. 31, 1896.	:	83,861	15,478	23,064	23,064 82,988	70,837 244	7	57,492	68,818	79,670	57,492 68,318 79,670 877,810 54,757 393,041	54,767	393,041	1,283,026 125,687	126,687	8,126	8,746	8,128,079
Stop-cocks in same	:	-	:	-1	24	8	:	19	4	8	1,369	70	785	8,472	250			
WESTERN DIVISION. Length in use Jan. 81,	88	16,061	•	1,485	1,166	2,140		•	•	8	2.048			98				8
Stop-cocks in same	:	10	:	:		:	:	:	:	æ	*	:	:	C4		: :		
Total connected with works Jan. 31, 1896 .	8		15,478	49,912 15,478 24,489	34,104	72,977	1 %	72,977 244 57,492	63,313		879,858	54,757	393,041	79,000 879,888 64,757 388,041 1,283,386 125,687	125,687	8,126		3,146,560 ft. 0r 13,745 595.9 miles.

1 Deduct January.

Statement of Hydrant, Blow-off and Reservoir Pipes, January 31, 1896.

continuation and reserved the property of the	3	THE TAGE	1	a fanda	o C Tomas	77		
			DIAN	DIAMETER IN INCHES.	BEE.			1
	16	13	10	•	<b>90</b>	•	4	Total
Total length in use January 81, 1896	272	6,970	:	2,975	88	19,676	10,747	40,668
Length laid or relaid during the year	300	15	100	:	:	1,826	28	2,191
Length abandoned during the year	:	<b>!</b>	:		:	40	118	174
Total length in use January 31, 1896	, 472	6,978	100	2,975	88	21,468	10,679	42,685

Statement of Service-pipes Laid and Abandoned during the Year ending January 31, 1896.

South Boston	oston		East Boston	oston.	Roxbury.	ury.	Dorchester.	ester.	West Roxbury	oxbury.	Brig	Brighton.	Total	Į.
Number of services. Length in feet. Number of services.	Mumber of services.	services.	Length in	.teet	Number of services.	Length in [.teot.]	Number of services.	Length in feet.	Number of services.	Length in feet.	Number of services.	Length in feet.	Number of services.	Length in feet.
			:	1:		:					1	22	-	12
•		_		31	2	174	-	8	61	73	-	25	63	884
:	:	:	:	:	:	:	:	:	:	:	:	:	4	76
22		64		37	-	2	:	:	63	8	-	<b>4</b>	19	246
:	:	:	:	:	:	:	:	:	:	:	:	:	4	2
1 64 1		-		29	•	121	80	102	4	4	:	:	8	98
1 12		:		:	:	:	:	:	:	:	:	:	•	110
1 17	:	:		:	•	808	-	8	63	8	:	:	88	767
:		:		:	:	:	:	:	:	:	:	:	*	8
9 91		:		:		\$	-	88	:	:	:	:	15	909
:	:	:		:	:	•	:	:	:	:	:	:	80	84
7 162 4	162 4	*		141	81	289	•	280	<b>90</b>	219	64	107	124	3,231
		1		\$	C4	88	:	:	:	:	:	:	16	870
216 2		61		4	73	2,294	•	146	13	230	တ	23	182	3,688
		_		2	c	88	_		q	70			10	825

	6,170		61,616	58,192
2,850		<b>8</b>	2,734	2,323
3,452		:	3,733	8,631
157	4	:	165	8,941 161
8,437	148		9,113	8,941
382	10		414	666 15,274 402
678   15,844	420	821	15,817	15,274
678	z	10	691	1 1
14,705		910	18,150	695 15,174
821	2	7.4	342	i ii
8,729		2	4,089 389	130 8,650
138	71	64	148	1 1
160,8	988	8	8,668	136 8,246
188	18	4	150	1 1
2,325	3,081	:	7,110	8,276
184	148	1	316	184
f-inch laid	s " sbandoned		Total laid	Net increase

#### Statement of Location, Size, and Number of Feet of Pipe Laid during the Year ending January 31, 1896.

Nors. — B., indicates Boston; S. B., South Boston; E. B., East Boston; Rox., Roxbury; Dor., Dorchester; W. R., West Roxbury; Bri., Brighton; Brk., Brookline; Chn., Charlestown.

Brookline (Town)				<del></del>	<del>,</del>
Brookline (Town)	In what Street.	Between what Streets.	District.	Size.	Length.
Brookline (Town)	Huntington ave	Muddy river and Heath st		48-in.	325
Contract   Fisher ave. and Muddy river	Brookline (Town)	At Muddy river		"	16
Huntington ave.   Brookline line and Boston Common   42-in.   6,24		Fisher ave. and Muddy river			7,949
Huntington ave	(0022200)	•			8,290
Huntington ave. (contract)  Total 42-inch  Total 42-inch  Muddy river  Ruthven st. Wainut ave. and Elm Hill ave. Rox. 2,00  Heath st. Huntington ave. and R.R. crossing " 4,60  Total 36-inch St. S.B. " 7,50  Total 30-inch St. S.B. " 7,50  Total 30-inch S.B. " 1,60  Rev. Commonwealth S.B. " 1,60  Total 30-inch S.B. " 1		20 20			
Total 42-inch	Huntington ave	Brookline line and Boston Common		42-in.	6,292
Total 42-inch	Huntington ave. (con-	44 46 84 44 44			0.108
Muddy river	tract,				<u> </u>
Ruthven st.         Walnut ave. and Elm Hill ave.         Rox.         " 4,60           Heath st.         Huntington ave. and R.R. crossing         " 4,60           Total 36-inch          6,64           Boston Common         B.         30-in.         8           Dorchester ave. and D st.         Andrew sq. and Congress st.         S. B.         " 7,5           At Parker and Heath sts.         Rox.         24-in.         10           Congress st.         D st. and B st.         So. B.         " 55           Total 24-inch          7           Huntington ave.         Francis and Wait sts.         Rox.         20-in.           Boston Common         B.         " 1,60           Harvard ave.         Brighton ave. and Brookline line         Bri.         " 4,60           Total 20-inch          1,80           New Commonwealth ave.         Foster st. and Chestnut Hill ave.         Bri.         16-in.         1,50           West st.         Tremont and Washington sts.         B.         " 44		10001 42-11011			10,410
Heath st   Huntington ave. and R.R. crossing	Muddy river			36-in.	40
Total 36-inch   B.   30-in.   8	Ruthven st	Walnut ave. and Elm Hill ave	Rox.	"	2,000
Boston Common   B.   80-in.   St.	Heath st	Huntington ave. and R.R. crossing	"	"	4,600
Dorchester ave. and D   st		Total 86-inch	· • • • •	• • •	6,640
Andrew sq. and Congress st.   S. B.   " 7,5	Boston Common		в.	80-in.	885
At Parker and Heath sts.         Rox.         24-in.         11           Congress st.         D st. and B st.         So. B.         "         55           Total 24-inch         .         7           Huntington ave.         Francis and Wait sts.         Rox.         20-in.         8           Boston Common         B.         "         4           Harvard ave.         Brighton ave. and Brookline line         Bri.         "         4           Centre st.         Harvard st. and Winchester st.         Brk.         "         4           Total 20-inch         .         1,8         1,8           New Commonwealth ave.         Foster st. and Chestnut Hill ave.         Bri.         16-in.         1,5           West st.         Tremont and Washington sts.         B.         "         44	Dorchester ave. and D	Andrew sq. and Congress st	S. B.	"	7,538
Congress st   D st. and B st   So. B.   16		Total 80-inch		<b> </b>	8,878
Total 24-inch   Francis and Wait sts.   Rox.   20-in.   State of the		 	Rox.	24-in.	185
Huntington ave.       Francis and Wait sts.       Rox.       20-in.         Boston Common       B.       16         Harvard ave.       Brighton ave. and Brookline line.       Bri.       16         Centre st.       Harvard st. and Winchester st.       Brk.       18         Total 20-inch.       1,8       1,8         New Commonwealth ave.       Foster st. and Chestnut Hill ave.       Bri.       16-in.       1,5         West st.       Tremont and Washington sts.       B.       4       4	Congress st	D st. and B st	So. B.	"	523
Boston Common	_	Total 24-inch			708
Harvard ave   Brighton ave. and Brookline line   Bri.   "   1,68	Huntington ave	Francis and Wait sts	Rox.	20-in.	80
Centre st.         Harvard st. and Winchester st.         Brk.         "         4           Total 20-inch         1,8           New Commonwealth ave.         Foster st. and Chestnut Hill ave.         Bri.         16-in.         1,5           West st.         Tremont and Washington sts.         B.         "         44	Boston Common		В.	"	50
Total 20-inch	Harvard ave	Brighton ave. and Brookline line	Bri.	"	1,652
New Commonwealth ave Bri. 16-in. 1,50 West st Tremont and Washington sts B. " 44	Centre st	Harvard st. and Winchester st	Brk.	"	48
west st Foster st. and Chestnut Hill ave Bri. 16-in. 1,50		Total 20-inch		<b> </b>	1,880
Wess ser		Foster st. and Chestnut Hill ave	Brl.	16-in.	1,545
Boston Common	West st	Tremont and Washington sts	в.	"	450
, , , , , , , , , , , , , , , , , , , ,	Boston Common		••	"	470
Carried forward		Carried forward	ł	۱	2,465

### Statement of Location, Size, etc. - Continued.

	I	<del></del>		<del></del>
In what Street.	Between what Streets.	District.	Size.	Length.
	Brought forward			2,465
Park st	Tremont and Beacon sts	В.	16-in.	291
Talbot ave	Bernard and Westcott	Dor.	"	60
" "	Colonial and Southern ave	٠ دد	"	205
Heath st		Rox.	"	20
	Total 16-inch			3,041
Congress st	Off Federal st	В.	12-in.	86
Travers st	Charlestown and Merrimac sts	66	**	998
Endicott st	Hanover and Causeway sts	"	"	1,841
Federal st	Essex st. and No. 318	"	"	688
Bellflower st	Boston st. and Dorchester ave	80. B.	"	24
Byron st		E.B.	"	60
Marginal st		"	"	418
Towers st	Montmorenci st. and Orient ave	"	"	39
Beachmont ave		"	"	96
Elm Hill ave	Howland and Crawford sts	Rox.	44	204
Beacon st	South side of bridge	"	"	280
Beacon st	Deerfield st. and R.R. bridge	"	"	742
Delaware st	From Tremont st	"	**	144
Seaver st	Blue Hill ave. and Maple st	44	"	875
St. Alphonsus st	Longwood ave. and Ward st	"	"	15
Audubon road		"	"	81
Parker Hill ave	Hillside st. and Huntington ave	"	"	152
Lawn st	Hayden and Heath sts	"	"	880
Rogers ave	Ruggles st. and Bay View place	66	"	811
Shawmut ave	Rutland and West Newton st	"	"	250
West Selden st		Dor.	"	86
Park st	Washington and Waldeck sts	"	"	86
Romsey st	From Sagamore st	"	"	52
" "	" " "	"	"	48
Groveland st	" River st	"	"	502
Dorchester ave	Templeton and Edwin sts	"	"	229
Oakland st	Rockville and Rockdale sts	"	"	45
" "	Rockdale st. and Blue Hill ave	**	"	522
" "	Opposite Rockdale st	"	"	8
. \	Carried forward		!	9,107

# Statement of Location, Size, etc. — Continued.

In what Street.	Between what Streets.	District.	Size.	Length.
	Brought forward			9,107
Glenway st	Blue Hill ave. and Erie st	Dor.	12-in.	205
" " 1	Fowler and White sts	44	"	680
Bakersfield st	Morrill and Stoughton sts	u	"	132
" "	" " "	"	"	75
Topliff st	Bowdoin and Stonehurst sts	"	"	157
Lonsdale st	Dorchester ave. and Adams st	**	"	1,693
Kilton st	North of Harvard st	"	"	640
" "	West Park and Harvard sts	"	"	418
Harvard st	Kilton st. and Standish ave	"	"	282
Blue Hill ave	River st. and Fremont st.	"	"	36
" "	Devon st. and Intervale	"	"	427
Edson st	Norfolk st. and Milton ave.	44	"	128
Barrington st	Stonehurst and Speedwell sts	44	"	36
" "	" " "	"	"	130
Roseclair st	From Dorchester ave	"	44	528
Capen st	Greenhill and Preston st	"	"	418
" "	From Freeport st	46	"	236
Geneva ave	Blue Hill ave. and Wilder st	**		628
Rosewood st	From Oakland st.	44	44	72
Wells ave	Dorchester ave. and Railroad	46	64	848
Morton st	Norfolk st. and R.R. bridge	"	44	60
Willowwood st	" " Ballou ave	. "	<b> </b>	244
Ballou ave	Willowwood and Mountain ave			171
Mountain ave	Ballou ave. and Lauriat ave		"	629
		"		778
Columbia st	Wales pl. and Richfield st	 W D	"	216
Centre st	Montclair ave., toward Farquhar st	W. R.	"	
Baker st	Baker pl. and Mt. Vernon st		"	811
• • • • • •	Spring st. and Hart st			805
South st	Walkhill st. and Bussey-park entrance.	44		1,622
Centre st	Farquhar st. and South st			253
Canterbury st	From Blue Hill ave. and Angell st	"	"	580
Washington st	Corner Hyde Hark ave	"	"	100
44 44	LaGrange and Heron sts	"	66	814
" "	Morton and Stony Brook sts	44		332

# Statement of Location, Size, etc. — Continued.

		<del></del>	7	
In what Street.	Between what Streets.	District.	Size.	Length.
	Brought forward			23,241
Washington st	At Forest Hills Station	W. R.	12-in.	332
Beech st	Belgrade and Aldrich sts	"	"	150
Poplar st	Dale and James sts	"	"	128
Catalpa st	Perkins and Castleton sts	"	"	233
" "	Perkins st., across Castleton st	"	"	442
Lockstead ave	Centre st. and Jamaicaway	"	"	974
Castleton st	Parkway and Catalpa st	"	"	696
Neponset ave	Canterbury and Jewett sts	"	"	744
Mt. Vernon st	Corner of Baker st	"	"	72
Walker st	From Weld st	"	"	338
Williams st	Washington and Plainfield sts	"	"	895
Bellevue ave	South of Cornell st	"	"	262
Park Driveway	Washington st. and Railroad	"	"	324
Litchfield st	From Lincoln st	Bri.	"	264
Bigelow st	Dunboy and High sts	"	"	800
" "	" " " "	68	"	145
Corey road	Winsor road and Washington st	"	"	521
" "	Summit ave. and Warren st	"	44	157
Nonantum st	Washington st. and Newton line	"	"	888
Fancuil st	Parsons and Hobart sts	"	"	120
Oakland st	Washington and Fancuil sts	"	"	400
Commonwealth ave	Brighton ave. and Harvard ave		44	498
	Total 12-inch			31,124
Federal st	Franklin and Channing sts	в.	10-in.	154
Capen st	Norfolk and Dyar sts	Dor.	"	271
A new st	Off South st	W. R.	"	280
	44 44	"	"	169
Walker st	" Weld st	"	"	658
Washington st	At Forest Hills Station	"	"	80
	Total 10-inch			1,562
Lincoln st	Essex and Tufts sts	в.	8-in.	158
Montmorenci ave	Tower st. and Orient ave	E. B.	"	120
Farrington st	From Orient ave	"	"	96
	Carried forward			874

# Statement of Location, Size, etc. - Continued.

In what Street.	Between what Streets.	District.	Size.	Length.
	Brought forward			374
Rawson st	Dorchester ave. and Boston st	80. B.	8-in.	96
Kingsbury st	Washington and Bainbridge sts	Rox.	"	4.3
Hutchins st	Elm Hill ave. and Humboldt ave	"	"	150
Granby st	Bay State road and Commonwealth ave	44	"	281
Huntington ave	Cor. of Calumet st	**	"	48
Weston st	Cabot and Warwick st	41	44	84
Sherborn st	Commonwealth ave. and Bay State road .	44	"	810
Mt. Vernon st	Buttonwood st. and Von Hillern	Dor.	"	220
Fuller st	Morton and Capen sts	"	"	84
Welles ave	Ocean and Alban sts	44	"	96
Thane st	Off West Park st	"	44	424
Almont st	From Blue Hill ave	"	"	200
Waldeck st	From Lindsey st	66	"	148
" "	Tremlet Park and Park st	"	"	192
Phipps ave	Off Blue Hill ave	44	46	295
Duncan st	Greenwick and Fenton sts	"	"	40
Colonial ave	New England and Talbot aves	"	"	954
Speedwell st	Topliff and Barrington sts	66	"	755
Holden st	From Boston st	44	"	96
Kenwood st	Washington and Aliston sts	66	"	248
McLellan st	Erie st. and Page ave	44	"	845
Northern ave	Washington and Whitfield sts	"	"	205
Fowler st	Glenway st. and Greenwood st	"	"	896
Greenwood st	From Fowler st	"	"	345
Rossiter st	Bowdoin ave. and Bullard	"	"	228
Eldon st	Washington st. and Bowdoin ave	"	**	298
Stanwood st	Blue Hill ave. and Columbia st	"	"	862
Chester st	Rockway and Oakland sts	"	"	845
Porter st	Jess and Bismark sts	W. R.	**	180
Amesbury st	From Baker st	"	66	298
Amherst st	Dudley ave. and Albans st	"	66	726
Ashland st	Shelton and Sherwood sts	"	**	280
Allendale st	From Centre st	"	44	1,588
Catalpa st	Perkins and Castleton sts	66	"	24
	Carried forward			11,753

# Statement of Location, Size, etc. — Continued.

In what Street.	Between what Streets.	District.	Size.	Length.
	Brought forward			11,758
Clarendon ave	Hillburn st. and Clarendon park	W. R.	8-in.	160
Farquhar st	From Centre st	44	"	4
Farrington st	Kenneth st. and Anawan ave	66	"	172
Parkway	At Centre st., near May st	46	"	40
"	" " "	"	"	48
Proctor st	Fairview and Walter sts	"	"	78
South Walter st	From South st. towards Roberts st	46	"	107
Tower st	From Washington st	44	"	55
Temple st	Cor. of Mt. Vernon st	"	"	18
Walter st	Mendum & Bussey sts	44	44	948
Aldie st	Athol and Everett sts	Bri.	"	321
Allston Terrace	From Hobart st	44	"	156
" "		61	**	188
Brighton ave	Cambridge st. and Commonwealth ave	"	44	8,588
Commonwealth ave	Harvard ave. and Brighton ave	"	66	468
Elmira st	Murdock and George sts	"	"	212
Hobart st	Fancuil st. and Allston terrace	"	**	268
Malvern st	From Brighton ave	44	**	22
Ridgemont st	From Eleanor st	66	**	28
Summit ave	Corey road and Allston st	44	46	90
	Total 8-inch			18,664
Chauncy st	Bedford and Summer sts	в.	6-in.	116
Essex pl	Essex and Tufts sts	66	"	78
" "		"	"	67
Farnsworth st	Off Congress st	"	"	100
Lewis st	North and Moon sts	"	"	105
Milk st	Hawley st. and Sewall pl	46	44	21
Norway st	Falmouth and St. Paul sts	"	"	161
Powers court	Off North st	"	"	192
Strong pl	Off Cambridge st	"	"	144
Whitmore st	Kneeland and Harvard sts	"	"	82
H st	Broadway and Fourth st.	S.B.	"	293
N st	" " Second st	**	"	156
	Carried forward	' j		1,510

# Statement of Location, Size, etc. - Continued.

In what Street.	Between what Streets.	District.	Size.	Length.
	Brought forward			1,510
Story st	G and H sts	В.	6-in.	211
Everett pl	Off Everett st	E.B.	"	115
Homer st	Moore and Byron sts	"	"	27
Meridian st	West Eagle and Falcon sts	"	"	117
Shelby st	Lexington and Princeton sts	"	"	247
Aspen st	Montrose and Copeland sts	Rox.	"	187
Abbotsford st	Walnut ave. and Harold st	44	"	627
Beacon st	Bay State road and Raleigh st	**	"	890
" "	At Audubon circle	**	"	145
Bay State road	Sherburn and Granby sts	"	**	740
	Granby and Ashby sts	44	"	60
Burney st	Tremont st. and Delle ave	"	"	131
Brunswick st	Blue Hill ave. and Warren st	"	"	467
Cardington st	Off Cobden st	**	"	208
Cherokee st	Hillside and Pontiac sts	"	"	216
Danube st	Brookford and Dewey sts	"	"	86
Duncan st	Ruggles and Halleck sts	"	"	606
Eldora st	Hillside and Sunside sts	"	"	170
Fisher ave	At Lawn st	**	**	48
Flagg st	Off Washington st	44	**	227
Fairweather st	Off Harrison ave.	"	"	150
Fenno st	Rockland st. and Buena Vista ave	**		172
Hammett st	i i	44	"	50
Heath ave	Heath pl. and Heath st	"	**	60
" "		"	"	125
Lansdowne st		**	"	147
Logan st	Off Lambert ave	**	44	147
Oswald st		**	**	341
Penryth st		66	66	43
Prentiss-st. pl	1	46	**	234
Rockledge st		66		196
Rogers ave		66		29
Sudbury pl		46		202
	Off Warren st	"		202
Stanmore pl	Carried forward		"	8,408

# Statement of Location, Size, etc. — Continued.

In what Street.	Between what Streets.	District.	Size.	Length.
	Brought forward		• • •	8,408
St. Botolph st	Massachusetts ave. and Gainsboro' st	Rox.	6-in.	555
Wait st	Hillside st. and Huntington ave	"	"	96
Willow court	Off Shawmut ave	"	"	200
Arcadia terrace	Off Arcadia st	Dor.	"	4.8
Adams terrace	Adams st. to Muzzey terrace	"	"	388
Auckland st	Towards Dorchester	"	"	112
Belfort st	Off Dorchester ave	"	"	308
Burbank st	Washington and Merrill sts	"	"	364
Branch ave	Ditson and Arcadia sts	"	•	128
" "		**	"	215
Baker pl	Off East Cottage st	"	"	271
Bruce st	Wrentham and Ashmont sts	**	"	252
Balfour st	Wayland and Dalkeith sts	"	"	182
Cunningham terrace .	Off Hartford st	"	"	167
Cottage terrace	From East Cottage st	"	"	818
	Marshfield and East Cottage sts	"	46	128
Chamberlain st	Algonquin and Harvard sts	"	"	66
Cook st	Washington and Chamberlain sts	44	"	7
Clifton park	Dudley st. and Clifton st	"	"	105
Centre court	Off Centre st	"	"	221
Dorchester ave	Wrentham and Templeton sts	"		216
Dunbar ave	Off Washington st			185
Devon st	Off Blue Hill ave	"		46
Evandale terrace	From Savin Hill ave		"	94
Grace st	From Walton st	<b> </b> "		196
Glenmore st	Groveland and Standard sts		"	45
Hunter st	Off Morton st			225
Howe st	Off Hancock st	44		90
Lyon st	Dorchester ave. and Adams st			200
Leeds st	From Savin Hill ave			30
Letterfine terrace	Off Howard ave	"		186
Milton st	<b>-</b>			20
				69
	From Mountain ave	"	"	1
Mellen st	Ocean and Alban sts	ı	"	190

# Statement of Location, Size, etc. — Continued.

In what Street.	Between what Streets.	District.	Size.	Length.
	Brought forward			15,529
Mt. Bowdoin Green	Bowdoin ave. and Bowdoin ave	Dor.	6-in.	90
Merrill st	Perry and Glenarm sts	**	"	10
Morrill st	Pleasant and Bakersfield sts	"	"	11
Millet st	Off Harvard st. (north side)	"	"	688
Middleton ave	From Norfolk st	"	"	257
Muzzey terrace	Off King st	"	"	805
Newhall ave	Newhall st. and Adams st	"	"	186
Newhall st	Newhall ave. and Pierce ave	"	"	190
Newhall pl	Off Newhall ave	"	"	184
Norton st	Stonehurst and Bowdoin sts	"	"	76
""		**	"	141
" "	Speedwell and Stonehurst sts	**	"	100
Neponset ave	No. and So. Munroe terrace	"	"	188
Nottingham st	From Bowdoin ave	**	"	86
Oleander st	Alexander ave. and Bird st	"	"	885
" "	Oleander and Alexander ave	46		20
Page ave	McLellan ave. and Glenway st	44	"	489
Rockdale st.	Off Oakland st	44	"	276
Rosedale st.	Washington and Whitfield sts	**	66	864
Rockway st	Rockville st. and Chester st	"	66	295
Stonehurst st	Topliff and Barrington sts	"	66	642
4 4	Norton and Barrington sts	44	"	156
Standard st	River st. and Manchester st	**	66	789
Sagamore st	Belfort and Romsey sts	44	"	144
Sewall st	Neponset ave. and Pope's Hill st	46	66	816
Salcombe st	Stoughton and Cushing ave	• "	**	144
Street off Wells ave.	Dorchester ave. and railroad crossing	66	"	45
Train st	Mill st. and King st	44	"	182
Trowbridge court	Off Faulkner st.	"	"	41
Vaughn st	Harvard st. and Blue Hill ave	"	"	808
Vinson st	Marlowe st. and Geneva ave	44	"	182
Whitfield st	Wheatland ave. and Talbot ave	44		155
w menera st	Clarence place and W. Park st	"		127
Walton st	-	, "		396
AA OT MIT BE'	Harley and Washington sts			28,154
'	Carried forward	'	1	25,104

### Statement of Location, Size, etc. - Continued.

In what Street.	Between what Streets.	District.	Size.	Length.
	Brought forward			23,154
Wayland st	Off Howard ave	"	6-in.	478
Willowwood st	From Ballou ave	46	"	7
Allen st	Rowe st. and Brown ave	W.R.	"	90
Argyle st	Off Cornwall st	**	"	214
Berwick st	Off Baker st	"	"	421
Bishop st	Everett and Call sts	"	"	166
Cranston st	Off Sheridan st	"	"	268
Cable st	Menton and Merriam sts	"	"	288
Clifton st	Albano and Norfolk sts	**	"	70
" "	" " Kittredge sts	"	"	225
Egleston st	School and Boylston sts	"	"	122
Folsom st	Mt. Hope and Neponset ave	"	"	115
Glines ave	Off School st	"	"	198
Georgianna st	Off Boylston st	"	**	194
Hall st	South and Call sts	"	66	36
Jones st	Fairview and Walter sts	"	"	148
Lamartine st	Bell and Green sts	"	"	247
Metropolitan ave	Off Washington st. (right side)	66	"	48
Merriam st	Brookside ave. and Stony Brook	**	"	250
Minton st		66	"	219
Mozart st	Selwyn and Walter sts	66		24
Maybury terrace	Off Amory st	"	"	278
(New street)	Rowe st. and Railroad	**	"	203
Ophir st	Washington st. and Brookside	66	"	840
Perham st	Winslow and Mt. Vernon sts	46		252
Pleasant st	LaGrange and " " "			886
Paul Gore st	Danforth and Lamartine sts	**	44	27
Rexham st	Off Palgrade ave		"	230
Rowe st	Ashland st. and Allen st			113
				}
Spruce st	Florence and Bourne sts		"	88
Sylvia st	Washington st. and Forest Hills st			142
Tafts pl	Off South st.		"	48
Woodside ave	Washington st. and Forest Hills st	"	"	165
Zamora st	Off Castleton st	l "	"	89

# Statement of Location, Size, etc. — Concluded.

In what Street.	Between what Streets.	District.	Size.	Length.
	Brought forward			29,278
Bayard st	Kenneth st. and N. Harvard st	Bri.	6-in.	145
Brentwood st	Athol st. and Appian way	66	44	233
Cypress road	Murdock and Etna sts	66	"	138
Etna st	Cypress road and Spring st	66	"	174
" "	" " Elmira st	66	66	182
Linden st	Harvard ave. and Reedsdale st	44	"	16
Maple ave	Elmira st. and Garden st	66	66	266
Mapleton st	Market and Murdock sts	66	"	178
Peaceable st	Winship and Rockland sts	44	"	56
Quint-ave. Extension .	Off Brighton ave	"	41	12
Boston Harbor	Between Long and Galloupe's Islands.		66	4,068
" "	" " Moon Islands		44	3,886
" "	On Long Island		66	400
" "	" Moon "		"	80
" "	" Galloupe's Island		66	685
		•		
	Total 6-inch			89,187
" "	Moon to Long Island		2-in.	8,745

# Statement of Pipes Abandoned.

In what Street.	Between what Streets.	District.	Size.	Length, in.
(New) Commonwealth	South and Foster sts	Bri.	12-in.	565
Cove st	Cove place and Furnace sts	в.	8-in.	255
Furnace st	" " Cove st	"	"	65
Endicott st	Hanover st. and Charlestown	44	6-in.	1,841
Park st	Tremont and Beacon sts	"	44	291
Revere st	Irving and South Russell sts	"	"	100
Shawmut ave	Rutland and West Newton sts	**	46	250
Travers st	Charlestown and Merrimac sts	44	44	998
West st	Washington and Tremont sts	66	"	450
Swan st	Dorchester ave. and Colony st	80. B.	"	382
Duncan st	Ruggles and Halleck sts	Rox.	**	264
Long Island			"	200
Linden st		"	**	410
Spruce st	Florence and Bourne sts	W.R.	"	88
Galloupe's Island	<b></b>		**	660
Baxter st	Off D st	So. B.	4-in.	184
Colony st	Swan and Foundry sts	"	"	496
Ontario st		44	**	496
Flagg st	Off Washington st	Rox.	"	252
Knight's court	Off Oakdale st	W. R.	"	24
Long to Galloupe's Island		• • • • •.		4,068
Willow court	Off Shawmut ave	Rox.	8-in.	200

### Statement of Pipes Abandoned on the J. P. A. System.

In what Street.	Between what Streets.	District.	Size.	Length.
Ruggles st	Cabot and Tremont sts	Rox.	8-in.	420
Cary st	Riverside and Terry st	"	6-in.	158
Parker st	Huntington ave. and Rogers ave	"	"	450
Culvert st	Cabot and Hampshire sts	46	4-in.	184
Hampshire st	Ruggles st. and Linden park	**	"	1,400
Simmons st	Linden Park and Vernon st	"	"	300
Vernon st	Lamont and Tremont sts	"	"	800
Sumner st	Off Cabot st	44	3-in.	190
Simmons st	Linden Park and Vernon st	"	"	320
Vernon st	Lamont and Tremont sts	46	"	220

### Statement of Pipes Lowered.

In what Street.	Between what Streets.	District.	Bize.	Length.
Washington st	Oak. sq. and Brook's lane	Bri.	12-in.	300
Chester st	Rockway and Oakland sts	Dor.	8-in.	96
Middleton ave	Off Norfolk st	**	6-in.	36
Spruce st	Florence and Bourne sts	W. R.	"	189

#### Cochituate Meters Applied.

				D	IAMET	ER IN	Inche	s.		
			4	8	2	11/2	1	1	ŧ	Totals.
Ball and Fitts			• •				1			1
Crown	•		3	6	6	16	19	11	46	107
Gem		İ	1	1			<b>.</b>	· · ·		2
Hersey				2	3	4	12	22	8	46
Metropolitan		.			1	11	10	93		115
Worthington		-		8	8	. 5	81	6	• • •	48
Totals			4	12	13	36	78	132	49	319

#### Cochituate Meters Discontinued.

			DIAN	ETER	in Inc	HES.			
	6	4	3	2	11/2	1	1		Totals.
B.W.W							1		1
Crown		1	8	6	2	3	7	58	80
Gem	1								1
Hersey				1	3		12		16
Metropolitan					2	8	112		117
Worthington		<b> </b>	1	2	5	16	9		33
Total	1	1	4	9	12	22	141	58	248

### Cochituate Meters Sent to Factory for Repairs.

		DIAI	(ETER	in Inc	HES.		
	3	2	11/2	1	ł	1	Totals.
Orown	2	1	1	4	11	68	87
Hersey		2		2	9	4	17
Metropolitan	<b> </b>			18	60	1	79
Worthington	1	1	1	27	2		32
Totals	3	4	2	51	82	78	215

#### Meters Purchased.

													r	)iamet	TER IN	Inchi	is.		
											4		3	2	11/2	1	1	1	Totals.
Crown				•						-	3	-	2	9	20	40		25	99
Hersey											1		2	7	5	12	25		52
Metropolitan												.		3	15		25		43
Worthington	•	•	•	•	•	•		•	•			•	4	5	9		6		24
Totals	•					•	•				4	-	8	24	49	52	56	25	218

### Mystic Meters Applied.

															I	IA	MET	E	. 1	IN	Inchi	s.				
											4			8	3		2		1	ŀ	1	1		1		Totals.
Crown									-	Γ	1					-	2				5	8		4	_	15
Hersey		 								l	1		ĺ	1	l	l	1	١.			1		١.			4
Metropolitan				•						١.			١.			١.		.			4	18	١.			17
Worthington			•	•	•		•	•			•			•	•		1	-	•		· • ·	1	.	•		2
Totals					•	•		•	•		2	:		1		-	4	-	•		10	17	-	4	-	38

#### Mystic Meters Discontinued.

	Diai	Madala.		
	4 2	11/2 1	1 1	Totals.
Crown	2	2	1 2	7
Hersey	2	1		8
Metropolitan		8	6	9
Worthington	1	1 2	4	8
Totals	1 4	1 8	11 2	27

### Mystic Meters in Service January 31, 1896.

			Diz	METEI	R IN I	CHES.			
	6	4	8	2	11,	1	1		Totals.
Ball and Fitts			1						1
Crown	8	9	8	16	2	29	45	98	210
Hersey		2	4	8	2	9	<b> </b>	<b>.</b>	20
Metropolitan	<b> </b>			<b> </b>		23	66		89
Worthington		10	6	40	8	66	49	5	184
Totals	8	21	19	59	12	127	160	103	504

# WATER DEPARTMENT.

# Mystic Meters sent to Factory for Repairs.

			Diai	METER	in In	CHES.			Matala.
	6	4	8	2	11/2	1	1		Totals.
Crown							1	6	7
Metropolitan			<b>.</b>			6	9		15
Worthington	· · ·		· · ·	1		2	6	<b> </b> · · ·	9
Totals				1		8	16	6	81

### Cochituate Meters in Service January 31, 1896.

			DIAI	(ETER	in In	CHES.			
	6	4	8	2	11/2	1	1	ŧ	Totals.
Ball and Fitts						1	1	1	3
B. W. W					ļ		45		45
Champion							1		1
Crown	2	25	38	58	130	279	871	1,180	2,078
Gem		2	1	<b> </b>			<b></b>		8
Hersey		2	7	16	27	52	151	17	272
Metropolitan				4	14	114	647	8	782
Nash				<b> </b>				1	1
Thompson		<b> </b>		1	<b> </b>	1		5	7
Worthington	2	12	26	114	100	580	390	32	1,206
Totals	4	41	72	188	271	977	1,606	1,239	4,898

### Meters Changed.

CAUSE.	COCHITUATE.	Mystic.
Not registering	285	50
For test	488	48
Unsatisfactory	98	14
Stoppage	81	10
Leak at body	19	6
Leak at coupling	26	
Leak at spindle	23	<b></b>
Clock broken	16	2
Clock defaced	26	8
Enlargement of service-pipe	. 42	2
No force	110	8
Frozen	58	4
Meters burst	24	2
Hands off	22	2
Hands loose	16	
To relocate	11	1
By mistake	6	
Totals	1,296	147

### Meters Repaired in Service.

CAUSE.	COCHITUATE.	Mystic.
Clock changed—unsatisfactory	156	69
Leak at spindle	76	2
Leak at coupling	18	5
Leak at joint	11	3
Leak at bushing	8	•
Leak at stop-cock	2	1
Leak on pipe	4	2
Cap broken	2	1
Ratchet	3	1
Gearing adjusted	8	7
Fish-box frozen — burst	1	. <b></b>
Repacked meter		3
Cleaned fish-box		1
Totals	279	95

### General Statement of Meters for the Year ending January 31, 1896.

	Соси	ITUATE.	M	STIC.		
	Meters.	Boxes.	Meters.	Boxes.		
In service January 31, 1896	4,398		504			
New set	819	73	88	11		
Discontinued	248		27			
Lost in service	6		1			
Changed	1,296		147			
Changed location	15		8			
Tested at shop	2,870		260			
Repaired at shop	934		78			
Repaired at factory	215		31			
Repaired in service	279	58	95	22		
Purchased	210	1	8	1		

### Hydrants Established and Abandoned during the Year.

		Estab	Lishei	).			Abandoned.				
	Lowry.	Post.	B. Lowry.	Boston.	Totals.	Lowry.	Post.	B. Lowry.	Boston.	Totals.	Increase.
Boston	8	6		1	15	8		2	6	11	4
South Boston	7	6	2	1	16	1	1	1	10	18	8
East Boston	1	1	1	• •	8						8
Roxbury	6	82	18	1	52	7	1	2	8	13	39
Dorchester	4	79	85		118	1		5	2	8	110
West Roxbury	4	41	17		62		1	6	2	9	53
Brighton		28	5		88	1	1		2	4	29
Galloupe's Island		1			1				• •		1
							—				
	80	194	78	3	300	18	4	16	25	58	242

Total Number of Hydrants in use January 31, 1896.

	Lowry.	Post.	B. Lowry.	Boston Y.	Boston.	Total.
Boston	704	281	58		485	1,528
South Boston	220	102	28	1	249	595
East Boston	140	104	24		186	404
Roxbury	662	261	77		86	1,086
Dorchester	580	550	226		60	1,416
West Roxbury	129	548	182		44	908
Brighton	78	804	64		82	478
Deer Island		17				17
Brookline	5				8	8
Chelsea					7	7
Quincy	• • • •	7				7
Long Island	• • • •	6				6
Thompson's Island		2				2
Rainsford Island					1	1
Galloupe's Island		1				1
	2,518	2,188	654	1	1,103	6,459

#### Water-Posts.

District.	Number in use Jan. 31, 1895.	Established during the year.	Abandoned during the year.	Number in use Jan. 31, 1896.
Boston	48	5		58
South Boston	27	1		28
East Boston	81	1		82
Roxbury	66	3		69
Dorchester	80		· . <b></b>	80
West Roxbury	67	2	<b>.</b>	69
Brighton	47		· • • • • • •	47
	366	12		378

WATER DEPARTMENT.			121
Dead ends blown off	•		80
Hydrant barrels changed for repairs .	•	•	146
" boxes repaired in service	•	•	93
" renewed	•	•	92
" nipple put in			8
Hydrants oiled			22
Boxes over bridges repaired			5
Main cocks repaired			35
S.W. cocks repaired			14
New S.W. cocks put on			154
Stop-cock boxes repaired in service			133
" renewed			96
Fire reservoirs repaired			2
Change from low to high — 4-inch and upwar	ds		9
" " " " — 3 " " under		•	37

### Repairs of Pipes during the Year ending Jan. 31, 1896.

			DIAMETER OF PIPES IN INCHES.																			
	48	42	40	36	80	28	24	20	16	12	8	6	4	3	2	11	11	1	3	8	1/2	Total.
Boston	•		2	1	1	-	-	2	1	16	6	56	- 26	4	23	5	1	21	12	440	8	625
South Boston	i.								1	1	1	16	2		8			3	1	197	11	241
East Boston				.						2	1	4			6	1		1	2	100	8	125
Roxbury				2	1	1	1	1	1	7	1	9	8		12	1	1	2	3	237	19	307
Dorchester				.						3	8	9		1	5					79	2	102
West Roxbury	1			1			1			6	8	6			2				1	76	1	98
Brighton		1			4				1	1				.	5					20	١.	82
Deer Island											1	1			1							8
Long Island												1										1
Rainsford Island													1									1
	_	_	_	_	_	_	_	_	_	_	_		_	_	_	_	_	_	_		_	
	1	1	2	4	6	1	2	8	4	36	16	102	37	5	62	7	2	27	19	1,149	49	1,585

Causes of repairs that have been made on pipes of 4-inch diameter and upwards:

Defectiv	e pir	oe -		•	•	•	•	11
"	joi		•		•	•	•	71
66	рa	cking						<b>58</b>
Frozen	•		•	•	•	•	•	10
Carri	ed fo	rward	',					150

Brought forward,						150	
Leak at main .	_	_	_	_	_	4	
Pipe broken by blast	tino	-			•	$\bar{7}$	
66 66	B	•	•	•	•	8	
Settling of earth	•	•	•	•	•	25	
Stop-cock broken	•	•	•	• •	•	11	
" leak	•	•	•	•	•	8	
	•	•	•	•	•	${f 2}$	
Struck by pick	•	•	•	•	•	Z	015
On 3-inch and on servi	ce-ni	nes ·				_	215
Broken in wall	oc pi	pos.				11	
" " sewer	•	•	•	•	•	6	
Burst	•	•	•	•	•	3	
	•	•	•	•	•	16	
Defective joint	•	•	•	•	•		
packing	•	•	•	•	•	10	
hipo (	•	•	•	•	•	67	
" stop-cock		•	•	•	•	12	
Eaten by soil.	•	•	•	•	•	7	
Frozen	•	•	•	•	•	<b>85</b>	
Gnawed by rats		•	•	•		7	
Injured by electricity	y	•		•		1	
Leak at coupling	•	•	•			15	
" " joint .				•		17	
""main.						9	
" " valve .						17	
No force .						2	
Pipe broken .				-		<b>62</b>	
Settling		_		_	-	235	
Stopped by dirt	•	•	•	•	•	40	
" " fish	•	•	•	•	•	39	
" gasket	• •	•	•	•	•	17	
gasket .	•	•	•	•	•	2	
" " gravel " rust	•	•	•	•	•	557	
	•	•	•	•	•	3	
Soluei	•	•	•	•	•		
Struck by pick	•	•	•	•	•	75	
Valve broken .	•	•	•	•	•	5	1 000
							1,320
							1,535

In addition to the above, 331 service-pipes were shut off for repairs inside street line, and notice of the same sent to the On-and-Off Department of the Income Division.

# Statement of Leaks and Stoppages, from 1850 to 1895.

	DIAMETER	IN INCHES.	Total.		
YEAR.	Four inches and upwards.	Less than four inches.			
1850	. 32	72	104		
1851	. 64	178	237		
1852	. 82	241	823		
853	. 85	260	344		
1854	. 74	280	854		
1855	. 75	219	294		
856	. 75	232	307		
857	. 85	278	360		
858	. 77	234	311		
859	. 82	449	581		
1860	. 184	458	599		
1861	. 109	399	508		
1862	. 117	373	490		
868	. 97	397	494		
864	. 95	394	486		
865	. 111	496	601		
866	. 139	586	67		
867	. 122	487	601		
.868	. 82	449	53:		
869	. 82	407	489		
870	. 157	707	864		
871	. 185	1,380	1,566		
872	. 188	1,459	1,64		
878	. 153	1,076	1,220		
874	. 484	2,160	2,594		
875	208	725	928		
876	. 214	784	948		
877	. 109	801	910		
878	. 218	1,024	1,28		
879	. 211	995	1,200		
880	. 135	929	1,064		
881	. 145	883	1,028		
882	. 170	1,248	1,41		
888	. 171	782	958		
884	. 253	1,127	1,380		
885	. 111	638	749		

Statement	of	Leaks	and	Stoppages,	from	1850	to	1895.
				Concluded.				

	DIAMETER:	IN INCHES.	
YEAR.	Four inches and upwards.	Less than four inches.	Total.
1886	150	725	875
1887	172	869	1,041
1888	216	1,140	1,356
1889	183	849	1,032
1890	180	718	898
1891	194	758	952
1892	212	1,232	1,444
1898	827	1,555	1,882
1894	349	1,854	1,703
1895	215	1,320	1,535

#### YARDS.

City Proper. — Albany Street. — The yard and buildings are in good condition. During the year the outside of all the buildings has been painted, also the fences, gates, etc., the roofs repaired, weather-boards renewed, the grounds have been filled in with ashes and cracked stone, the horsestalls in stable repaired, steam-boilers and elevators inspected by the proper authorities, and the heating-apparatus has been overhauled and put in first-class condition.

The coming year some additional machinery will be needed for our machine shop, as the manufacture of gates, hydrants

and brass cocks is yearly growing larger.

Dorchester District. — This yard is in good condition and the buildings are nearly new; but very little will be needed

the coming year.

West Roxbury. — This yard is in very poor condition, besides being too small. The stable is poor, and we should have a new and better location. I have caused to be hired the past year another small yard and shed nearby for additional room; have also built a fence and gates to enclose this and the old yard, and have painted the same.

East Boston. — This yard and buildings are in fair condition, but will, however, need painting the coming year.

#### Yours respectfully,

H. C. RICHARDSON,

General Superintendent, Eastern Division, B. W. W.

#### APPENDIX D.

# REPORT OF THE SUPERINTENDENT OF THE MYSTIC DIVISION.

OFFICE OF SUPERINTENDENT, CORNER MEDFORD AND TUFTS STREETS, BOSTON, February 1, 1896.

Hon. John R. Murphy, Water Commissioner:

SIR: The annual report of the Mystic Division of the Boston Water Department is herewith submitted.

#### MYSTIC LAKE.

Mystic lake rose to its highest point, 6.84, on May 10, and then fell until October 12, when it reached its lowest point in the year, 2.17. At this time an abnormally heavy rain of over seven inches caused it to rise four feet.

Water was wasted over the dam from January 11 to February 9, from March 8 to May 29, and again from October 15 to January 1, excepting a few days.

The rainfall on the Mystic water-shed for the past twelve months was as follows:

Februar	y		•	0.655	August	. 5.435
March	٠.		•	3.000	September	. 2.040
April	•	•	•	4.185	October	. 10.195
May		•		3.150	November	. 6.260
June	•			3.630	December	. 2.300
July				4.345	January	. 2.355
Tot	tal					47.550

Due attention was given to clearing the ponds and streams of alge and other contaminating matter. Owing to the unusual quantity of water, less trouble was experienced than in former years.

#### RESERVOIR.

The three gates — 30, 24, and 16-inch in the delivery-gate chamber — were repaired, new valve-rods were substituted

and the gearing rearranged, the old 10 to 1 gears being replaced by gears 4 to 1, thus greatly facilitating the operation of the gates. Also, slight repairs were made at the gate-house.

The roads, walks, and slopes received the usual attention.

#### CONDUIT.

The following improvements recommended in my last report—the replacing of the wooden sills with stone and the renewing of the grooves for the screens in the pipe-chamber—were made.

A 30-inch gate is being made for the blow-off, and will be placed in position in a few weeks. One of the gates in the gate-chamber, that regulate the passage of the water from the receiving-chamber to the conduit, was overhauled and thoroughly repaired.

The conduit was cleaned and flushed several times during the year.

#### PUMPING-STATION.

To conduct water to the pump-well connected with the new pump, 178 feet of 36-inch main were laid, with one gate and brick gate-chamber. From the pump, 187 feet of 30-inch force main were laid, with one check-valve and 3 gates; and 4 brick chambers were built, one for the check-valve and one for each of the gates.

To the sewer were run, from pumps Nos. 1, 2, and 3, 172 feet of 12-inch pipe; from the pump-well, 78 feet of 6-inch; and from the cellar, 50 feet of 6-inch.

In the fire-room, about 30 feet of 6-inch pipe were laid; a brick manhole was built, and the brick-work around the boilers repaired.

#### MYSTIC VALLEY SEWER.

The Mystic Valley sewer and pumping-station were transferred to the State authorities on July 18, and about  $2\frac{1}{2}$  miles of the sewer are used as a branch of the metropolitan system, but the pumping plant is discontinued. The amount of sewage pumped from January 31, 1895, to the time of abandonment was 56,723,713 gallons, to which was applied as a precipitant 117,815 pounds of crude sulphate of alumina. The sludge pumped was 1,546,757 gallons, or  $2\frac{7}{10}$  per cent. of the sewage. The alumina was applied at the rate of 1 part alumina to 4,012 parts sewerage, or at the rate of 1.038 tons per 1,000,000 gallons of sewage. The amount of coal used was 90.16 tons.

This plant was completed in 1887 and required the services of about 14 men to operate it. Its transfer and discontinuance removes from this department an annual expense of about \$20,000.

#### WATER SOURCES.

There is a decided improvement in the conditions along the sources of the supply.

Since the construction of the trunk line of the metropolitan sewer through this section and the subsequent construction of the local systems along the line, a number of important cases of pollution have been disposed of.

In Woburn, 10.5 miles of the local system are constructed to date; in Winchester, 10.25 miles; and in Stoneham, preparations are being made to commence its system in the

spring.

The glue-work of Baeder, Adamson, & Co., in Woburn, which was the largest pollution case on the supply, was connected with the metropolitan sewer on November 14. In Winchester, Waldmyer's tannery, a large stable, and eleven dwelling-houses, a long-standing nuisance, were demolished in the fall. This property was situated along the banks of the Abajonna river, in the tract of land proposed for a public park. During the past season, 17 per cent. of the recorded cases of pollution were remedied, and in the coming year probably 50 per cent. of the remaining number will be removed.

The following is a summary of the report of Mr. John S. Concannon, Chief Inspector: Present number of cases, 528; of these there are, present safe, 431; seem safe, 32; suspected, 18; unsatisfactory, 47.

Nine new cases were discovered and 108 cases remedied.

Thirty legal notices were sent.

#### SEWAGE TREATMENT AT STONEHAM.

The chemical treatment of sewage at Tidd's tannery was continued the past year and very satisfactory results were obtained.

The quantity of sewage pumped was 4,990,924 gallons, to which was applied as a precipitant 71,360 pounds of sulphate of alumina.

The quantity of sludge pumped was 648,820 gallons, or 13 per cent. of the sewage. This sludge was disposed of by the firm to neighboring farmers, who carted it away for fertilizing purposes. The pulleys and the submerged pumps

received slight repairs and new belts were supplied during

the year.

At Fitzgerald's tannery, the amount of sewage increased to 10,000 gallons daily in August, so instead of depending upon the lime from the beam-house as a precipitant, additional chemical was applied.

The owner constructed a vat for the chemical, and this

department furnished and applied sulphate of alumina.

The quantity of alumina applied to date was 10,520 pounds, and the effluent is much more satisfactory than formerly.

#### DISTRIBUTION-PIPES.

The distribution-pipes have been extended by the addition of 452 feet of 4-inch pipe, 17,618 feet of 6-inch pipe, 4,051 feet of 8-inch pipe, 1,061 feet of 10-inch pipe, 2,176 feet of 12-inch pipe, 187 feet of 30-inch pipe, 178 feet of 36-inch pipe. Thirty-nine thousand one hundred and ninety-nine feet of pipe were relaid.

There now remains in Charlestown 8,260 feet of cement-

lined pipe, varying in size from 2 to 20 inches.

The work rendered necessary by the abolition of grade crossings between the Chelsea bridges, and referred to in my last report, was completed this fall.

#### HYDRANTS AND GATES.

Ninety-seven new hydrants, 2 street Lowry hydrants, and 95 Post hydrants, were established. One Post hydrant was replaced by a street Lowry hydrant. Five street Lowry hydrants were repaired, and eight Lowry hydrant barrels were replaced with longer ones. One hundred and ninety-eight gates were established, — two 3-inch, fifteen 4-inch, one hundred and twenty 6-inch, twenty-three 8-inch, thirteen 10-inch, twenty 12-inch, one 24-inch, three 30-inch, and one 36-inch. There were abandoned four 3-inch, thirty 4-inch, ten 6-inch, seven 8-inch.

Six hydrant-boxes and thirty gate-boxes were replaced by

new ones.

#### FOUNTAINS AND STANDPIPES.

Three new drinking-fountains were established, and one abandoned. Ten new standpipes were erected for street-watering.

#### SERVICE-PIPES.

Eight hundred and sixty-three new services were laid, distributed as follows: Charlestown, 39; Chelsea, 130;

Everett, 265; Somerville, 429, — for which 20,524 feet of pipe were required.

Two hundred and thirty-four services were repaired. Thirteen services were removed and larger ones substituted.

Seventeen stop-cock boxes were replaced by new ones. Thirty-six stoppages by eels, four by rust, and eight by moss were forced out.

#### New Services.

Size	₫-in.	∦-in.	∄-in.	1-in.	1½-in.	1½-in.	2-in.	4-in.	6-in.	Total.	Total ft.
Charlestown		15	18	1			2	2	1	39	1,102
Chelsea	29	92	7	2				<b> </b>		130	4,511
Everett		262		3						265	5,763
Somerville	•••••		421	4	2	1	•••••		1	429	9,148
Totals	29	369	446	10	2	1	2	2	2	863	20,524

#### Summary of Services, February 1, 1896.

	Charlestown.	Chelsea.	Everett.	Somerville.	Totals.
Number of services		5,7 <b>3</b> 9 15 <b>5,4</b> 68	3,554 71,206	8,644 288,215	24,119 675,019

#### Breaks and Leaks on Distribution-Pipes.

Size			•	•	 •	•	•	•	•	2	-ir	1.	3-ir	1.	4-	in.	6-in.	8-in.	1	0-	in.	Totals.
Charlestown												2		1			.1	1				5
Chelsea														3		21	7	1			6	86
Everett										.						7	6	8	١.			16
Somerville			•	•	 •	•	•					2		•		15	15	2	١.	•	•	84
Totals	• •	•	•	•					-	-		4		4	-	43	29	7	-	_	6	98

### Distribution-Pipes Relaid.

Locations.	Original Size.	4-in.	6-in.	8-in.	10-in.	12-in.	24-in.	30-in.	Totals.
Charlestown:									
Mishawum st	4-in.	<b> </b>	200			<b> </b>			200
Foss st	4-in.		348						848
Joiner st	4-in.					277			277
Water st	8-in.					125			125
Chelsea st	16 & 24 in.						684	541	1,225
Chelsea:									
Fourth st	4-in.		150				• . • .		150
Central ave {	300 6-in. 240 10-in. 6 & 10 in.	}	• • • •		540	• • •			540
Shurtleff st	10-in.				1,300				1,300
Medford st	4-in.		550						550
Tremont st }	270 8-in. 440 4-in.	}	710	:	•			• • •	710
Cary ave	10-in.				949	• • •	• • • •		949
Broadway	10- <b>in</b> .		• • • •		1,100	• • •	• • • •	• • •	1,100
Eleanor st	4-in.	$ \cdots $	225			• • •	• • • •		225
Nichols st	8-in.			825		• • •	• • • •	• • •	825
Shawmut st	4-in.			• • • •	2,070	• • •	• • • •	$\cdots$	2,070
Central ave	6-in.	$ \cdots $	• • • •	950		• • •	• • • •	• • •	950
Eastern ave	8-in.		• • • •	• • • •	578	• • •	• • • •	• • •	578
Williams st	8-in.		• • • •		1,510	• • •	• • • •	• • •	1,510
Alford st	10-in.	$ \cdots $			26	• • •	• • • •	• • •	26
Arlington ave	4-in.		• • • •	2,200	• • • •		• • • •	• • •	2,200
Marginal st	4-in.	• • •	• • • •	• • • •	940	• • •	• • • •	• • •	940
Everett:									
Waverley ave.	2-in.	• • •	36	• • • •	••••	• • •	• • • •	$\cdots$	86
Vine st	6-in.	• • •	60	• • • •	• • • •	$\cdots$	• • • •	• • •	60
Broadway	10.in.	$ \cdots $	60	• • • •	• • • •	• • •	2,485	$\cdots$	2,545
Somerville :							i		
Austin st	6-in.	• • •	• • • •	70	• • • •	• • •	• • • •	• • •	70
Autumn st	4-in.	$ \cdots $	83	• • • •	• • • •	• • •	• • • •	•••	33
Avon	4-in.	• • •	6	• • • •	636	• • •	• • • •	• • •	642
Beacon st }	1,800 6-in. 90 4-in.	}	15	• • • •		1,875	• • • •	$\cdots$	1,890
Beacon pl	4 in.	• • •	20	· • · •		• • •		• • •	20
Carried forw'd,			2,413	4,045	9,644	2,277	8,169	541	22,089

# Distribution-Pipes Relaid. — Continued.

Totals.	30-in.	24-in.	12-in.	10-in.	8-in.	6-in.	4·in.	Original Size.	Locations.
22,089	541	8,169	2,277	9,644	4,045	2,418			Brought forw'd
4,900		• • • •	4,900					8-in.	Broadway
125				• • • •	<b></b>	125	}	110 4-in. 15 6-in.	" . {
33						• • • •	33	3-in.	Broadway pl
616						616		4-in.	Church st
24	<b>.</b>		24					4-in.	Concord ave
45					45			4-in.	Cooney st
. 18					18			6-in.	Cutter st
80				80				8-in.	Dickinson st
285						285		4-in.	Elisworth st
874				 		874		4-in.	Everett ave
452	<b> </b>				444	8		4-in.	Evergreen ave.
857						857		4-in.	Fountain ave
860	<b> .</b>				860			6-in.	Florence st
88						83		4-in.	George st
83				<b> </b>		33		6-in.	Glen st
10						10		6-in.	Hathon st
1,075					1,075	. <b>.</b>		3-in.	Heath st
228						223		4-in.	Homer sq
17	l			  . <b>.</b>	<b></b>	17		4-in.	Jenny Lind
410			410	l		l <b>.</b>		8-in.	Kent st
298				l	298		١	4-in.	Kent court
				9	l			8-in.	Lincoln st
88				38			l	6-in.	Marshall st
14	l			<b> </b>		14		4-in.	Miller st
255				l		255		6-in.	Mystic ave
88	. <b>.</b> .			<b> </b>	<b> </b>	83		6-in.	Mt. Pleasant st.
11				11	<b>.</b>	l		6-in.	Mt. Vernon st.
269						269		8-in.	Nevada ave
885					885			4-in.	Otis st
33			l	l		88		4-in.	Rush st
406	l		406			<b></b>		6-in.	Sacramento st.
88		l	l			83		4-in.	Sargent ave
812						812		4-in.	Shehan st
35,100	541	8,169	8,017	9,727	7,670	5,943	83		Carried forw'd

# ${\bf Distribution - Pipes \ \ Relaid.} - {\it Concluded.}$

Locations.	Original Size.	4-in.	6-in.	8-in.	10-in.	12-in.	24-in.	30-in.	Totals.
Brought forw'd		88	5,948	7,670	9,727	8,017	3,169	541	85,100
Smith ave	4-in.		45						45
Spring st	4-in.		765						765
Summer st	6-in.				969				969
Union st	6-in.					76	• • • •		76
Vernon st	4-in.				816				816
Village st	4-in.		874						874
Waverley st	2-in.		168			<b> </b>			168
Willow ave	6-in.					986	• • • •		986
Total		33	7,295	7,670	11,512	9,079	3,169	541	89,299

Extension of Distribution-Pipes.

Location.	4-in.	6-in.	8-in.	10-in.	12-in.	80-in.	36-in.	Totals.
Charlestown:								
Mishawum st		123						123
Medford st	72				<b></b>			72
Jenner st			160					160
Pumping-Station					. <b></b> .	187	178	365
Chelsea:								
Everett ave		228			<b></b> .	<b> </b> .		228
Cypress st				252				252
Reynolds ave		528						528
Vernon st		272						272
Crescent ave		100	<b> </b>					100
Summit ave		710						710
Warren ave		324						824
Everett:								
County ave		332	<b></b>					832
Malden st		45				<b>.</b>		45
Belmont park		298			<b>.</b> .			293
Springvale ave		432				<b> .</b>	<b>.</b>	432
Sea st		600						600
Elm st	. <b>.</b>	216	. <b>.</b>		<b> </b> .			216
Ashton st	   • • • •	817				<b>.</b> .	 	817
Union st	<b>.</b>	72				<b> </b>	<b> </b>	72
Calhoun ave		200	<b>.</b> .		<b></b>	<b> </b>		200
Edith st		580	l		<b> </b>	<b> </b>		580
Cieveland ave	<b></b>	248		<b>.</b>	<b></b> .	l <b>.</b> .		248
Garland st			483		<b>.</b>		<b> </b>	488
Boston st		260						260
Elm st		222	<b> </b>		<b> </b>	<b> </b>		222
Myrtle st		164		<b> </b>				164
Highland ave		220	<b> </b>					220
Russell st		388				<b> </b>		388
Gledhill ave		552						552
Sycamore st		40						40
Wilbur st	l	274		<b> </b>				274
Adams ave		983		<b> </b>			<b>.</b>	988
Carried forward .	72	9,173	643	252		187	178	10,500

# Extension of Distribution-Pipes. — Continued.

LOCATION.	4-in.	6-in.	8-in.	10-in.	12-in.	80-in.	36-in.	Total.
Brought forward .	72	9,178	643	252		187	178	10,505
Clay	<b> </b>	14						14
Jackson st		485						485
Lexington st		130						130
Prospect st		844					<i>.</i> .	344
Harley ave		170	<b> </b> .				<b>.</b> .	170
Summit st		84	<b> </b> .				<b> </b>	84
Vernal st		713			<b></b> .	<i>.</i>		718
Bradford terrace		412						412
Cedar terrace		226	. <b>.</b>					226
Pleasant ave	<b> </b>	458						458
Broadway	<b> </b>			84				84
Jefferson st		84				<b> </b>		84
Winter st		144						144
Irving st				60	1	l i	l l	60
Sts. off Broadway .		104	<b>.</b> .		l			104
Bowdoin st		20		. <b></b>				20
Dana st		46						46
Washburn st		46						46
Somerville:								
Austin st	l	6			l			6
Avon st	1			446				446
Banks st		7	585					542
Beacon st		45						45
Broadway		112			1,155			1,267
Browning road		812						312
Burnside ave		13	211		• • • •			224
Chandler st		88			• • • • •			38
Cherry st		7	146					153
Church st		6	140					6
College ave			60		· · · •			60
		170	•	• • • •				170
		18	569				• • • •	582
Crocker st	• • • •	6	909	• • • •	• • • •		• • • •	6
		360		• • • •				860
Derby st	150	500		• • • •	••••	• • • •		300 158
Dresden circle	158	• • • •	• • • •	• • • •	• • • •	• • • •	•••	198
Carried forward.	230	13,748	2,164	842	1,155	187	178	18,504

# Extension of Distribution-Pipes. — Continued.

Totals.	36-in.	30-in.	12-in.	10-in.	8-in.	6-in.	4-ln.	LOCATIONS.
18,504	178	187	1,155	842	2,164	18,748	230	Brought forward .
96						96		Edmunds st
7			<b>.</b> .			7		Ellsworth st
112	<b>.</b> .		112					Elm st
148	<b></b> .	· • • ·		<b> </b>	143			Elmwood st
18	. <b>.</b>	. <b>.</b>				18		Everett ave
10							10	Fairmount ave
271	¦					271		Fenwick st
581					525	6		Fosket st
12						12		Florence st
72						72		Garfield ave
239					· · · · ·	239		Glen st
16						16		Gorham st
496						496		Grant st
289						239	<b></b>	Harrison st
244						244	<b></b>	Hawthorne st
14						14		Heath st
208						208		Howard st
23					23			Irving st
21						21		Jay st
80						80		Josephine ave
200						200		Kensington ave
322			822					Kent st
8							8	Kent court
8			. <b>.</b>			8		Lexington ave
587			587					Lowell st
141					141			Melvin st
356				200		156		Moreland st
263						263		Norwood ave
12						12		Otis st
264			. <b>.</b>			264		Partridge ave
516					509	7	<b></b>	Professors' row
194							194	Richardson terrace .
5			<u> </u>			5		Shehan st
7						7	<b>.</b>	Spring st
12	• • • •			• • • •		12		Summer st
24,201	178	187	2,176	1,042	3,505	16,671	442	Carried forward.

### Extension of Distribution-Pipes. — Concluded.

LOCATION.	4-in.	6-in.	8-in.	10-in.	12-in.	30-in.	36-in.	Totals.
Brought forward .	442	16,671	8,505	1,042	2,176	187	178	24,201
Sycamore st		188						183
Union st		6		• • • •				6
Vernon st		12		19				81
Waverley st		5						5
West		235						235
Westwood road		13	523					536
Winslow ave		28						28
Met. P. Station	10	465						475
Wallace st			23					23
Total	452	17,618	4,051	1,061	2,176	187	178	25,723

597 883 557 748

Length of Distributing-Mains connected with Works, February 1, 1896.

							DIAMETER.	FTEB.					•	
	3-in.	4-in.	6-in.	8-in.	10-in.	12.in.	14-in.	16-in.	18-in.	20-in.	24-in.	30-in.	36-fn.	Totals.
Charlestown	2,436	24,280	66,214	20,986	7,063	15,489	:	17,944		6,180	19,178	25,483	1,162	208,405
Chelses	14,236	46,905	70,029	16,394	34,421	:	:	2,348	:	:	:	:	:	184,333
Everett	188	56,581	83,686	11,936	18,162	1,937	206	2,233	:	2,900	2,485	:	:	180,914
Somerville	5,533	67,896	175,003	669,±3	23,922	81,791	8,087	966	387	1,063	:	:	:	369,327
Totals	22,993	195,662	394,932	106,015	83,568	49,217	8,243	23,521	307	10,148	21,663	25,483	1,152	942,979
		;				•				,	8			

	15	:
	12	:
		:
P		•
f	4	:
Ž		<u>:</u>
ב ב	:	:
	26	:
4	<u> </u>	÷
Š.	22	:
		:
>	:	:
17	:	:
•	<u> </u>	<u>.</u>
	4	:
2		:
	20	21
ξ		
ة 1		
Carres C	8	31
or Galles of		
moer of craics of	239 60	120 31
Number of Gales co		
Number of Gales Connected with Works, reduing 1, 1880.	239	120

				2,
Ħ	:	:	:	1
15	:	:	:	16
12	- : : :	H	:	13
4	:	4	H	6
:	:	:	:	
22	:	4	69	81
:	:	-	:	1
3	:	4	69	108
20	21	37	45	129
8	8	8	74	191
239	120	820	888	1,062
169	175	158	180	682
12	8	64	4	48
Charlestown	:	:	Somerville	Totals

Hydrants Established.

		Estabi	LISHED.			
	Lowry.	Boston Lowry.	Post.	Flush.	Increase.	Remarks.
Charlestown	2		1		2	1 Post replaced by Lowry.
Chelsea			10		10	
Everett			25		25	
Somerville			60		60	
Totals	2		95		97	

# Hydrants in Use, February 1, 1896.

	Lowry.	Boston Lowry.	Post.	Flusb.	Total.
Charlestown	217	37	74	10	338
Chelsea			206	4	210
Everett		• • • •	282		282
Somerville			702		702
Medford			2	6	8
Pumping-station			2	1	8
Totals	217	87	1,268	21	1,543

Respectfully submitted,

EUGENE S. SULLIVAN,
General Superintendent.

## APPENDIX E.

## REPORT OF THE ENGINEER.

Engineering Department, City Hall, February 1, 1896.

HON. JOHN R. MURPHY,

Water Commissioner:

Sir: I hereby submit the following report of the work done and records kept during the past year:

## Sources of Supply.

The rainfall during the year 1895 was above the average in amount, and the supply of water has been ample at all times.

The rainfall and quantities collected on the several watersheds were as follows:

	Sudbury.	Cochituate.	Mystic.
Rainfall, in inches	50.62	48.96	48.73
	24.196	20.172	17.426
	86,632,900	18,125,934	22,300,000

An unusually large fall of rain occurred October 12-14, 1895; beginning at 1.30 P.M. on Saturday, October 12, the rain was continuous and uniform until 4.15 A.M. of Monday, October 14, 1895. During that time—less than thirty-nine hours—7.5 inches of rain fell.

#### Reservoir No. 1.

Grades, H.W., 161.00; Tops of Flash-boards, 169.29 and 168.41; Crest of Dam, 167.54.

Area, Water Surface, 143 acres; Greatest Depth, 14 ft.; Contents below 161.00,

376,900,000 gals.; Below 159.29, 288,400,000 gals.

The surface of this reservoir was about one foot below the crest of the dam on January 1, 1895. Waste began January 13 and continued until February 2, and no more waste occurred until March 12.

From March 12 to May 9 water was wasted over the dam, and on May 9 the flash-boards were placed in position. On May 22 the reservoir was full, and waste began over the flash-boards, lasting until May 28. From June 5 to June 9

water was wasted over the flash-boards. The flash-boards were removed on October 16, and waste occurred from October 16 to January 1, 1896. The dam is in good condition.

## Reservoir No. 2.

Grades, H.W., 168.00; Tops of Flash-boards, 167.12 and 166.49; Crest of Dam, 165.87.

Area, Water Surface, 134 acres; Greatest Depth, 17 ft.; Contents Below 168.00,
568,300,000 gals.; Below 167.12, 529,860,000 gals.

On January 1, 1895, water was wasting over the dam. From January 3 to 13 there was no waste. Beginning on the 13th, water was wasted until February 10. Waste occurred from March 11 until May 9, when the flash-boards were placed upon the dam. On April 8 the reservoir was drawn upon for the supply of the city. During July, August, September, and part of October, water was run into the reservoir from Reservoirs 4 and 6. The flash-boards were removed from the dam on November 6. Waste occurred on that day, and continued during the remainder of the year. The dam is in good condition.

## Reservoir No. 3.

Grades, H.W., 177.00; Crest of Dam (no Flash-boards), 175.24. Area at 177.00, 253 acres; Contents below 177.00, 1,224,500,000 gallons. Area at 175.24, 248 acres; Contents below 175.24, 1,081,500,000 gallons. Greatest Depth, 21 ft.

On January 1, 1895, this reservoir was full. On January 11 waste began, and continued until February 7. Waste also occurred from March 10 to May 7. On July 25 the surface of reservoir was 5.25 feet below crest of the dam. Filling slowly from that time, the water surface reached the crest of the dam on October 16. From October 16 to January 1, 1896, water has wasted over the dam, excepting October 29 and November 16. The dam is in good condition.

## Reservoir No. 4.

Grades, H.W., 215.21; Tops of Flash-boards, 315.21+and 314.89; Orest of Dam, 214.23. Area, Water Surface, 167 acres; Greatest Depth, 49 ft.; Contents below 215.21, 1,416,400,000 gallons.

On January 1, 1895, the surface of water in the reservoir was 18.05 feet below the crest of the dam. The reservoir filled gradually, and on April 9 waste began, and continued until May 9, when one set of flash-boards was placed upon the dam. Water wasted over the first set of flash-boards from May 14 to May 23, when the second set of flash-boards was added. Waste occurred over the second set from May 28 to June 19 and from June 28 to July 4. On July 3 the reservoir was drawn upon for the supply of the city, and on October 12 the water surface had fallen 22.45 feet below the

crest of the dam. Since October 12 it has been gradually filling. The dam is in good condition.

#### Reservoir No. 5.

Work for the year was commenced on April 13, and has been prosecuted throughout the year. The following report of Desmond FitzGerald, Resident Engineer, gives further information in regard to the work on this reservoir, as well as other matters connected with additional supply:

## Southborough, Mass., January 1, 1896.

WILLIAM JACKSON, Esq., City Engineer:

DEAR SIR: Herewith please find report of work accomplished by additional supply force under my direction during the past year. The grounds adjoining the embankment of Dam No. 6 have been cleared of waste material, graded, and top-dressed with loam. The filter beds are now under construction; one bed has been entirely completed and underdrained, and the second bed has been graded and is ready for the drains.

Stone bounds have been set at the angles of all the pieces of land owned by the city at Basin No. 6. At Dam No. 5 work was begun on April 13, and continued at a satisfactory rate during the year. The following grades indicate in a general way the progress made:

Masonary section from grade 190 to grade 217.

Earth embankment at northerly end of dam from grade 203 to grade 210.

Earth embankment at southerly end of dam from grade

220 to grade 224.

The core wall at northerly end of dam is completed to grade 211, and at the southerly end to grade 225.

The northerly wing wall is completed to grade 217, and

the southerly one to grade 225.

The quantities of materials handled during the year on the dam are as follows:

Soil moved .		•	•	1,409	eubic ya	ards.
Soil placed on dam			•	776	"	"
Earth excavation			•	61,109	66	"
Rock excavation	•		•	2,154	66	"
Concrete masonry				3,825	"	"
Rubble masonry		•	•	15,812		"
Range work .	•			2,281	66	"
Plastering .		•		1,657	square	"

In connection with the reservoir the work of stripping on

Section A was continued until September. The completion of this section must await the removal of the injunction which now holds against carrying on work. Early in the year plans and specifications were prepared for letting two portions of the new Framingham-Marlboro' road, comprising about 2\frac{3}{2} miles in length.

This work was let in April and completed during the year.

In February and March plans and specifications were prepared for the stripping and shallow flowage connected with the Stony-brook branch of the basin. This work was let in April and is now well under way. The following quantities of materials have been moved in connection with the stripping:

Earth excavation	•	•		. 6	898,654 d	cubic	yards.
Split stone masonr	<b>y</b> .	•	•	•	2,048	66	"
Paving in mortar	•	•		•	369	66	66
Concrete masonry	•	•	•	•	<b>740</b>	66	66
Rubble masonry	•	•	•		811	"	66
Dry paving .		•	•	•	730	"	66
Rip-rap	•	•	•		2,784	"	66
Stone wall .	•	•	•	•	71	rods.	

The contract for building 20,000 linear feet of iron fence was made in July, and under this contract 2,300 feet have been constructed. The lands owned by the city and the road lines have been marked by stone bounds. In April a contract was made for grading a series of 20 filter beds near Marlboro' Junction. This work has been completed and the final estimate is now under way. Besides the above work, a number of plans and estimates have been made for an extension of the work on this basin.

## Respectfully submitted,

(Signed)

DESMOND FITZGERALD,

Resident Engineer.

## Reservoir No. 6.

Grades, H.W., 295.00; Top of Flash-boards, 295.00; Crest of Dam, 294.00.
Estimated Area, 185 acres; Estimated Contents, 1,530,800,000 gals.

The surface of the reservoir was 15.16 feet below the crest of the dam on January 1, 1895. Filling gradually, water began to waste over the dam on April 5, and continued until May 9, when the first set of flash-boards was placed upon the dam. On May 19 water wasted over the flash-boards, and continued until May 23.

The second set was placed upon the dam on May 23, and waste occurred over this set from May 23 to June 17. On

October 13 the water surface reached its lowest point, being 21.74 feet below the crest of the dam. During November and December it filled gradually, and on December 27 waste began over the crest of the dam. The dam is in good condition.

#### Whitehall Pond.

Elevation, H.W., 327.91; Bottom of Gates, 317.78.

Area at 327.91, 601 acres; Contents, between 327.91 and 317.78, 1,256,900,000 gals.

On January 1, 1895, the water surface of this pond was 323.23 feet, or 4.68 feet below high water. It rose during the spring, the water surface on May 1 being 326.95, or .96 feet below high water. It remained at about this height until June 15, when it fell; and on October 12 the water surface was 323.22.

Since October 12 it has been gradually filling. Water was drawn from the pond, for the supply of the city, from March 25 to April 5, April 9 to 12, April 15 to 20, April 30 to May 23, June 14 to July 24, August 8 to October 14, and November 27 to January 1, 1896. Plans for a new dam at Whitehall pond have been perfected.

#### Farm Pond.

Grades, H.W., 149.25; Low Water, 146.00.

Area at 149.25, 159 acres; Contents, between 149.25 and 146.00, 165,500,000 gals.

No water was drawn from this pond for the supply of the city during the year 1895.

On January 1, 1895, the surface of the pond was 46 feet below high water. High-water mark was reached on January 23, and on April 15 the water surface was at grade 149.70.

It remained at or above 149.00 until August 20. The lowest point reached was on September 29, and on October 14 high-water mark was again reached, remaining at that height during November and December. The Framingham Water Company has drawn 132,200,000 gallons from the pond during the year.

#### Lake Cochituate.

Grades, H.W., 134.36; Invert Aqueduct, 121.03; Top of Aqueduct, 127.36.

Area, Water Surface at 134.36, 786 acres; Contents, between 134.36 and 127.36,
1,515,180,000 gals.; between 134.36 and 125.03, 1,910,280,000 gals.

Approximate Contents, between 134.36 and 121.03, 2,447,000,000 gals.; Between
134.36 and 117.03, 2,907,000,000 gals.

The dam is in good condition. On January 1, 1895, the surface of the lake was 8.08 feet below high-water mark.

It remained at about this level until March 1, when it began to rise. On March 10 water was turned into the lake from the Sudbury river, and on April 15 the water surface

was at high-water mark. It remained at about high-water mark until May 5, after which its surface fell until October 12, being 128.28 on that day. On January 1, 1896, the water surface was 132.30, or 2.06 feet below high-water mark.

The beds for filtering the water of Pegan brook have been in use for the greater portion of the year, and 273,698,000 gallons have been pumped upon them. No difficulty has been experienced in their operation during the winter season.

Water has been drawn from the different reservoirs as follows:

```
A.M. Jan. 1 to 2 P.M. Apr. 8 from Reservoir No. 1. P.M. Apr. 8 " 11.40 A.M. June 27 " Nos. 2,
From 7
                                                                     Nos. 2, 3.
     11.40 A.M. June 27 " 11
11 A.M. July 19 " 7
  66
                                                              "
                                                     66
                                    A.M. July 19
                                                                     No. 2.
 "
                                                      "
                                                              "
                                                                     Nos. 2, 3.
                                     A.M. July 24
            A.M. July 24 " 12
M. Oct. 1 " 2
                                                     66
  "
                                        M. Oct.
                                                              "
                                                                     No. 2.
                                     P.M. Oct.
                                                 3 No flow.
      12
            P.M. Oct. 3 " 10
 66
                                     A.M. Oct. 13 from Reservoir Nos. 2, 3.
            A.M. Oct. 13 " 11
      10
                                     A.M. Oct. 24 "A.M. Nov. 25 "
                                                                     No. 2.
                                                              "
            A.M. Oct. 24 "
      11
                                                                     Nos. 2, 3.
No. 2.
            A.M. Nov. 25 " 11
                                      A.M. Dec. 3
     11
            A.M. Dec. 8 " 1
 "
     11
                                     P.M. Dec. 5 No flow.
            P.M. Dec. 5 " 11
                                     A.M. Dec. 23 from Reservoir Nos. 2, 3.
      1
            A.M. Dec. 23 "
                                     A.M. Jan.
                                                                     No. 2.
```


The height of the water in the various storage reservoirs on the first day of each month is given below:

							<del></del>		
			Rı	SERVOII	18.		FARM	WHITE-	LAKE
		No. 1.	No. 2.	No. 8.	No. 4.	No. 6.	Pond.	POND.	COCHIT- UATE.
		Top of Flash- boards.	Top of Flash- boards.	Crest of Dam.	Crest of Dam.	Top of Flash- boards.	High Water.	High Water.	Top of Flash- boards.
		159.29	167.12	175.24	214.23	295.00	149.25	327.91	134.36
January 1,	1895	156.50	166.00	175.24	196.18	278.84	148.79	323.23	126.28
February 1,	"	157.83	166.05	175.45	201.65	283.48	149.06	324,26	126.90
March 1,	"	156.46	161.22	172.47	203.79	285.21	149.01	324.63	126.50
April 1,	"	157.86	166.16	175.66	212.91	293.42	149.85	325.71	132.97
May 1,	"	157.86	166.09	175.37	214.60	294.28	149.63	326,95	134.35
June 1,	"	159.25	166.05	174.68	215.34	295.02	149.32	326.98	134.04
July 1,	"	159.04	164.23	169.46	215.31	295.04	149.01	325.81	133.09
August 1,	"	158.91	163.97	170.47	210.25	290.58	149.00	325.28	131.72
September 1,	"	158.68	163.80	172.50	203.98	283.91	148.89	324.62	130.20
October 1,	"	158.32	163.14	172.57	194.41	273.64	148.58	323.68	128.98
November 1,	"	157.91	167.15	175.66	197.35	279.19	149.27	324.73	129.63
December 1,	"	158.10	166.23	175.77	207.83	289.92	149.36	326.36	132.71
January 1,	1896	158.11	166.17	175.75	218.86	294.39	149.67	325.29	132.30

CAP IN N GA	MC/I	_ T. 44.
Mes. J.	P#5, 2.	4
377 324 274 187 187 85 38 38	568 575 482 439 337 277 238 200 100 100 100 149 49	TE SEES TE THE THE THE THE THE TENTH
	COLUMN SE CHOCKEN SE CANE COCKETURE:	13829494

;

•



CAMACITY IN MILLION GALLONS. CRADES ABOVE TIDE MARSH LEVEL. 200 (200 ) | 100 ) | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100

. • • • • .

## AQUEDUCTS AND DISTRIBUTING RESERVOIRS.

The Sudbury-river aqueduct has been in use 335.9 days, and has delivered 12,908,500,000 gallons into Chestnut-Hill Reservoir, and 896,800,000 gallons into Lake Cochituate. The Cochituate aqueduct has been used 361 days, and delivered 5,654,765,700 gallons. Both aqueducts have been cleaned during the year.

The different distributing reservoirs are in good condition.

# HIGH-SERVICE PUMPING-STATIONS.

The daily average quantity pumped at the Chestnut-Hill station was 9.4 per cent. more than in 1894.

Engine No. 1 was run 4,341 hours		
12 minutes, pumping	1,739,232,730	gallons.
Engine No. 2 was run 2,285 hours		•
35 minutes, pumping	919,218,525	66
Engine No. 3 was run 1,793 hours		
16 minutes, pumping	1,507,338,275	66
Total amount pumped	4,165,789,530	66
Amount coal used by Engines Nos.		
1 and 2	3,363,475	lbs.
Amount coal used by Engine No. 3,	1,503,331	66
Total amount coal used	4,866,806	66
Percentage ashes and clinkers .	10.3	
Quantity pumped per lb. of coal,		
Engines Nos. 1 and 2	790.4	gallons.
Quantity pumped per lb. of coal,		Ŭ
Engine No. 3	1,002.7	"
Daily average amount pumped .	11,413,100	"

Table VII., on pages 167, 168, shows in detail the work done by the engines and boilers.

#### COST OF PUMPING.

•	•	•	•	•	•	•	<b>\$</b> 31,566	85
olies	•	•	•	•	•	•	2,888	46
		ing	•	•	•	•		
•	•		•	•	•	•	803	
•	•	•	•	•	•	•	11,261	46
•	•	•	•	•			\$14,854	11
	, and	and pack	and packing olies	and packing .	and packing	and packing	and packing	

The following are notes of a practice test of Engine No. 3, made by students of Massachusetts Institute of Technology, under the direction of Professor Miller:

Fire started under boil	er						8.30 A	.M.
Engine started .	•						9.08	66
Engine test began					_		9.15	66
Engine test ended				•	·		9.15	"
Zingino tost chaca	•	•	•	•	•		0.10	
Length of engine trial	(ata	am h	oia)				24 h	
				•	•		24.3	
Length of engine trial	( COa	i Dasi	8)	•	•		24.0	
D 14: 000 4 34		0.00					=0	F10
Revolutions, 9.08 A.M	l. to		A.M	•	•			,516
Revolutions, 9.15 "		9.15	• •		•		. 72,	,843
Coal burned		•	•	•	•		16,839	lbs.
Coal burned, less 200	lbs.	allow	ance	for f	all-			
ing grate	•		•	•	•		16,639	"
Water received from e	ngin	e and	wei	ighed	l to			
boiler	,	•	•	•	•		142,528	"
Cold water make up .	,	•					8,532	66
-								
Total amount weighed	to b	oiler					151,060	66
Less leakage from feed				•	•		1,440	66
nobb louning o if offi food	Pull	P	•	•	•			
							149,620	66
Steam required by plan	+ for	. 94 h	011790	077.0	ant		110,020	
	101	24 11	ours,	exc	epı		146,226	"
H.P. jackets		•	•	•	•		140,220	••
	Гемі	PERAT	URES					
Engine-room							23.3	C
Condensed steam from	oir 1	· numn	•	•		•	89.3	
Cold condensing water		pump	•	•		•	51.9	ж.
Hot condensing water		•	•	•		•	85.2	
Feed water to economic		•	•	•		•	127.	
Feed water to boiler fr						•	198.3	
		GOHO	шіхеі	•		•		
Jacket return at engine	•	•	•	•		•	370.6	
Jacket return at boiler	• -	•	•	•		•	369.6	
Gases entering econom	ızer	•	•	•		•	<b>502.</b>	
Gases leaving economiz	zer	•	•	•		•	233.	

		Pres	SURES.			
Barometer		•				14.85 lbs.
Steam at thro	ttle .	•		•		175.7 "
Vacuum in co	ondenser	•		•		27.25 in.
First receiver		•				46.5 lbs.
Second receiv	er .	•		•		2.4 "
Low-pressure	jacket	•				99.6 "
High-pressure		•				175.7 "
Draught in in	ches .			•		0.375
Ü						
		Head.	Crank.	To	tal.	
Horse power.	High.	80.78	70.08	150	.86	
-	Int.	97.05	89.09	186	3.14	
	Low.	117.12	121.54	<b>23</b> 8	3.66	Tot., 575.66
		Pump end.	Steam en		tal.	
Pump H.P.	High.				.07	
	Int.	91.59			3.95	
	Low.	87.90	86.94	174	.84	529.86
Steam per H.	D non h	one on	rino el	200		11.22 lbs.
Coal per H.P					•	1.18 "
Lift in feet.	-		5 Plant		•	
Water over w		· ·	•	•	91 (	137.48 ft.
	-		•	•		016,000 gals.
Slip Duty per 100	lha aoa		•	•		.83 per cent.
Duty per 1,00			•	•	•	, , ,
				•	•	
Duty per 100	ins. cor	попетон	•	•	•	160,000,000

At the West Roxbury pumping-station the daily average quantity pumped was 179,200 gallons, an increase of 47.5 per cent. over the amount pumped in the previous year.

At the East Boston station 465,500 gallons per day have been pumped for the supply of the high-service district, and 39,300 gallons per day for the Breed's Island high-service.

#### HIGH SERVICE.

In 1870 the high-service works were established, with a capacity of 5,000,000 gallons daily with no storage.

In 1874 a reservoir was built on Parker Hill, with a capacity of 7,200,000 gallons, the average daily consumption being at that time 1,200,000 gallons. Late in 1885 the consumption of water from the high service had reached 2,500,000 gallons daily; the demand for its extension was pressing, and a new pumping-station with a capacity of

16,000,000 gallons daily was constructed at Chestnut-Hill reservoir, and an additional reservoir at Fisher Hill having a capacity of 15,400,000 gallons, making with the Parker-Hill reservoir a total storage capacity of 22,600,000 gallons.

In 1894 the consumption had reached over 11,000,000 gallons daily, and a new pump was added to the Chestnut-Hill plant having a capacity of 20,000,000 gallons daily.

The consumption for high service for the year 1895 averaged 10,384,600 gallons daily, the maximum being 11,719,300 gallons; it is evident that our present reserve in the Parker and Fisher Hill reservoirs is not sufficient, and an additional reservoir or reservoirs should be constructed at once with as large a capacity as it is practicable to obtain. It would be desirable to have, were it possible,

a reservoir storage of 200,000,000 gallons.

Owing to the rapid increase of the portion of the city which is supplied from the high service, steps should also be taken at once, looking to the addition of another engine to the present plant. The experience of the past shows that it requires several years to design and build a pumpingengine, and at the present rate of increase in the high-service consumption the safe capacity of the present plant will have been reached by the time an additional engine can be supplied if work is commenced at once on the plans.

#### MYSTIC LAKE.

Grades, H.W., 7.00; Invert of Aqueduct, -4.17; Contents, between 7.00 and 1.50, 442,000,000 gallons.

On January 1, 1895, the lake surface was 3.63 feet below high water. On March 4 it had risen to grade 4.14, and the stop-planks were placed upon the dam, waste occurring over the stop-planks from March 9 to May 29. On May 29 the water surface was at 6.85; falling gradually, it reached grade 4.08 on July 29. The fish-way was opened on April 16, and was kept open until June 20, when it was closed, and remained closed the remainder of the year.

The lowest point reached during the year was on October 12, the water surface being at grade 2.15, or 4.85 feet below

high water.

Waste occurred over the dam from October 15 to January 1, 1896, with the exception of five days in the early part of November.

The dam at the outlet of the lake is in good condition.

#### MYSTIC VALLEY SEWER.

The operation of this plant by the city ended on July 18, 1895, when the Metropolitan Sewerage Commission assumed control of it. During the time of operation, 70,013,500 gallons of sewage were pumped and chemically treated with sulphate of aluminum. Table XI., on page 172, gives the monthly quantities of sewage pumped, coal and aluminum used.

## MYSTIC CONDUIT AND RESERVOIR.

The conduit has been cleaned several times during the year.

The repairs recommended at the conduit screen-chamber, namely, replacing the wooden sills with stone sills and the renewing of the grooves for the screens, have been made during the year.

## MYSTIC PUMPING-STATION.

Engine No.	1 w	as used	3.240	) ho	ırs.					
pumping			•		,		720.	723,300	og.	ls.
Engine No.	2 w				ars.		,	0 , 0 0 0	8	
pumping							295.	205,000	6	6
Engine No.		as used	6.676	Lhoi	irs.		<b></b> 00,.	200,000		
pumping				3 110	<b></b> ,	2	276 ·	190,200	6	6
Engine No.	1.		. 380	ho	170	2,	210,	100,200		
			<b>u J</b> 00	що	115,		162	704,200	6	
pumping		• •	•	•	•					
Total quant					•	3,		322,700		
Daily avera					•			168,000		
Total quant					•		8,	121,000	lbs	<b>.</b>
Percentage					•			10.9		
Quantity pu	ımpe	ed per l	b. of c	coal				<b>425.5</b>	ga	ls.
		Co	ST OF	Por	MPING	<b>.</b>				
Salaries				,	•			\$11,56	0 9	94
. <b>F</b> uel .		•			•			13,65	0 8	80
Repairs								2,86		
Oil, waste,	and	packin	œ.					1,16		
Small suppl		1						1,32		
C		•	•		•	•	•	-,		
Total	•	•	•	•	•	•	•	\$30,56	9 (	<b>7</b>
Cost per m	illio	n gallor	as pum	ped	to re	serv	oir,	\$	8.8	<b>34</b>

Table VIII., on page 169, shows in detail the work done by the engines during the year. The foundation for Engine No. 4 was finished and ready for the erection of the engine on April 1, 1895, and about April 15 the G. F. Blake Manufacturing Company commenced to deliver parts of the pump and began the work of erecting the engine. The engine was run for the first time on August 28, and has been in use more or less since that time. It has been lagged, painted, etc., and is now practically finished and ready to be accepted by the city. The engine has not yet been tested by the city.

The Mystic Pumping-engine No. 4 is an independent compound beam and flywheel engine of the Leavitt type, and operates two differential plunger pumps.

The steam cylinders are vertical and inverted, one high and one low pressure, with pistons connected to opposite ends of the beam.

The pumps are located beneath the engine bedplate, in a masonry pit, and their plungers are rigidly connected to the steam-piston crossheads.

The high-pressure piston with its connected pump plunger makes its upward stroke at the same time that the low-pressure piston and its plunger are making their downward stroke, and vice versa.

The pumps rest upon solid masonry foundations at the bottom of the pit, to which they are strongly bolted; their upper ends are firmly secured to the engine bedplate by adjustable stools and bolts.

The discharge from the pump worked by high-pressure piston is into the delivery chamber of the pump worked by the low-pressure piston, from whence it enters the force main. Similarly the suction main connects with the low-pressure pump inlet chamber, with which the inlet chamber of the high-pressure pump is connected.

Each pump consists of three principal sections, viz.: the upper chamber, forming the air vessel and containing the delivery valves; middle chamber, containing the suction valves; and lower or inlet chamber, which is constructed to form a vacuum chamber.

The pump valves consist of thin flat rings of composition, working over annular openings in the valve seats and closed by springs.

The pedestals for the main beam pin and crank shaft journals are formed in the engine bedplate, and are all in the same horizontal plane. The main framing for supporting the steam cylinders consists of two massive columns forming the crosshead guides and five auxiliary columns, all of which have their bases bolted to the bedplate and their caps to the entablature.

The steam distribution is effected by Corliss valves and valve gear, with separate eccentrics for the inlet and exhaust gear.

The cylinders are thoroughly steam-jacketed on sides and ends, and the exhaust from the high-pressure cylinder enters a reheater filled with tubes containing high-pressure steam, on its way to the low-pressure cylinder.

All heated surfaces are thoroughly protected from radiation by approved non-conductors and handsome black walnut lagging.

The condensing apparatus is of the jet type, with a double-acting horizontal air pump worked from the beam.

There is a cast-iron gallery surrounding the cylinder bases, which is provided with a polished brass handrail and finished wrought-iron stanchions; the gallery is reached by an iron stair at the low-pressure end of the engine.

The leading dimensions of the engine are:

The high-pressure cylinder is bored 21 inches and the low-pressure cylinder 42 inches diameter, with 4-foot stroke of pistons.

The upper pump plungers are turned 14% inches and the lower plungers 21 inches diameter, with a stroke of 4 feet.

The radius of the beam is 51 inches to centres of link and connecting-rod attachments, and 17 inches to centre of pin working air pump.

The air pump is 16% inches diameter by 16 inches stroke.

The horizontal distance between centres of cylinders and pumps is 8 feet, ditto between centres of main beam pin, and crank shaft 10 feet  $8\frac{1}{8}$  inches.

The length of connecting rod from centre to centre of journals is 10 feet, and of the steam links 3 feet  $\frac{1}{2}$  inch. The radius of the crank is 2 feet.

Diameter of flywheel is 18 feet; weight of same, about 17 tons.

Speed of the engine for regular working capacity, 51 revolutions per minute. Displacement capacity at above speed in U. S. gallons per 24 hours amounts to 10,570,000.

The working boiler-pressure is 100 pounds per square inch above atmosphere.

The following preliminary test of Engine No. 4 was made by the builders, The Geo. F. Blake Manufacturing Co., December 13-14, 1895:

Duration of test, 24 hours 30 seconds. Total number of revolutions, 74,385.

Pressure by gauge near engine, 95.3 lbs.

Pressure by gauge on receiver, 5.9 lbs.

Pressure by mercurial column on condenser, 27.3 ins.

Total pressure per square inch on pump, 65.7 lbs.

Revolutions per minute, 51.7.

Horse-powers: High-pressure steam cylinder, top, 74.5; bottom, 79.65; total, 154.15. Low-pressure steam cylinder, top, 83.19; bottom, 83.71; total, 166.9. Both steam cylinders, total, 321.05.

Horse-power of main pump cylinders, 284.86.

Water pumped in 24 hours by displacement, 10,703,000 gals.

Total coal burned during the test, 10,661 lbs. Water pumped per pound of coal, 1,004 gallons.

Coal per pump horse-power, per hour, 1.56 lbs. Duty per 100 lbs. of coal, 127,000,000 ft. lbs.

## CONSUMPTION.

The daily average consumption for the year was as follows:

Sudbury and Cochituate works . . . 50,801,100 gals.

Mystic works . . . . . . 9,467,000 "

Total for the combined supplies . 60,268,100 "

an increase of 3,426,000 gallons, or 6 per cent., from that of

the previous year.

On account of the limited quantity of the Mystic supply at the beginning of the year, all of Charlestown District lying east of Cambridge street has been supplied from the Cochituate works during the entire year, with the exception of the periods between February 6 to 21, and May 18 to July 13.

The following table shows the consumption per inhabitant for the past two years:

	Cochi	tuate.	Му	stic.	Combined	Supplies
Month.	Consump Gallons pe	otion in er Capits.	Consum Gallons p	ption in er Capita.	Consum Gallons po	ption in er Capita
	1894.	1895.	1894.	1895.	1894.	1895.
January	108.1	104.9	91.9	92.0	104.5	102.7
February	109.6	129.4	95.4	94.8	106.5	120.7
March	99.7	107.1	88.0	83.5	96.0	102.9
April	88.9	94.5	79.0	77.3	86.7	91.5
Мау	92.6	97.3	82.1	77.6	90.2	98.8
June	101.4	102.0	96.4	83.2	100.8	97.6
July	110.3	104.2	93.3	76.8	106.5	98.7
August	104.0	107.0	81.8	76.5	99.0	101.6
September	98.2	107.1	94.3	93.3	97.6	104.7
October	95.0	98.9	80.1	81.1	92.6	95.8
November	94.8	96.7	81.3	78.8	92.7	93.6
December	97.5	105.9	92.8	86.1	96.7	102.4
Average	99.8	104.3	87.6	83.3	97.4	100.3

The daily average consumption was, last year, 24 per cent. in excess of the dry-year capacity of the combined system of water supply.

#### WHITEHALL POND.

Last June plans and specifications were prepared for a new dam at the outlet of Whitehall pond, for the purpose of increasing the storage capacity of the pond, but on account of complications arising by reason of the proposed taking of the supply systems by the State, nothing was done. It is now so evident, however, that the proposed increased storage of Whitehall pond is necessary that the construction of the new dam should be no longer delayed.

#### CORROSION OF PIPES BY ELECTROLYSIS.

The investigations of the effect of electrolysis upon the water-pipes have been continued during the year, under the supervision of Messrs. Stone & Webster, and in brief the results arrived at are as follows:

WILLIAM JACKSON, City Engineer, Boston, Mass.:

DEAR SIR: In our reports for the years 1893 and 1894 we considered the theory of electrolytic corrosion of waterpipes, giving detailed accounts of the experiments we were carrying on, and of our methods of investigation.

For the past year we have spent a great deal of time in taking hydrant readings in almost every part of the city where electric-car tracks are located, and have already made

three minor reports on the work.

During the summer of 1895 we confined our investigations to the most thickly-settled portion of the city, and along the car lines extending into the suburbs. These investigations showed that the electrical condition of the pipes had changed for the better. Readings taken at the service-pipe stations, which we installed in 1894, as described in our report for that year, showed also that there has been a marked improvement.

În the fall we confined our investigations to the district about Brighton. Here in one locality we found slight indications of electrolytic corrosion, and in our report for November we suggested the remedy of bending the pipes to

the tracks at a point on Cambridge street.

Owing to the fact that the ground was frozen, and to the unfavorable condition of the weather, we were unable to renew electrolytic investigations until the last of March. Since that time, however, we have made careful investigations in Charlestown and East Boston, and have found no indications of danger in these districts. This result is in accordance with the observations made last summer. At the time of writing this report we are carrying on investigations in South Boston, the indications being that there are some points of danger; but we have not arrived at conclusions sufficiently definite to be incorporated here.

The electrical conditions of the pipes is in the main improving, showing that measures have been taken to lessen the possibility of corrosion. Notwithstanding this improvement, there are districts which are not entirely free from electrolytic action; and, moreover, there is always liability to corrosion at isolated points, as well as the ever-present danger due to deterioration of rail bonds and supplementary

return wires.

(Signed)

STONE & WEBSTER.

#### DISTRIBUTION.

On the Cochituate works  $26\frac{1}{4}$  miles of pipe were laid and  $2\frac{1}{3}$  miles abandoned, making a net increase of 23.1 miles and a total of 595.9 miles now connected with the system.

A 20-inch main for the supply of Brighton was laid as far as Brighton avenue early in the season, and was in service in June.

The 30-inch main for the South Boston low service was extended from Washington Village, through Dorchester avenue and D street, as far as Congress street, a length of 8,373 feet.

For the improvement of the high service in Roxbury and Dorchester, the 48-inch, 42-inch, and a part of the 36-inch lines, recommended in 1894, were laid during the year; the 48-inch pipe extends from the junction of Fisher avenue and Boylston street through Boylston, Walnut, and Washington streets in Brookline, and through Huntington avenue, to Heath street, a length of 8,290 feet; 7,965 feet of this were laid by contract. At Heath street the pipe is divided into 42-inch and 36-inch lines; the 42-inch pipe continues through Huntington avenue, Clarendon street, Newbury street, the Public Garden and the Common, to Park street. Connection is made with the 20-inch high-service pipe in Huntington avenue, at Wait and Gainsboro' streets. On the Common, after connecting with the 20-inch high-service pipe, the 42inch line is reduced to 30 inches. Opposite Temple place the 30-inch pipe is again reduced to 16-inch and continued to Park street. The length of 42-inch pipe laid was 15,478 feet, of which 9,186 feet were laid by contract. Water was let on to the 48 and 42 inch lines as far as Wait street on October 20, 1895.

From Huntington avenue and Heath street the 36-inch line runs through Heath street as far as Parker street, and is connected with the 24-inch high-service pipe at Hayden street and at Parker street. These new lines have given an increased pressure in Roxbury and Dorchester, of nine and six pounds respectively at times of minimum pressure; when the water was turned on, Parker-Hill Reservoir quickly filled up, and was shut off to prevent overflowing. It is now out of service, and will be maintained as a reserve reservoir for use in emergency.

A small pumping-plant has been established on Wayne street, at Blue Hill avenue, to improve the service in the Elm-Hill district.

The distributing mains connected with the Mystic works

have been extended 4.9 miles, and 7.4 miles have been relaid. The total length now in service is 178.6 miles.

There has been an increase of 242 in the number of hydrants connected with the Cochituate works, making a total now in use of 6,459.

On the Mystic works 97 hydrants have been added, and the total now in use is 1,543.

260 petitions for main pipe have been reported upon, and 88 contracts for rock excavation have been made.

Various profiles have been made, levels taken, and lines

and grades furnished for the main-pipe laying.

All pipe laid has been located and plotted on the plans.

During a severe spell of cold weather in January the pipes between the islands in the harbor were frozen, and burst in a number of places. Service between Moon and Long Islands was at once reëstablished by laying a 2-inch lead pipe, and as soon as practicable contracts were awarded for laying 6-inch pipe, with Ward's flexible joints, between Long and Moon Islands and Long and Gallop's Islands. In each case the pipes were laid in a trench excavated 6 feet deep between mean high-water marks. After the lines were tested the trenches were carefully back-filled. A contract has also been awarded for laying a 4-inch flexible pipe from Long Island to Rainsford Island. This work is now in progress.

Appended to this report will be found the usual tables of rainfall, consumption, etc., for the past year, and in addition, tables are given of the rainfall, rainfall collected, and percentage collected on the Cochituate water-shed since 1863, on the Sudbury-river water-shed since 1875, and on the Mystic water-shed since 1878. These will be found valuable for future reference.

Yours respectfully,
WILLIAM JACKSON,
City Engineer.

## GENERAL STATISTICS.

SUDBURY AND COCHITUATE WORKS.	1892.	1893.	1894.	1895.
Daily average consumption in gallons	41,312,400	47,453,200	46,560,000	50,801,100
Daily average consumption in gallons per inhabitant	96.1	107.5	99.8	104.3
Daily average amount used through meters, gallons	11,225,900	11,651,600	11,170,400	12,084,500
Percentage of total consumption metered.	27.2	24.5	24.0	23.8
Number of services	65,074	66,586	68,556	70,879
Number of meters and motors	4,412	4,585	4,877	4,910
Length of supply and distributing mains, in miles	536	560	572.8	595.9
Number of fire-hydrants in use	5,793	6,042	6,217	6,459
Yearly revenue from water-rates	\$1,433,413 78	\$1,687,531 94	\$1,644,405 25	\$1,784,954.01
Yearly revenue from metered water	<b>\$649,672 31</b>	<b>\$683,94</b> 8 <b>52</b>	\$672,474 17	\$711,467.39
Percentage of total revenue from metered water	45.3	41.8	40.9	39.9
Cost of works on February 1	\$22,243,351 56	<b>\$22,727,4</b> 56 03	\$23,583,967 89	\$25,052,227.58
Yearly expense of maintenance	\$392,762 21	<b>\$433,4</b> 08 18	<b>\$44</b> 0,840 63	\$420,907.09
MYSTIC WORKS.				
Daily average consumption in gallons	9,810,800	10,742,500	10,282,100	9,467,000
Daily average consumption in gallons per inhabitant	78.8	84.4	87.6	83.3
Daily average amount used through meters, gallons	1,862,200	1,921,570	2,014,000	2,105,800
Percentage of total consumption metered.	19.0	17.9	19.6	22.2
Number of services	. 21,588	22,398	23,257	24,120
Number of meters and motors	550	482	515	525
Length of supply and distributing mains, in miles	160	165	178.7	178.6
Number of fire-hydrants in use	1,223	1,306	1,446	1,543
Yearly revenue from water-rates	<b>\$</b> 394,008 75	<b>\$421,573 48</b>	\$447,554 35	<b>\$4</b> 81,017.15
Yearly revenue from metered water	\$105,685 56	\$109,367 37	\$115,811 32	<b>\$121,436.1</b> 0
Percentage of total revenue from metered water	26.8	25.9	25.9	25.2
Cost of works on February 1	\$1,718,227 00	\$1,721,609 33	* \$1,676,471 94	\$1,803,775.29
Yearly expense of maintenance	\$129,354 49	\$160,648 97	<b>\$156,214</b> 05	\$189,194.61

<sup>\* \$52,637.00</sup> credited on account of sale of portion of Mystic Sewer.

Daily Average Consumption of Water, in Gallons, from the Cockituate and Mystic Works. TABLE I.

		COCHI	COCHITUATE	WORKS.							MYSTIC	MYSTIC WORKS	ri.		
Month.	1889.	1890.	1891.	1892.	1898.	1894.	1895.	1888.	1889.	1890.	1891.	1892.	1898.	1894.	1895.
January 30,172,000 33,680,000 37,230,100 36,786,400 53,847,100 48,395,000 51,476,100 11,107,100 77,789,600 87,887,900 9,878,200 14,129,700 11,823,600 9,898,300	30,172,000	33,680,000	37,230,100	36,756,400	53,847,100	48,395,000	51,476,100	11,107,100	1,769,500	3,187,900	9,389,300	9,878,200	14,129,700	11,823,500	9,628,100
February	35,855,200	33,030,700	37,280,700	38,881,500	51,299,400	35,555,200 33,030,700 37,280,700 38,881,500 61,289,400 49,207,500 68,905,100 11,620,900 8,073,600 8,289,700 9,466,900 10,332,200 13,174,700 12,295,000 12,995,200	68,905,100	11,620,900	9,073,600	3,299,700	9,466,900	10,332,200	18,174,700	12,295,000	12,953,200
March	32,180,000	30,844,400	35,533,400	38,395,100	48,700,200	32,180,000 30,844,400 35,533,400 88,395,100 48,700,200 44,844,300 52,706,700 9,242,000 7,537,600 8,055,800 8,811,000 9,970,500 11,682,700 10,720,800	52,706,700	9,242,000	7,537,600	8,055,800	8,811,000	9,970,500	11,692,700	10,720,800	8,712,200
April	30,814,500	30,446,600	35,751,600	37,171,000	45,573,100	30,814,500 30,446,600 35,751,600 37,171,000 45,573,100 40,070,200 46,614,200 7,276,700 7,185,700 7,481,600 8,046,800 9,145,000	46,614,200	7,276,700	7,185,700	7,481,600	8,045,800	9,145,000		9,812,500 10,236,200	8,098,000
Мау	32,719,500	31,381,200	36,580,700	37,055,900	43,451,500	32,719,500 31,381,200 36,580,700 37,055,900 48,451,500 41,827,700 46,470,500 6,932,300 7,663,600 7,488,400 8,941,300 9,204,900	46,470,500	6,932,300	7,663,600	7,488,400	8,841,300	9,204,900		9,817,400 10,661,000 9,426,500	9,426,500
June	33,377,900	33,022,700	37,801,900	41,564,000	44,125,100	33,377,900 33,022,700 37,801,900 41,564,000 44,125,100 45,906,400 47,089,500 7,615,200 8,017,700 8,396,000 9,478,400 10,146,300 110,460,000 12,562,300 11,509,200	47,089,500	7,615,200	8,017,700	8,396,000	9,478,400	10,146,300	110,460,000	12,552,300	11,509,200
July	31,870,300	36,701,100	39,062,600	31,870,300 36,701,100 39,062,600 45,738,100 48,986,900	48,986,900	50,044,000	50,064,800	8,267,500	8,315,600	9,463,300	9,581,700	10,702,900	50,044,000 50,064,800 8,287,500 8,315,600 9,463,300 9,581,700 10,702,900 110,167,000 12,172,000 9,265,900	12,172,000	9,265,900
August	31,403,200	36,316,000	39,460,400	45,031,600	48,062,000	31,403,200 36,316,000 39,460,400 46,031,600 48,062,000 47,288,500 53,095,100 7,869,100 8,113,200 8,982,200 9,122,300 9,751,500	53,095,100	7,859,100	8,113,200	8,932,200	9,122,300	9,751,500		9,826,200 10,696,700	8,117,400
September	31,722,800	36,165,800	40,677,700	45,261,900	46,926,500	31,722,300 36,165,800 40,677,700 45,281,900 46,926,500 *48,588,700 58,246,900 7,286,300 7,966,000 8,486,700 9,128,700 9,549,400	53,246,900	7,266,300	7,966,000	8,436,700	9,128,700	9,549,400		9,115,000 18,703,600	9,937,900
October	81,702,200	33,429,800	53,884,600	44,626,700	46,416,600	81,702,200 88,428,800 88,884,600 44,626,700 46,416,600 47,072,500 49,278,000 7,096,400 7,627,500 7,184,100 9,259,100	49,278,000	7,096,400	7,627,500	7,784,100	9,259,100	9,340,500		9,630,400 7,421,200	8,667,300
November	31,532,400	32,955,100	36,640,800	41,347,800	44,328,900	31,532,400 32,955,100 86,640,800 41,347,800 44,328,900 47,101,500 48,258,600	48,258,600		7,316,700	7,601,300	8,585,200	6,990,800 7,316,700 7,601,300 8,585,200 9,230,000	9,569,700	7,563,100	8,453,400
December . t .	31,829,000	38,334,100	37,342,500	43,766,400	47,807,800	· § · 31,829,000 38,334,100 37,342,500 43,766,400 47,807,800 48,511,600 52,934,800 7,918,600 7,473,200 9,449,300 8,960,600 10,473,700 11,620,800	52,934,800	7,918,600	7,473,200	9,448,300	8,960,600	10,473,700	11,620,800	8,667,800	9,276,700
Yearly average . 32,070,000 33,871,700 37,886,900 41,312,400 47,453,200 46,560,000 50,801,100 8,258,400 7,830,500 8,301,400 9,056,280 9,810,800 10,742,600 10,282,100 9,467,000	32,070,000	33,871,700	37,686,900	41,312,400	47,153,200	46,560,000	50,801,100	8,258,400	7,830,500	8,301,400	9,055,290	9,810,800	10,742,500	10,282,100	9,457,000

From June 7 to July 29 about 3,000,000 gallons per day were wasted from a blow-off.
 After September 12 Charlestown was supplied with Cochituate water.
 Charlestown was supplied with Cochituate water from January 1 to February 6, February 21 to May 18, and July 13 to January 1, 1896.

# BAKSW FT AN POTO B

်သည် ကျော်သို့ ကြောင်းသည်။ လေသည် သည်။ သည် ကြောင်းသည်။

TABLE II.
Diversion of Suddury-River Water, 1888-1895.

								-				
	1888.	1889.	<b>.</b> 86.	1890.	1891.	1892.	.52	1693.	18	1894.	1895	95.
Monte.	To Chestnut Hill Res'r.	To Lake Cochituate.	To Chestnut Hill Res'r.	To Chestnut Hill Res'r.	To Chestnut Hill Res'r.	To Lake Cochituate.	To Chestnut Hill Res'r.	To Chestaut Hill Res'r.	To Lake Cochituate.	To. Chestnut Hill Res'r.	To Lake Cochituate.	To Chestnut Hill Res'r.
	Gallons.	Gallons.	Gallons.	Gallons.	Gallons.	Gallons.	Gallons.	Gallons.	Gallons.	Gallons.	Gallons.	Gallons.
January	894,400,000	:	484,500,000	518,600,000	715,900,000	:	630,800,000	1,325,900,000	:	1,012,000,000	1,300,000	1,186,100,000
February	906,700,000	:	564,600,000	475,000,000	260,800,000	:	610,400,000	957,600,000	:	944,000,000	:	1,318,400,000
March	691,400,000	:	584,500,000	498,600,000	573,200,000	45,100,000	625,200,000	1,023,900,000	529,100,000	947,100,000	000,000,080	1,115,800,000
April	468,800,000	:	490,500,000	417,000,000	641,900,000	545,000,000	662,500,000	917,000,000	134,100,000	725,600,000	:	982,300,000
Мау	566,300,000	233,400,000	615,700,000	636,800,000	740,300,000	114,700,000	690,490,000	858,600,000	215,800,000	826,500,000	87,700,000	931,500,000
June	489,000,000	:	567,600,000	513,100,000	629,500,000	197,500,000	779,300,000	856,700,000	80,700,000	875,500,000	114,000,000	941,100,000
July	528,900,000	:	534,000,000	664,100,000	765,100,000	:	948,000,000	1,040,800,000	:	1,064,600,000	:	1,061,900,000
August	626,600,000	:	443,700,000	625,500,000	722,900,000	•	897,700,000	994,100,000	:	951,600,000	:	1,147,600,000
September	581,600,000	:	475,500,000	606,400,000	732,400,000	:	876,300,000	948,300,000	:	987,100,000	:	1,142,800,000
October	435,900,000	:	414,100,000	639,900,000	715,300,000	:	908,500,000	956,600,000	1,100,000	958,500,000	6,600,000	951,700,000
November	410,900,000	:	454,600,000	528,000,000	752,200,000	:	788,000,000	862,700,000	400,000	1,021,000,000	6,600,000	998,600,000
December	605,200,000	:	501,200,000	675,500,000	767,100,000	:	1,216,100,000	995,700,000	1,000,000	1,137,100,000	1,600,000	1,130,700,000
Totals	7,224,700,000	233,400,000	233,400,000 6,130,500,000 6,596,000,000 8,306,600,000	8,596,000,000	8,306,600,000	902,300,000	,633,200,000	902,300,000 9,633,200,000 11,737,900,000	962,200,000	962,200,000 11,450,600,000	896,800,000	896,800,000 12,805,300,000
Total diversion from Sudbury	7,224,700,000	6,363,900,000		6,596,000,000 8,306,000,000	8,306,000,000	10,585,500,000	000'00	11,787,900,000	12,412,	12,412,800,000	18,805,	18,805,300,000
Average daily diversion for whole year.	19,739,600	17,4	17,435,300	18,071,200	22,757,800	8,88	28,800,000	82,158,600	. 48°	84,007,700	81,	87,822,700

TABLE III.

Statement showing Amount of Water drawn from Lake Cochituate; Amount wasted; Amount of Rainfall collected in Lake; Amount received into Lake from Sudbury River; Percentage of Rainfall collected, etc., 1852 to 1895; Water-shed of Lake, 12,077 Acres.

Percentage	collected.	Per cent.	<b>£</b> 3	36.	83	:	:	72.	<b>6</b>	78.	38.	.99	45.	88	48.	41.	<b>3</b> 6.
		Inches.	20.61	19.61	22.87	:	:	46.69	19.46	38.24	19.40	25.45	22.36	26.88	18.35	20.50	16.01
Doingoil	regiliteti.	Inches.	47.93	65.73	43.15	84.96	40.80	63.10	48.66	49.02	65.44	45.44	49.60	69.30	42.60	49.46	62.82
Daily average	fall collected in Lake.	Gallons.	18,396,900	17,873,800	20,178,500	:		41,927,600	17,759,000	34,687,700	17,714,100	23,444,900	20,271,200	24,260,400	15,370,200	19,323,300	14,265,300
Total Amount of Rainfall	collected in Lake.	Gallons.	6,733,249,700	6,523,937,000	7,584,163,000	•	•	15,303,560,000	6,482,085,000	12,661,015,000	6,483,348,000	8,557,894,900	7,399,000,000	8,855,049,000	5,625,475,700	7,052,993,200	5,206,827,500
AGE.	Гова.	Gallons.	261,360,000	:	217,800,000	326,700,000	:	:	141,570,000	:	:	1,459,260,000			1,848,577,000	:	
STORAGE	Gain.	Gallons.		239,580,000	•	•	598,950,000	82,670,000	•	283,140,000	174,240,000	:	1,306,800,000	763,300,000	:	743,242,500	743,242,500
Amount received into	Lake from Sudbury River.	Gallons.	•	•	:	:	:	•	:	:	:	:	:	:	:	:	:
Amount of	from Lake.	Gallons.	4,020,566,900	3,166,417,500	4,187,733,000	No account kept	*	10,625,900,000	1,934,500,000	7,569,000,000	None.	3,377,559,000	33,200,000	2,165,696,500	1,368,746,000	1,688,120,700	None.
Amount of	from Lake.	Gallons.	2,974,042,800	8,117,939,500	3,614,230,000	8,776,399,500	4,409,787,600	4,644,990,000	4,689,155,000	4,808,875,000	6,309,108,000	6,639,095,900	6,059,000,000	5,927,052,500	6,105,306,700	4,621,630,000	4,463,585,000
	YEAR.		1852 1	1863	1854	1855	1856	1857	1858	1859 2	1860	1861	1862	1863	1864	1866	1866

1867	::	4,951,225,000	2,482,041,000	•	•	698,811,000	6,734,455,000	18,450,600	66.25	21.80	88
1868	:	5,405,515,000	2,507,684,000	•	346,371,000	:	8,259,570,000	22,567,200	49.71	24.98	20.
1869	:	5,503,751,000	1,635,570,000		480,882,000	:	7,620,203,000	20,877,300	64.34	21.99	34.
1870	:	5,477,810,000	4,818,971,000		:	1,736,085,000	8,560,696,000	23,453,900	68.39	26.08	47.
1871	:	5,223,500,000	None.	:	:	250,933,000	4,972,567,000	13,623,500	46.39	15.16	88
1872	:	6,775,151,200	None.	1,676,666,400	1,543,995,500	:	5,642,480,300	15,416,600	48.47	17.22	8
1873	:	6,511,826,900	2,917,977,000	:	:	515,132,000	8,914,671,900	24,423,800	45.43	27.13	99
1874	:	6,628,972,900	1,145,851,700		:	1,867,715,000	6,402,109,600	17,540,000	35.93	19.52	54.
1875	:	7,092,955,500	None.	2,555,800,000	1,222,885,000	:	5,780,040,500	16,780,900	45.49	17.57	8
1876	:	7,277,175,200	1,619,243,800	2,528,300,000	43,438,000	:	6,411,557,000	17,517,900	48.49	19.54	40
1877	:	7,626,889,200	1,484,978,600	1,894,350,000	878,727,000	:	7,596,244,800	20,811,600	43.80	23.17	53.
1878	:	7,743,904,700	8,341,875,000	2,668,300,000	219,789,000	:	8,687,268,700	23,663,700	53.58	26.34	<b>4</b> 9
1879	:	6,051,838,900	1,523,361,400	411,300,000	:	1,322,697,300	5,841,203,000	16,003,300	38.01	17.81	47.
1880	:	4,284,147,100	65,577,700	826,700,000		146,265,000	8,376,759,800	9,226,100	85.83	10.30	29.
1881	:	2,846,459,700	2,231,016,700	187,600,000	468,089,400	:	5,357,965,800	14,679,400	41.09	16.34	40.
1882	1882	3,935,490,600	1,358,543,700		:	357,334,700	4,936,699,600	13,525,200	40.29	15.06	87.
1883	:	4,731,227,700	162,361,800	1,245,100,000	:	384,400,000	3,314,089,500	9,079,700	31.20	10.11	32.
1884	:	4,533,156,450	1,842,837,100	1,416,300,000	1,840,436,700	:	6,300,130,250	17,213,450	45.57	19.21	<b>4</b> 3.
1886.	:	4,091,674,900	1,006,622,800	•	8,594,800	:	5,106,892,500	13,991,500	48.66	16.57	36.
1886	1886	4,432,536,100	3,116,283,200	•		360,662,000	7,188,157,300	19,693,600	46.97	21.92	47.
1887	1887	4,802,120,700	3,658,652,900		:	763,205,000	7,697,568,600	21,089,200	41.58	23.47	56.

¹ Observations of rainfall at Lake Cochituate commenced 1852, and these observations are assumed as correct for the whole district.
² Lake raised two feet.

TABLE III. - Concluded.

200	ing Amoun Lake from	rt of Water dr Sudbury Rive	Statement showing Amount of Water drawn from Lake Cochituate; Amount wasted; Amount of Rainfall collected in Lake; Amount received into Lake from Sudbury River; Percentage of Rainfall collected, etc., 1862 to 1895; Water-shed of Lake, 12,077 Acres.	ke Cochituate, of Rainfall co	Amount was	sted; Amount 852 to 1895;	of Rainfall & Water-shed o	ollected of Lake,	n Lake; 12,077	Amount lores.
Amount of Am	An	Amount of	Amount received into	STORAGE	AGE.	Total Amount	Daily average amount of Rain.	1	Rainfall	Rainfall Percentage
	t t	water wasted from Lake.	Lake from Sudbury River.	Gain.	Loss.	collected in Lake.	fall collected in Lake.		collected.	collected.
Gallons. Go	B	Gallons.	Gallons.	Gallons.	Gallons.	Gallons.	Gallons.	Inches.	Inches.	Per cent.
4,968,508,100	4,2	4,229,200,000		959,809,000		10,167,012,100	27,751,400	56.98	30.97	3
5,570,423,600 8,878	8,878	8,878,929,000	238,400,000	454,766,800	:	9,166,719,400	25,111,600	50.23	27.96	\$
5,722,170,800 2,380	2,380	2,380,441,200	:	:	64,166,800	8,038,445,700	22,028,100	61.28	24.51	8
5,508,178,900 6,064	6,064	6,064,000,000	:	:	1,056,057,800	10,516,121,100	28,811,300	46.42	82.07	8
5,464,791,300 281	281	281,000,000	902,300,000	200,284,300	:	5,083,775,600	13,763,600	<b>30.08</b>	16.86	23
5,623,582,500 25!	25.	255,800,000	:	:	89,200,000	5,789,682,500	15,862,000	45.28	17.66	ä
5,520,092,100 N	<b>Z</b>	None.	962,200,000	:	296,900,000	4,280,992,100	11,674,000	80.08	12.90	ž
5,654,765,700 65	2	657,600,000	896,800,000	1,200,400,000	:	6,615,966,700	18,125,984	48.96	20.17	-17
6,252,613,800 2,24	2,24	2,245,199,000				7,111,369,300	18,471,800	47.54	21.68	. <del>.</del>

TABLE IV.

Statement showing Amount of Water diverted from Suddury River to Lake Cochituate and Chestnut Hill Reservoir; Amount wasted, Amount of Flow in River; Percentage of Rainfall collected, etc., 1875 to 1895.

(Water-shed from 1875 to 1878, inclusive, = 77,764 eq. miles; in 1879 and 1880 = 78,238 eq. miles; and from 1881 to 1883, inclusive, = 75,2 eq. miles.)

(-)	Percentage	Rainfall collected.	Per cent.	44.88	48.24	67.90	52.68	46.88	31.91	46.56	46.95	84.18	50.46	48.44	49.65	56.73	62.21
o.z sq. miles	Rainfall	collected.	Inches.	20.418	23.908	25.847	80.487	18.775	12.182	20.565	18.102	11.188	23.784	18.916	22.826	24.227	86.749
inclusive, ==		Rainfall.	Inches.	45.490	49.568	44.018	57.931	41.419	38.177	44.160	39.304	82.780	47.136	48.545	46.065	42.706	57.466
n 1001 to 1085,	Daily average	Amount of Flow in River.	Gallons.	75,599,200	88,278,400	94,369,200	112,882,200	69,942,200	42,250,300	78,688,900	64,812,300	40,056,200	84,929,200	67,721,600	81,780,700	86,749,800	127,642,900
miles, and iron		Amount of Flow in River.	Gallons.	27,598,700,000	32,809,900,000	84,444,750,000	41,202,000,000	25,528,900,000	16,561,600,000	26,876,000,000	23,656,600,000	14,620,500,000	31,084,100,000	24,718,400,000	29,831,700,000	81,663,500,000	46,717,300,000
1880 == (8.238 BQ	AGE.	Говв.	Gallons.	•	160,700,000	:	:	: : : : : : : : : : : : : : : : : : : :	958,600,000	:	\$52,600,000	1,086,400,000	:	446,900,000	:	:	-:
nes; in 15/9 and	STORAGE	Gain.	Gallons.	66,300,000	•	112,100,000	654,700,000	962,200,000	:	751,700,000	:	:	1,744,600,000	•	1,464,500,000	117,400,000	890,600,000
e, = 71.704 Bq. m	Amount of	wasted from River.	Gallons.	24,971,600,000	29,942,300,000	32,438,300,000	87,125,200,000	20,817,500,000	11,290,000,000	17,279,000,000	16,278,900,000	7,251,900,000	23,228,900,000	19,878,800,000	28,028,000,000	25,334,500,000	39,040,500,000
to 1878, inclusiv	Amount of	water used by Framingham Water Co.	Gallons.	•	:	:			:	:	:	:	:	61,800,000	76,600,000	87,500,000	61,500,000
Waker-shed from 18/5 to 18/6, inclusive, = //.704 eq. miles; in 18/9 and 1890 = /5.236 eq. miles; and from 18/5 to 1895, inclusive, = 70.2 eq. miles.)	Amount of Water diverted to Lake	Cochituate and Chestnut Hill Reservoir.	Gallons.	2,555,800,000	2,528,300,000	1,894,350,000	3,422,100,000	3,749,200,000	6,230,200,000	8,846,300,000	7,735,200,000	8,455,000,000	6,110,600,000	5,224,700,000	6,266,600,000	6,124,100,000	7,224,700,000
<b>M</b> )	_1	YEAR.		1875	1876	1877	1878	1879	1880	1881	1882	1888	1884	1885	1886	1887	1888

TABLE IV. - Concluded.

Statement showing Amount of Water diverted from Suddury River to Lake Cochitvate and Chestnut Hill Reservoir; Amount wasted; Amount of Flow in River; Percentage of Rainfall collected, etc., 1875 to 1895.

(Water-shed from 1875 to 1878 inclusive, = 77.764 sq. miles; in 1879 and 1880 = 78.238 sq. miles; and from 1881 to 1893, inclusive, = 75.2 aq. miles.)

	Amount of Water diverted to Lake	Amount of		STORAGE.	AGE.		Dally average		Dotatell	Percentage
YBAR.	Cochituate and Chestnut Hill Reservoir.	Water used by Framingham Water Co.	water wasted from River.	Gain.	Loss.	Amount of Flow in River.	Amount of Flow in River.	Rainfall.	collected.	Rainfall collected.
	Gallons.	Gallons.	Gallons.	Gallons.	Gallons.	Gallons.	Gallons.	Inches.	Inches.	Per cent.
1889	6,363,900,000	29,500,000	81,550,400,000		2,800,000	87,971,000,000	104,030,100	40.95	29.066	58.17
1890	6,596,000,000	74,500,000	28,667,100,000	:	57,400,000	35,280,200,000	96,668,100	68.00	26.998	\$6.9 <del>4</del>
1891	8,806,600,000	80,500,000	28,799,600,000	:	1,100,800,000	86,085,900,000	98,865,500	49.52	27.612	55.76
1892	10,535,500,000	82,800,000	11,143,000,000	:	267,700,000	21,503,600,000	68,768,000	41.88	16.456	39.34
1898	11,737,900,000	103,000,000	17,405,500,000	:	789,800,000	28,456,600,000	77,963,300	48.225	21.774	46.15
1894	12,412,800,000	117,000,000	6,715,900,000	1,901,600,000		21,147,800,000	67,937,800	89.740	16.182	40.72
1895	13,805,800,000	132,200,000	15,545,600,000	1,137,920,000	:	31,621,000,000	86,622,900	50.62	24.196	47.80
Averages,	6,910,721,400	85,172,700	22,272,366,700			29,470,078,600	78,220,000	45.845	22.828	47.99

	Amount of	Amount of	Втовлен	LAGE.		Daily average		Reinfell	Percentage
YEAB.	Water drawn from Lake.	Water wasted from Lake.	Gain.	Говв.	collected in Lake.	Rainfall collected in Lake.	Rainfall.	collected.	of Rainfall collected.
. ,	Gallons.	Gallons.	Gallons.	Gallons.	Gallons.	Gallons.	Inches.	Inches.	Per cent.
1876	8,230,101,800	6,869,774,700		82,583,000	9,567,293,000	26,140,100	47.00	20.49	43.6
1877	3,069,554,800	7,250,223.500	:	16,291,400	10,303,486,900	28,228,700	43.095	22.06	51.2
1878	3,367,490,400	8,718,547,600	:	26,000,000	12,060,088,000	33,041,200	64.065	25.82	47.8
1879	8,490,848,200	4,625,691,800	:	203,000,000	7,913,540,000	21,680,900	35.30	16.94	48.0
1880	3,692,195,700	2,158,761,200	:	113,500,000	5,703,756,900	15,584,000	34.42	12.21	36.5
1881	2,815,579,900	5,534,300,000	371,200,000	:	8,721,079,900	23,893,400	41.91	18.67	44.5
1882	2,570,896,700	4,444,668,000	15,000,000	:	7,030,564,700	19,261,800	39.166	15.06	38.4
1883	2,664,514,200	2,034,702,600	:	347,579,000	4,351,637,800	11,922,300	81.22	9.32	29.84
1884	2,469,761,000	6,574,003,800	380,600,000	:	9,424,364,800	25,749,600	44.39	20.18	45.46
1885	2,639,278,800	5,558,860,500	:	33,200,000	8,194,939,300	22,451,900	44.50	17.56	39.43
1886	2,862,947,500	7,743,258,900	:	28,400,000	10,577,806,400	28,980,300	45.56	22.66	49.71
1887	2,954,257,500	7,414,213,000	:	11,000,000	10,357,470,500	28,876,600	46.42	22.17	47.77
1888.	3,205,121,100	11,334,593,100		000,000,8	14,533,714,200	39,709,600	56.745	81.12	54.84
1889	8,007,539,800	8,879,787,500	12,000,000	:	11,899,327,300	32,600,900	50.395	25.48	99.09
1890	3,212,284,500	8,953,727,900	:	3,000,000	12,163,012,400	33,823,300	49.37	26.04	52.75
1891	3,500,817,500	10,027,714,400	:	171,000,000	13,357,531,900	36,600,000	47.40	28.60	80.34
1892	3,811,766,200	8,474,213,200	177,000,000	:	7,462,979,400	20,390,700	89.116	16.98	40.86
1893	4,331,743,200	4,958,528,500	:	96,000,000	9,195,271,700	26,192,500	44.20	19.69	44.54
1894	3,996,805,100	2,752,964,200	:	23,000,000	6,726,769,300	18,429,500	39.24	14.40	36.70
1895	3,455,460,300	4,528,156,200	156,000,000	:	8,139,616,500	22,300,300	48.73	17.42	35.76
Averages	3,217,448,200	6.168.334.500			9.384.210.000	25.692.700	4.11	20.09	88 77

TABLE VI.

Average Maximium and Minimum Monthly and Yearly Heights, in Feet, above Tide Marsh Level, to which Water would rise at different Stations on the Boston Water Works.

Engine-house No. 18, Harvard atreet, Dorchester High service.	Min. Max. Min.	194.9 211.4 198.5	195.0 209.4 191.8	197.6 215.1 196.7	196.3 218.0 196.5	191.1 216.5 189.2	189.4 218.1 179.4	195.5 215.6 188.2	193.3 213.2 181.2	189.4 210.7 176.7	8 211.2 0 229.4	0 214.0 190 9 228.4 192	188. 198.	
City Hall High service.	Max.	212.8	211.7	216.1	217.1	220.6	216.1	218.7	215.0	212.2	90	213.3	40	
Albany street.	Min.	97.4	95.0	97.4	89.3	8.	98.8	100.4	98.6	8.66	89.4	9.66	94.4	88
017	Max.	113.8	110.4	114.4	117.3	118.6	118.3	118.7	118.1	118.4	118.2	118.4	116.3	116.6
Engine-house No. 32, Bunker Hill street, Charlestown, Mystic supply.	Min.	88.1	86.1	83.3	86.9	83.4 122.2	124.0	85.8	84.3	87.6	87.4	88.4	85.6	
	Max.	107.3	106.7 136.1	110.3	114.7	111.4	1143.7	114.9	114.0	114.3	114.8	114.7	110.4	
Engine-house No. 16, River street, Dotchester.	Min.	93.2	90.5	8.06	92.3	90.3	82.8	90.3	87.7	89.3	92.3	92.8	87.9	8
	Max.	112.2	107.9	111.3	114.9	116.8	116.3	115.8	115.3	115.5	116.0	114.3	110.9	113.8
No. 9, Paris street, East Boston.	Min.	5 70.6	.4 65.5	5 70.9	4 74.4	.17.	3 75.6	.7 74.2	1.1.1	3 71.4	76.4	4 78.0	7 76.3	73.0
Engine-bouse	Max.	8	2.	.3 102.	.8 108.	109.	110.8	3 109.	3 108.4	5 107.6	110	110.	106.	8
Engine-house No. 2, Fourth street, So. Boston.	Min.	89.	80.5	87.3	8	88	87.1	93.	8 90.3	91.5	.6 93.5	5 94.8	91.3	8
	Max	112.	9 101.5	Ξ.	1 115.2	3 116.0	3 116.0	9 116.5	2 114.8	.3 115.1	0 115.0	.3 116.6	3 111.9	118.4
Congress, strest, So, Boston.	Min.	.1 92.0	.1.	5 91.1	88	6 92.3	2 92.3	7.5	95.5	8	86	5	8 97.8	1 46
Engine-house No. 38,	Max.	3 111.1	.4 104.]	1 112.0	0 115.8	4 116.6	2 117.2	9 117.6	5 116.6	7 117.1	7 117.6	9 117.6	1 115.8	=
No. 7, East street.	Min	.595.3	1 87.	89.1	38.	- 85.4	93.5	94.5	30.6	92.7	93.7	8 94.9	93.1	6
Engine-house	. Max.	112.	104	2 109.	.7 112.	.3 118.	.3 114.	8 113.	5 112.3	1 113.0	.5 114.0	8 113.6	1117	1 1 1
Engine-house No. 8, Salem street.	Min	82	<u>:</u>	8	94	98	4 92	.3 96.	.1 94.	.4	8	.4 95.8	-4-	4
	Max.	112		112	116.	118.	118.	111	111	117	1 117.8	117	114	116.3
Boston Common.	c. Min.	95.6	.3 93.2	.9 95.0	.0 97.0	.2 97.9	.3 97.8	.3 99.1	.7 96.4	0.86	.6 98.1	.4 98.9	96.0	5 96.9
rotaoA	Max.	118.0	February . 109.3	113.9	April   117.0	118.2	118.3	118.3	August 117.7	September, 118.0	117.6	November, 117.4	114.4	Ауегадев. 116.5

<sup>1</sup> During portions of May, June, July, Charlestown was supplied from the Mystic Supply.
<sup>2</sup> New 48-inch main in service.

TABLE VII. Statement of Operations of Engines I and 2 at the Chestnut Hill Pumping-Station for 1895.

<b>9</b> 1	ENGINE No. 1.	ENG	Enging No. 2.	%7 'ped	) TIT	вј соп-	lo tan	kera.		ton for	10.01 1:01 to 10.01	<u>'</u>	DIVISION	8	COAL.	ag b		Water ever orated bollers I	ed in ers per ers per
	Amount pumped.	emit gaiqmuq latoT	Amount	Total amount pumi qila rot bewolla.	Daily average amou pumped.	Total amount of co.	Daily average amo coal consumed.	Total ashes and clini	Per cent. sahes and ers.	Quantity pumped pe coal. No correct beating or lighting	Quantity pumped pe coal. Corrected to ing and lighting.	Average lift in feet.	Heating.	Lighting.	Pumping.	Without correction for heating and ilghting.	Corrected for heating.	Actual.  Wrom and at 212*	F., including feed-water heater.
-771	Min. Gallons.	.svH	Min. Gallons.	Gallons.	Gallons.	Lbs.	Lbs.	Lbs.	Per cent.	Gals.	Gals.	Ft.	Lbs.	Lbs.	Lbs.	FtIbs.	Ft158.	T.bs.	Lbs.
365 50	151,821,750	419	00 175,879,000	327,700,750	10,501,000	451,537	14,566	35,370	7.8	725.7	824.7	125.90	27,229	26,942	397,366	76,203,800	86,592,100	9.37	11.07
450 42	196,706,000	00 267 15	15 114,778,600	811,484,600	11,124,500	415,592	14,843	84,453	8.3	749.5	833.7	121.12	25,453	16,500	373,639	75,709,700	84,210,500	9.16	10.84
228 05	5 97,681,875	75 472 20	20 208,815,750	306,497,625	9,887,000	417,205	13,458	34,151	8.2	734.8	806.5	121.11	22,188	14,983	380,034	74,205,100	81,461,200	9.27	10.94
583 10	0 250,460,900	78	20 10,788,150	261,249,050	8,708,300	346,618	11,554	36,026	10.4	753.7	819.6	122.01	10,459	17,400	318,759	76,694,600	83,397,600	8.82	10.37
296 20	138,703,100	00 250 20	20 106,385,850	245,088,950	8,753,200	328,020	10,581	37,020	11.3	747.2	782.0	122.85	:	14,592	313,428	76,553,400	80,117,500	9.17	10.69
111 20	208,650	8	45 7,827,825	51,036,475	10,207,800	56,434	11,285	5,396	9.6	904.5	:	120.0	:	:	<del>-</del> -	90,524,100			
200 46	12,033,100	00 00 20	20 28,598,775	100,631,875	10,063,200	111,583	11,158	10,332	3.6	901.9	:	120.04	:	:	<del>-</del>	90,287,900		١	
170 40	10 62,891,050	66 00	00 22,594,050	85,485,100	10,685,600	88,825	12,689	7,652	8.6	962.4	:	119.91	:	:	:	96,244,700			
719 40	0 269,721,500	00 239 50	50 88,901,200	358,622,700	11,954,100	396,435	13,214	38,468	9.1	904.6	:	119.98	:	:	:	90,519,200			
727 25	274,591,900	00 240 10	10 88,706,500	363,298,400	11,719,300	432,224	13,943	41,966	9.7	840.5	:	120.74	:	:	 :	84,639,300			
454 10	0 166,109,780	80 171 00	00 58,631,250	224,741,030	10,702,000	282,757	12,761	28,194	10.0	794.9	:	120.15	:	:	:	79,645,100			
43 05	15,303,125	25 22 00	00 7,311,575	22,614,700	7,538,200	36,255	12,085	3,324	9.3	623.8	:	120.81	:	:	:	62,587,960			
4	4,341 12 1,739,232,730	30 2,285 35	35 919,218,525	2,658,451,255	10,384,600	3,363,475	13,139	812,352	9.3	790.4	:	121.18	:	:	:	79,879,750			

TABLE VII. Statement of Operations at the Chestnut Hill Pumping-Station for 1895.—(Concluded.)

Engines 1, 2, and 8.	Remarks.										Engine No. 3 was idle.	Engine No. 3 was idle.			
11	Daily average amount.	Gallons.	11,091,300	11,707,500	10,792,700	10,492,400	10,901,000	11,849,100	10,943,400	11,421,800	11,964,100	11,719,300	12,025,500	12,270,700	11,413,100
SUMMABY.	Total amount pumped.	Gallons.	848,828,900	327,810,800	334,573,000	314,772,300	847,982,200	840,478,900	839,246,800	354,074,400	858,622,700	363,298,400	360,765,530	380,390,600	4,165,789,530
		of coal.	66,110,200	56,008,430	80,212,700	69,602,800	111,096,900	126,845,400	115,097,900	112,114,200	:	:	96,396,600	98,615,200	125.25 104,787,000
	Aver'ge lift of water.	Feet.	124.0	124.44	125.46	131.04	124.0	128.78	124.15	126.14	:	:	126.84	124.68	126.25
	Amount pumped per lb. of coal.	Galle.	582.9	639.6	766.6	636.9	1,074.3	1,224.8	1,111.6	1,074.2	:	:	918.6	948.4	1,002.6
	Amount Per ct. of ashes of ashes and clinkers clinkers	Per cent.	11.2	15.8	14.8	19.1	14.9	13.0	10.6	11.0	:	:	12.3	12.8	12.5
<b>.</b>	Amount of ashes and clinkers	Lbs.	3,400	4,780	5,240	12,690	14,230	30,732	22,825	27,598	:	:	18,060	48,396	187,951
ENGINE No.	Daily Amount Per ct. Amount sverage of ashes of ashes pumped and and per lb. clinkers clinkers of coal.	Lbs.	5,000	4,300	6,200	4,900	6,800	9,150	008'6	10,400	:	:	12,300	18,000	9,200
Enc	Amount of coal consumed	Lbs.	30,265	30,255	36,623	84,040	95,733	236,894	214,656	250,029	:	:	148,095	877,251	1,508,331
	Daily average.	Gallons.	2,688,000	2,332,300	4,010,800	8,148,400	7,345,950	11,182,200	10,846,100	11,191,200	:	:	11,335,400	12,337,100	9,191,100 1,508,331
	Amount pumped.	Gallons.	16,128,150	16,326,225	28,075,350	53,523,270	102,843,280	289,487,400	238,614,900 10,846,100	268,589,300 11,191,200	•	•	136,024,500	857,775,900	16 1,507,338,275
	al oing	Min	8	8	4	47	51	ផ	92	37	:	:	23	27	
	Total pumping time.	Hrs. Min	17	22	32	19	125	386	274	307	:	:	158	455	1,793
_	1895.	Month.	January .	February .	March	April	Мау	Јпре	July	August	September	October	November	December	Totals & averages

TABLE VIII.
Statement of Operations at the Mystic Pumping-Station for 1895.

																-			
	Ä	Engine ]	No. 1.	Ä	Engine	No. 2.	P	ENGINE	t No. 8.	邑	ENGINE	No. 4.		,		.lsos	pt	•6	ped
1895.	Total pumping time.	tal ping	Amount pumped.	Total pumping time.	isal ologe e.	Amount pumped.	Total pumpli time.	Total pumping time.	Amount pumped.	Total pumplr time.	Total pumping time.	Amount pumped.	Total amount pumped.	Daily average amonat beqmuq.	Total amount of coal aconsumed.	Dally average to tanoma	Total ashes ar clinkers.	Per cent. sebe and clinkers	Quantity pum per pound o
Month.	Hrs.	Min.	Gallons.	Hrs.	Min.	Gallons.	Hrs.	Min.	Gallons.	Hrs.	Min.	Gallons.	Gallons.	Gallons.	Lbs.	Lbs.	Lbs.	Per G	Gale.
January	727	23	163,276,300	646	8	132,789,400	:			:	:	:	296,065,700	9,550,500	801,000	25,839	85,385	10.7	369.6
February	389	8	81,373,900	456	8	98,270,800	539	೫	183,654,400	:	:	:	363,299,100	12,975,000	954,500	34,089	92,476	9.7	880.6
March	20	8	13,001,100	:	:	:	139	16	257,177,600	:	:	:	270,178,700	8,715,400	656,500	21,177	71,822	10.9	411.5
April	122	8	29,580,900	22	4	15,704,000	672	8	197,785,600	:	:	:	243,070,500	8,102,400	567,000	18,900	62,089	10.9	428.7
May	206	8	115,545,200	103	8	23,978,800	454	16	152,755,200	:	:		292,279,200	9,428,400	691,500	22,306	76,732	11.1	422.7
June	513	8	107,980,100	:	:	:	720	8	236,774,400	:	:	:	344,754,500	11,491,800	780,500	26,016	85,865	11.0	441.7
July	383	8	85,103,600	114	8	24,462,000	528	3	177,996,800	:	:	:	287,562,400	9,276,200	685,500	22,113	72,816	10.5	419.5
August	<b>3</b>	46	10,479,400	:	:	:	102	34	236,620,800	==	8	3,755,800	250,855,500	8,092,100	561,500	18,113	61,296	10.9	446.8
September .	249	8	64,511,000	:	:	:	676	16	230,886,400	88	16	13,608,600	299,006,000	9,966,900	676,000	22,533	79,343	11.7	442.8
October	145	8	32,193,200	:	:	:	602	8	209,664,000	88	8	26,613,000	268,470,200	8,660,300	606,500	19,564	72,224	11.9	442.6
November .	•	16	3,110,600	:	:	:	£	45	216,875,500	2	8	32,905,300	252,891,400	8,429,700	545,000	18,166	59,823	10.9	464.0
December	116	4	24,568,000	:	:	:	206	2	175,999,500	197	45	86,822,000	287,889,500	9,270,600	595,500	19,209	65,445	10.9	504.6
Totals and averages.	8,240	8	720,723,800 1,892	1,392	3	295,205,000	6,676	9	2,276,190,200	88	8	163,704,200	163,704,200 8,455,822,700	9,468,000 8,121,000	8,121,000	22,249	884,316	10.9	425.5
-	-	-	-  -	-	-		-		-	-	-	-	-	-		-		1	

TABLE IX.

Statement of Operations at the East Boston Pumping-Station for the Year 1895.

	R	NGI	NES NOS. 1	ND 2.		J	Incine No	. 3.	coal	ashes
1895.	Total pump.	ing time.	Total amount pumped to reservoir.	Daily average.	Total pump	ing time.	Total amount pumped to tank.	Daily average.	Total amount of coal consumed.	Per cent. of a
Month.	Hre.	M.	Gallons.	Gallons.	Hrs.	M.	Gallons.	Gallons.	Lbs.	Per ct.
Jan	378	15	14,869,540	479,700	54	25	844,020	27,200	43,900	19.1
Feb	410	50	17,078,320	609,900	68	45	1,035,420	87,000	48,750	18.9
March,	374	05	15,328,600	494,500	53	10	816,000	26,300	43,540	18.8
April .	322	50	13,316,800	443,900	58	25	770,160	25,700	36,380	17.8
May .	345	00	14,254,520	459,900	68	15	961,020	31,000	36,150	18.1
June .	334	05	13,663,580	455,500	88	15	1,315,440	43,800	36,100	18.0
July .	336	15	13,821,500	445,900	445,900   95   00   1,407,780 447,400   105   45   1,594,260	45,400	36,630	18.1		
Aug	834	45	13,868,820	445,900 95 00 1,407,780 447,400 105 45 1,594,280	1,594,260	51,400	37,700	18.0		
Sept	296	15	12,116,440		48,100	85,200	18.3			
Oct	329	80	13,653,920		41,600	85,700	18.2			
Nov.	325	00	18,011,880	433,700	88	45	1,169,520	39,000	84,870	18.0
Dec	355	25	14,915,460	481,100	116	35	1,693,020	54,600	43,600	18.3
Totals,	4,137	15	169,899,380	465,500	979	55	14,338,380	39,800	468,520	18.4

Engines Nos. 1 and 2 pump to the reservoir. Engine No. 3 pumps to the tank on Breed's Island.

TABLE X.

Statement of Operations at the West Roxbury Pumping-Station for the Year 1895.

1895.	Total pumping		Total amount pumped.	Daily average amount pumped.	Quantity pumped per lb. of coal.	Total amount of coal consumed.	Per cent. of ashes and clinkers.	Average lift.
Month.	Hours.	Min.	Gallons.	Gallons.	Gallons.	Lbs.	Per cent.	Feet.
January	390	30	4,611,675	148,700	145.5	31,700	18.6	135.39
February .	410	30	4,783,275	170,800	157.5	30,375	17.1	184.07
March	399	30	4,706,400	151,800	152.6	30,850	17.3	134.83
April	357	00	4,270,200	142,300	162.1	26,350	16.3	186.60
Мау	395	00	5,019,825	161,900	172.1	29,175	17.4	136.57
June	583	00	6,465,600	215,500	162.8	39,425	20.4	138,88
July	446	30	5,617,950	181,200	166.1	33,825	18.2	138.60
August	494	30	6,344,175	204,700	162.7	89,000	18.4	138.09
September .	471	30	6,169,950	205,700	161.0	38,325	19.4	142.52
October	440	00	5,788,475	186,600	155.9	37,100	18.4	148.58
November .	410	00	5,540,250	184,700	165.6	83,450	16.8	142.67
December .	462	00	6,102,975	196,900	157.1	38,850	17.3	140.83
Totals and }	5,260	00	65,415,750	179 200	160.2	408,425	18.1	138.97

TABLE XI.

Table showing Work done at the Mystic Sewage Pumping-Station during the year 1895.

1895.		rumping ame.	Amount of sewage pumped and treated.	Sulphate aluminum used.	Coal used.	Dally average amount of sewage pumped and treated.
	Hrs.	Min.	Gallons.	Lbs.	Lbs.	Gallons.
January	543	05	13,289,800	25,360	82,400	428,700
February	472	55	10,492,100	21,560	28,100	388,600
March	523	00	13,670,000	25,740	82,500	441,000
April	474	45	10,254,800	20,470	28,300	353,600
Мау	464	05	9,529,400	20,085	28,200	852,900
June	390	11	7,296,900	17,775	23,500	304,000
July	279	45	5,480,500	12,550	16,200	322,400
Totals	3,147	46	70,013,500	143,540	189,200	376,400

Total number of days engine worked, 186.

Plant turned over to the Metropolitan Sewerage Commission on July 19, 1895.

TABLE XII.

Rainfall in Inches and Hundredths on Sudbury River Water-shed for the Year 1895.

1895.	January.	February.	March.	April.	Мау.	June.	July.	August.	September.	October.	November.	December.
1		<u> </u>				0.85		<u> </u>			1.18	
2		0.150	0.620					0.10				0.30
8				0.370	l			<b></b> .			0.50	
4		0.140	0.110		<b>.</b>		0.36			l		 
5						<b>.</b>	<b> </b>	<i>.</i>		 		0.94
6		<b> </b>	0.100			0.545	0.825		<b> </b>			
7	0.585							1.355		. <b>.</b> .		
8		1.055	0.835							0.155		
9	0.255				0.045		0.51	<b> </b> .	0.69			
10				1.320						<b>.</b>	0.155	<b> </b>
11	1.065								• • •			
12			0.030				• • •	0.27	0.56			
13	0.065			· • •	0.680	0.08	0.46		• • •			0.01
14		$ \cdot\cdot\cdot $	0.750	2.755		• • •	0.065	• • •	• • •	7.995		• • •
15	. <b></b>				0.560	0.015				0.04	2.465	
16	0.475	• • •	0.120	0.095			0.065		• • •		• • •	• • ·
17	• • •				• • •			• • •	• • •	· · ·	0.87	• • •
18	0.205	• • •			0.235	· • •	• • •	1.18	0.14		• • •	
19						• • •	• • •	• • •	• • •			
20	• • •	• · •	• • •	· • •	• • •	• • •	• • •	0.12	• • •	• • •	0.07	
21	• • •	• • •	· • •	• • •	• • •	• • •	0.41	• • •	• • •		0.87	
22	0.255	0.050	• • •	0.185	• • •	0.03	• • •	• • •	• • •	· • •	• • •	0.915
28	• • •		• • •	• . •		• • •	• • •	• • •	• • •	• • •	• • •	
24	• • •	• • •		• • •	• • •			0.005		• • •	0.205	•••
25	• • •	• • •	0.145	0.015		0.555	• • •	• • •	• • •	• • •	0.185	• • •
26	0.995		• • •	• • •	0.055	•••	• • •	• • •	0.335		1.805	
27	• • •	· • •		0.295	0.315	• • •	0.18	• • •	• • •	• • •	· • •	0.41
28		• • •	0.185	• • •	• • •				• • •	0.055	• • •	• • •
29	0.160				• • •	1.115	0.015	0.28		• • •	• • •	• • •
30	• • •	• • •	0.085	0.215		0.080	2.215		0.575		• • •	
81	• • •			• • •	0.130	• • •	• • •	0.89	• • •	1.255	• • •	0.775
Totals .	4.060	1.395	2.980	5.250	2.020	2.770	5.040	4.150	2.300	9.500	7.805	3.350

Total rainfall during the year, 50.62 inches, being an average of two gauges located at Framingham and Ashland.

TABLE XIII.

Rainfall in Inches and Hundredths at Lake Cochituate for the Year 1895.

1895.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1							. <b></b>				1.14	
2		0.16	0.61		<b> </b>		. : •	0.09			0.50	0.27
8		• • •	• • •	0.38								
4	• • •	0.11	0.10	- • •	0.08		0.82				• • •	$ \cdot \cdot \cdot$
5			• • •	• • •				• • •	• • •			0.88
6		• • •	0.09			0.87	0.55	• • •	• • •	• • •	• • •	
7	0.52	• • •	• • •	• • •	• • •	• • •	• • •	1.67	• • •	• • •		
8		1.38	0.91	· · •	0.04	• • •	• • •	• • •	• • •	0.25	• • •	
9	0.20	• • •	• • •	1.01	• • •	• • •	0.51		0.59	• • •	0.15	
10		• • •	• • •	0.16	• • •	• • •	• . •	· • •		• • •	• • •	• • •
11	1.07		• • •	• • •		• • •	• • •		1.17	• • •	· • •	• • •
2		• • •	0.08	•••	0.66	• • •	• • •	0.82	• • •	• • •	• • •	• • •
18	0.07	• • •		• • •	• • •	0.14	0.89	• • •	• • •	6.95	• • •	
l <b>4</b>			0.77	• • •		• • •	0.18	• • •	• • •	• • •		
L5		• • •	• • •	2.79	0.59	• • •		• • •	• • •	0.04	2.87	
	0.48	• • •	0.11	0.04	0.02		0.06	• • •	• • •	• • •	• • •	• •
17		• • •				· · · ·		• • •			0.86	• •
l8	0.19		• • •		0.21			1.09	0.12	• • •	• • •	
19		• • •	• • •					• • •	• • •		• • • •	
20								0.02	• • •	• • •	0.47	
21		0.05	• • •			0.08	• • •		• • •	• • •	• • •	
22	0.26		• • •	0.18		• • •	• • •	• • •	• • •	• • •	• • •	0.57
23 24						0.00				• • •		• •
			0.15			0.89				• • •	0.18	
			l			0.15			0.00		1.79	
	0.98		• • •	0.25	0.09		0.13		0.80	0.08	1.19	0.00
27 28			0.26		l	0.91	İ		· · ·	l		0.32
29 29	0.16		0.28			0.91		0.10				
av 30	0.10		0.05	0.22		1.13	2,57	0.10	0.59			
31 <b>.</b> .	:::			0.22	0.17	1.18		0.67	0.59	1.13		0.72
	<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>	<u> </u>		<u> </u>		<u> </u>	0.72
Totals	3.93	1.70	8.11	5.03	2.03	8.12	4.71	3.96	2.77	8.43	7.46	2.71

Total rainfall during the year, 48.96 inches.

TABLE XIV.

Rainfall in Inches and Hundredths on Mystic Lake Water-shed for the Year 1895.

1895.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1						0.04	0.25				1.405	
2		0.110	0.600					0.115			0.585	0.21
8				0.365								
4		0.110			0.260	0.225	0.18				· · •	
5			0.095									
6			0.095		0.585	0.09	0,225		· · ·			0.64
7	0.425				• • •			2.55				· • ·
8		0.425	0.800			• • •			• • •	0.265		· · ·
9	0.220		0.010	0.785			0.61					
10				0.100		• • •	• • •		• • •		0.16	
11	0.965				• • •	$ \cdot\cdot\cdot $	• • •	· • •			• • •	• • •
12	• • •	• • •	· • •		• • •	• • •	• • •	0.175	1.305			• • •
13	0.095	• • •	• • •	• • •	1.255	0.685		• • •	• • •			• • •
14	• • •	• • •	0.790	• • •	• • •	• • •	0.76	• • •	• • •	7.025	• · •	• • •
15	• • •	• • •	• • •	2.190	0.470	• • •	•,••	• • •	• • •	0.075	2.210	
16	0.410	• • •	0.090	0.060	• • •	• • •	• • •	• • •	• • •	• · •	• • •	
17	• • • •	• • •	•••	• • •	• • •	• • •	0.04		• • •	• • •	0.80	• • •
18	• • •	• • •	• • •	• • •	0.22	• • •	• • •	1.99	0.085	• • •	• • •	• • •
19	0.150	• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •		• • •
20	• • •	• • • •		• • • •	• • •	• • •	• • •	0.025	• • •	• • •	0.485	
21	0.045	0.010	0.030	0.010	0.005			• • •	• • •	• • •	0.185	
23	0.245	•••	0.000	0.210	0.085	0.04	0.08	• • • •	• • •		• • •	0.56
24	• • •	• • •	•	• • • •				0.01	• • •		0.435	• • •
25			0.160	0.065		0.40		0.01	0.060		0.455	• • •
26	0.900		0.025	0.000	0.09	0.40	• • •	0.01	0.030		0.155	
27	0.500			0,215	0.05				0.175	0.075	1.245	0.355
28			0.205	0.210	0.285		0.215		0.110	3.010	1.070	0.000
29	0.125		0.060		3.200			0.045				
80			0.040	0.195		2.150	1.985		0.385			
81								0.515		1.350		0.535
Totals	3.535	0.655	3.000	4.185	3.150	3.630	4.345	5.485	2.040	8.790	7.665	2,300

Total rainfall during the year, 48.73 inches, being an average of two gauges, located at Mystic Lake and Mystic Reservoir.

TABLE XV.

Monthly Rainfall in Inches, during 1895, at Various Places in Eartern Massachusetts.

PLACE.	Jan.	Feb.	March. April.	April.	Мау.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
Framingham	88.5	1.46	2.95	6.38	1.94	8.23	5.17	₩.00	2.19	10.01	2.7	3.20	61.40
Dam 4, Ashland	4.24	1.84	3.01	5.12	2.10	2.31	16.4	4.30	2.41	8.93	7.67	8.50	49.84
Cordaville	4.06	1.77	2.95	5.33	2.19	8.10	4.63	<b>4.38</b>	2.27	88.0	7.47	8.48	10.19
Lake Cochituate	8.83	1.70	3.11	5.03	2.03	3.12	4.7	3.96	2.77	8.43	7.46	2.71	48.96
Chestnut Hill	3.91	88.	2.91	4.60	2.58	2.21	3.55	8.91	2.15	9.21	7.00	2.88	45.98
Mystic Lake	3.84	88	8.15	4.46	2.71	3.61	9.4	5.31	2.23	9.24	7.95	1.96	49.90
Winchester	3.23	84.	2.85	8.91	8.59	8.75	80.4	92.9	1.86	8.3	7.88	2.6	47.56
Mystic Pumping-station	3.62	.75	2.85	4.28	2.54	8.14	4.04	6.29	1.63	9.27	7.47	2.17	46.95
Cambridge Observatory	3.86	1.28	2.08	8.58	1.98	2.78	3.85	8.90	2.14	7.10	8.84	2.19	43.55
Waltham, Boston Manufacturing Co	<b>4.</b> 08	1.29	8.01	4.67	2.03	3.67	4.04	4.92	2.55	11.08	6.17	2.61	60.12
Lowell, Locks and Canals Co	3.30	1.47	2.66	4.57	1.68	2.68	2.06	2.03	2.28	6.67	8.16	2.68	40.78
Average of above eleven places	3.81	1.19	2.92	4.63	2.31	3.04	4.16	4.32	2.21	8.88	7.66	2.67	47.81

TABLE XVI.

Table showing the Temperature of Air and Water at Various Stations on the Water-Works.

		TE	<b>MPERAT</b> U	RE OF A	LIR.		TEMPERATE WATE	TURE OF
1895.	Chestnut	t-Hill Re	servoir.	Fr	amingha	m.	Brookline Reservoir.	Mystic Engine- House.
	Maximum.	Minimum.	Mesn.	Maximum.	Minimum.	Mean.	Mean.	Mean.
January	50.0	2.0	26.3	49.0	-4.0	23.4	37.0	28.2
February	44.5	-8.5	22.4	45.0	-13.0	20.1	86.0	23.8
March	53.5	11.5	34.2	52.0	11.0	82.5	87.0	34.3
April	82.0	24.0	46.1	79.0	22.0	45.1	44.6	47.1
May	94.0	27.5	61.2	92.0	26.0	59.8	59.1	61.2
June	94.0	46.0	69.1	93.0	43.0	67.8	69.4	69.5
July	93.0	48.0	69.1	93.0	44.0	67.1	71.8	70.8
August	92.0	47.5	70.4	87.0	40.0	67.9	72.9	71.2
September	96.0	38.0	65.8	96.0	34.0	63.8	70.0	67.4
October	71.0	21.0	47.4	69.0	22.0	47.0	55.9	48.8
November	73.5	14.5	43.9	73.0	16.0	48.8	46.4	46.2
December	63.0	6.0	83.3	60.0	6.0	33.4	88.1	36.2

Note. — The maximum and minimum air temperatures in above table are the highest and lowest temperatures in any one day of the month. The mean air temperature is the average of the maximum and minimum temperatures of the whole month. The water temperatures are the mean temperatures for the whole month.

TABLE XVII.

Rainfall in Inches on Cochituate Water-shed, 1863 to 1895.

YEAR.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	90	Nov.	Dec.	Totals.	4 months, July-Oct.
1863	4.10	4.38	8.57	11.34	2.66	1.98	14.12	19.9	8.89	4.56	8.54	90.9	69.30	27.08
1864	3.87	96.0	8.44	4.02	2.84	0.58	1.06	3.56	1.62	6.50	97.9	4.28	42.60	12.64
1865	4.99	4.46	5.48	2.18	8.25	16.0	3.10	3.36	1.66	6.90	4.78	3.31	49.46	16.11
1866	1.4	98.9	3.92	1.94	6.46	4.80	18.35	8.08	8.36	3.43	4.52	4.82	62.33	20.12
1867	2.76	5.40	5.66	2.48	6.46	2.95	5.86	12.36	1.08	7.27	2.63	1.90	56.25	28.07
1868	8.70	1.18	2,51	19.6	8.12	2.95	2.16	7.38	7.69	1.19	6.77	97.0	49.71	18.43
1869	8.71	7.07	7.52	2.57	1.59	3.08	2.63	2.34	8.40	9.6	8.26	86.3	<b>64.34</b>	22.96
1870	7.85	4.68	6.04	8 81	8.14	4.06	8.10	2 03	9.0	7.96	4.40	8.19	66.80	18.73
1871	1.81	2.30	5.03	2.29	99.9	96.9	2.20	8.56	1.46	88.9	1.01	3.24	46.30	12.60
1872	1.86	1.87	3.06	1.74	8.24	4.27	5.55	9.76	6.29	8.60	4.23	8.42	48.47	25.20
1873	4.24	2.43	8.98	2.69	8.24	0.38	4.08	7.17	2.62	6.11	4.54	3.96	46.48	19.98
1874	2.96	2.90	1.19	6.36	8.40	4.79	3.16	4.88	1.55	1.04	2.06	1.70	86.98	10.58
1875	2.42	8.15	8.74	8.23	3.56	6.24	3.57	5.53	8.43	4.85	4.88	9.0	45.40	17.38
1876	1.83	4.21	7.43	8.24	2.80	1.60	9.40	2.19	8.98	2.00	6.59	3.18	48.49	17.66
1877	8.19	0.53	7.79	3.24	8.73	2.64	2.77	3.86	0.46	8.14	6.94	1.02	43.80	14.72
1878	5.77	5.93	4.20	5.63	0.83	3,33	8.47	6.94	1.12	5.15	6.00	5.12	68.58	16.68
1879	2.00	3.05	3.90	4.80	1.20	4.14	8.38	6.43	1.74	0.90	2.98	3.60	88.01	12.46
1880	3.07	4.05	2.83	2,94	1.98	1.26	7,00	8.81	1.60	2.95	1.70	2.56	86.83	16.46

8.91	16.06	9.74	12.40	15.63	13.41	11.24	21.75	22.44	22.23	14.16	11.66	13.76	13.69	21.01	666.39	16.86
41.09	40.29	31.20	46.67	48.66	46.97	41.58	56.98	50.28	51.23	46.42	89.04	45.28	39.08	48.96	1,567.82	47.21
3.88	2.17	8.14	6.31	2.32	5.77	3.80	2.66	2.70	5.26	8.17	1.18	5.03	4.38	2.71	113.59	8.44
38.86	0.98	2.06	2.33	5.26	4.76	2.76	7.08	6.79	1.24	2.84	5.14	2.08	8.53	6.32	143.22	4.34
2.87	2.23	5.16	2.59	5.26	3.16	2.40	4.96	8.85	10.11	4.14	1.42	8.74	5.14	9.57	164.28	4.67
2.18	8.20	1.31	0.90	1.63	8.20	1.28	8.81	4.92	6.47	2.12	2.87	1.76	2.27	2.17	108.81	8.30
1.13	1.14	0.80	4.40	1.01	3.76	8.70	6.82	4.57	8.34	4.91	8.79	5.86	2.57	8.96	151.12	4.58
2.78	3.49	2.88	4.42	1.73	8.30	8.77	1.67	9.10	2.31	2.99	3.47	2.40	3.61	4.71	142.18	4.31
4.83	1.87	1.81	3.88	2.96	1.21	2.58	2.07	8.17	1.78	3.78	3.23	2.75	1.61	3.12	97.15	2.94
8.18	4.78	3.96	2.93	3.46	2.97	1.02	4.68	8.64	5.31	1.67	5.46	5.46	8.70	2.03	129.28	8.92
1.11	1.89	2.27	3.80	8.71	2.00	4.46	2.51	3.19	2.51	3.62	0.78	3.21	8.27	6.03	118.90	3.60
4.79	2.76	1.76	4.50	1,09	8.46	6.10	2.60	2.28	7.85	67.6	4.13	8.18	1.16	8.11	141.97	4.80
4.48	3.96	3.59	<b>6</b> .04	86.8	6.86	5.34	3.55	1.56	3.21	5.03	2.80	7.26	3.89	1.70	127.06	3.85
5.56	6.93	2.88	4.30	5.35	6.53	6.29	4.13	5.46	2.34	6.67	. 4.78	2.61	3.96	8.93	130.27	3.95
1881	1882	1883	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	1896	Totals	Averages

TABLE XVIII.
Rainfall collected, in Inches, on Cochituate Water-shed, 1863 to 1895.

Year.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Totals.	4 months, July-Oct.
1863	1.93	3.11	3.71	4.42	1.44	0.67	2.97	1.61	0.98	1.82	2.65	2.17	88.88	6.78
1864	2.39	1.56	4.05	2.65	1.62	0.49	0.41	99.0	0.49	1.43	1.25	1.33	18.35	8.01
1866	2.15	1.74	4.66	2.70	4.70	0.34	0.46	0.47	0.45	0.70	1.00	1.18	20.50	2.08
1866	0.73	2.84	1.76	1.63	1.29	1.10	1.20	0.64	1.84	0.93	0.99	1.56	16.01	<b>4.11</b>
1867	1.10	5.24	3.50	2.87	2.20	0.65	0.59	2.10	0.31	1.02	1.10	1.12	21.80	4.02
1868	1.22	1.12	3.84	3.48	6.17	1.59	0.46	1.18	1.85	0.95	1.96	1.17	24.98	4.43
1869	1.82	1.84	3.31	2.49	2,20	1.07	97.0	0.58	1.10	2.87	1.30	3.17	21.99	4.79
1870	4.71	3.93	3.38	6.87	1.66	0.97	0.53	0.41	0.86	171	0.88	0.77	26.08	2.91
1871	1.03	2.28	2.53	1.58	2.00	0.87	0.43	0.85	0.39	0.0	1.30	1.21	15.16	2.36
1872	1.15	0.93	1.41	3.08	1.10	1.49	0.14	1.32	1.70	1.69	2.00	1.21	17.22	4.85
1873	3.09	1.67	3.89	6.09	2.06	0.45	0.62	1.40	0.78	2.04	1.86	2.68	27.13	4.84
1874	3.55	2.19	1.84	3.19	2.78	1.96	0.95	0.92	0.63	0.52	0.58	0.51	19.52	2.92
1875	0.13	2.92	2.66	3.15	1.39	1.48	0.25	0.62	0.60	1.19	1.96	1.22	17.57	2.66
1876	1.09	1.78	61.9	4.20	1.43	19.0	0.84	0.29	0.88	0.49	1.85	0.99	19.54	2.50
1877	1.20	1.37	6.81	8.24	2.04	0.92	0.65	0.67	0.48	1.16	2.69	1.96	23.17	2.94
1878	3.25	3.97	5.40	2.86	1.66	0.76	0.47	0.84	0.29	0.73	2.07	4.04	26.34	2,33
1879	1.29	2.32	3.30	4.48	1.40	0.77	0.33	0.95	19.0	0.60	0.72	1.04	17.81	2.49
1880	1.47	2.24	1.79	1.57	0.44	90.0	0.33	0.23	0.24	0.49	0.83	19.0	10.30	1.29

1881	1.19	2.23	5.66	1.79	1.26	1.81	0.16	0.09	0.23	0.18	0.84	1.40	25	99.0
1882	1.84	8.00	3.67	0.93	1.55	0.62	90.0	0.07	0.97	0.84	0.58	0.92	. 02 14	1.94
1883	0.84	1.59	2.04	1.66	1.26	0.07	0.02	0.07	0.62	0.59	0.41	0.94	. II	1.30
1884	1.84	2.86	4.67	4.00	1.39	0.67	0.26	0.61	0.13	0.34	0.62	1.82	. 5	1.84
1885	1.90	2.00	2.21	2.36	1.61	0.43	0.00	0.38	0.25	0.79	2.02	1.64	15.57	1.87
1886	2.28	7.98	3.51	2.52	1.09	0.18	0.25	0.14	0.30	0.42	1.20	2.10	21.92	1711
1887	4.06	4.34	4.70	3.36	1.86	0.82	0.72	1.33	0.64	0.49	0.70	0.96	28.47	8.18
1888	1.13	2.77	4.76	3.45	2.37	0.53	0.47	0.94	2.31	2.57	4.21	5.46	30.97	6.20
1889	9.7	1.85	2.08	2.17	1.20	1.18	1.63	3.43	1.79	1.91	2.95	8.26	27.95	8.76
1890	1.92	2.04	5.87	2.23	1.85	1.41	0.33	0.46	1.40	3.40	1.49	2.11	24.51	5.59
1891	6.26	6.62	8.08	4.31	0.88	0.77	0.50	0.72	0.76	0.79	0.83	1.60	32.07	2.11
1892	8.18	1.64	3.12	0.90	2.03	0.49	0.33	99.0	09.0	0.67	1.09	0.84	16.35	2.06
1893	0.64	2.55	4.12	2.43	1.83	0.75	0.38	0.77	0.42	1.09	1.00	1.68	17.65	2.66
1894	1.27	1.69	2.55	2.15	0.91	0.45	98"0	0.41	0.46	0.68	0.92	1.14	12.99	1.91
1895	1,58	0.75	8.50	3.35	0.97	0.40	0.55	0.50	0.69	1.97	8.51	2.40	20.17	8.71
Totals	67.73	86.81	123.52	98.15	59.73	26.23	18.40	26.09	25.43	36.04	49.39	56.16	673.68	105.96
Averages	2.05	2.63	3.74	2.97	1.81	0.79	0.56	0.79	0.77	1.09	1.50	1.70	20.41	3.21

TABLE XIX. Percentage of Rainfall collected on Cochistuate Water-shed, 1863 to 1895.

YBAB.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oet.	Nov.	96.	Yearly.	4 months, July-Oct.
1863	47.0	71.0	104.0	89.0	0.40	34.0	21.0	27.0	29.0	28.0	81.0	43.0	8.88	24.5
1864	71.0	159.0	48.0	0.89	67.0	84.0	39.0	19.0	82.0	0.22	28.0	31.0	43.0	8.8
1865	43.0	39.0	85.0	124.0	67.0	37.0	15.0	14.0	27.0	10.0	21.0	84.0	41.4	18.8
9981	61.0	49.0	45.0	84.0	20.0	23.0	9.0	16.0	16.0	27.0	0.22	36.0	25.7	14.1
1867	40.0	0.70	62.0	118.0	84.0	0.22	11.0	17.0	0.08	14.0	42.0	69.0	88.7	16.4
1868	33.0	95.0	163.0	62.0	76.0	0.49	21.0	16.0	0.42	0.08	28.0	261.0	50.3	27.0
1869	49.0	26.0	44.0	97.0	29.0	0.62	28.0	0.35	18.0	98.0	40.0	63.0	84.2	8.08
1870	0.00	94.0	0.99	78.0	63.0	24.0	17.0	0.06	134.0	14.0	20.0	0.72	46.7	21.2
1871	79.0	0.08	50.4	8.89	35.3	14.6	19.6	88.8	8.98	12.8	18.5	87.4	88.4	18.7
1872	8.19	67.8	46.0	177.3	83.8	84.8	2.6	18.6	27.0	45.7	47.4	86.3	36.5	19.3
1873	72.9	8.49	8.76	226.4	82.2	119.1	16.1	19.5	8.62	83.4	6.0	67.9	8.63	24.3
1874	120.0	75.5	154.7	50.2	81.7	40.8	80.0	19.1	84.3	60.3	28.4	· 83	64.3	27.6
1875	5.5	93.8	11.2	97.6	89.9	23.7	7.1	11.2	17.4	97.0	40.5	120.8	88.6	16.3
1876	59.3	42.4	6.99	129.7	6.03	81.6	8.9	18.8	22.2	24.8	28.1	81.6	40.3	14.3
1877	37.6	258.9	87.4	100.0	54.6	84.8	23.3	19.6	8.66	14.8	38.8	192.6	52.9	20.0
1878	56.3	6.99	128.6	2.09	200.0	23.2	18.5	12.0	26.8	14.3	84.0	78.8	40.2	14.0
1879	64.4	76.8	84.5	9.96	117.0	18.6	9.7	14.7	86.0	66.5	24.2	28.9	46.9	20.0
1880	67.9	55.3		68.3	22.2	4.5	4.7	6.1	14.8	16.6	_ 	23.8	28.7	8.8

39.8   7.4	87.4 12.1	32.4 13.3	42.2 10.8	35.7 8.8	49.7 8.8	47.8 28.3	54.4 28.9	55.6 39.0	47.9 25.1	69.1 19.6	39.3 17.8	39.0 19.8	33.3 14.1	41.2 17.7	1428.1 609.7	48.12 18.48
36.7	42.3	29.8	34.2	70.7	29.7	25.6					11.1	33.4	26.1	88.6	1993.1	60.39
21.8	62.4	20.0	26.7	39.0	21.7	23.4	6.63	6.03	120.0	29.2	21.2	48.4	26.1	55.5	1208.9	36.48
4.6	87.9	11.6	18.1	15.0	13.4	18.7	6.13	49.6	33.7	19.0	40.2	28.8	12.8	20.6	896.4	27.16
10.8	10.5	47.4	14.9	15.5	10.7	32.0	26.2	36.4	21.6	35.9	21.1	23.9	20.0	25.0	988.3	29.94
7.6	6.2	18.6	13.6	4.8	7- 00	27.1	14.9	75.0	13.9	14.7	14.7	13.2	16.1	12.6	567.6	17.20
8.5	1.1	9.0	6.0	0.0	11.1	13.2	28.1	17.9	14.2	16.7	9.5	15.9	10.4	11.8	458.3	13.89
27.0	33.1	3.7	17.8	14.4	35.5	47.3	25.8	37.1	79.1	20.4	15.3	27.2	27.9	13.0	1076.8	32.68
39.6	32.8	91.9	47.5	46.7	43.0	112.0	51.2	32.9	34.9	52.8	87.1	33.5	24.6	47.8	1765.9	53.51
104.8	49.3	73.1	106.1	68.6	154.3	81.3	137.3	68.1	6.88	119.1	116.6	75.7	65.8	96.5	3085.9	93.51
118.1	133.0	116.8	103.9	202.7	101.9	72.0	85.0	91.6	79.9	146.3	75.7	131.7	219.7	112.4	3240.4	98.19
60.3	15.9	44.3	47.4	. 60.2	107.8	8.08	78.0	118.7	63.4	131.9	58.5	36.1	43.5	44.2	2549.2	77.26
21.5	31.0	20.5	41.8	36.1	36.6	60.2	27.5	82.5	82.0	8.88	9.99	24.5	82.3	40.1	1704.4	51.66
1881	1882	1883	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	1895	Totals	Averages

TABLEXX.
Rainfall, in Inches, on Suddury-river Water-shed, 1875 to 1895.

			C.mar	tending was in the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the co										
Jan. Feb.			March.	April.	May.	June.	July.	Aug.	Sept.	0ct.	Nov.	Dec.	Totals.	4 months, July-Oct.
2.420 8.150	8.150		8.740	3.230	3.560	6.240	8.570	5.530	3.430	4.850	4.830	0.940	45.490	17.880
1.830 4.210	4.210		7.430	4.197	2.768	2.040	9.184	1.720	4.614	2.241	5.764	3.620	40.568	17.709
8.216 0.739	0.739		8.357	.3.435	3.702	2.425	2.951	3.682	0.823	8.615	5.803	0.870	44.018	16.471
5.632 5.973	5.973		4.689	5.790	0.956	3.884	2.971	6.987	1.291	6.417	7.024	6.367	57.931	17.616
2.478 3.562	3.562		5.140	4.716	1.579	3.789	3.938	6.208	1.878	0.800	2.682	4.344	41.419	18.120
3.566 3.980	8.980		8.315	3.105	1.836	2.138	6.273	4.008	1.608	8.740	1.785	2.828	88.177	15.624
5.558 4.646	4.646		5.730	2.000	3.511	5.395	2.350	1.358	2.617	2.966	4.091	8.958	44.169	9.280
5.951 4.546	4.546		2.649	1.824	990.9	1.664	1.769	1.667	8.741	2.074	1.147	2.296	39,394	14.261
2.810 3.865	3.865		1.780	1.845	4.186	2.400	2.680	0.736	1.520	9.600	1.810	8.550	32.780	10.585
5.085 6.545	6.545		4.720	4.405	3.470	3.445	3.665	4.650	0.855	2.480	2.646	6.170	47.186	11.660
4.710 3.866	3.865		1.070	3.605	3.485	2.865	1.425	7.185	1.425	5.095	6.095	2.720	43.546	15.180
6.365 6.280	6.280		3.610	2.224	2.995	1.465	3.265	4.100	2.906	3.236	4.645	4.975	46.066	18.505
5.200 4.780	4.780		4.900	4.265	1.166	2.650	3.760	5.280	1.320	2.836	2.670	3.880	42.706	18.195
4.150 3.685	3.686		6.020	2.425	4.825	2.535	1.406	6.225	8.585	4.990	7.224	5.895	57.466	21.206
5.370 1.655	1.665		2.365	3.410	2.946	2.800	8.940	4.175	4.605	4.255	6.290	8.140	49.950	27.975
2.580 3.505	3.505		7.736	2.645	5.210	2.030	2.460	3.865	9.000	10.510	1.200	5.810	63.000	22.835
7.020 5.285	5.235		6.475	3.905	2.010	3.770	3.895	4.725	2.380	3.830	3.090	3.685	49.520	14.380
6.850 3.140	3.140		4.060	0.830	5.585	2.760	4.230	4.440	2.840	1.170	5.800	1.125	41.880	12.680
2.925 8.195	8.195		8.670	3.605	6.610	2.380	2.570	5.415	1.736	4.065	2.196	4.860	48.226	18.786
4.090 8.910	8.910		1.435	8.416	4.285	1.156	3.255	2.030	2.635	5.845	8.426	4.810	89.740	13.265
4,060 1,395	1.395		2.980	5.250	2.020	2.70	6.040	4.150	2.300	10.680	6.625	8.850	50.620	22.170
90.816 86.861	86.861	<u>.                                    </u>	91.870	70.127	11.718	60.600	79.041	88.386	63.602	95.691	86.841	77.198	962.741	\$26.720
4.825 4.136	4.136	<u> </u>	4.875	3.339	8.416	2.886	8.764	4.209	3.029	4.557	4.186	3.676	45.846	15.558

TABLE XXI.
Rainfall collected, in Inches, on Suddury-river Water-shed, 1875 to 1895.

YEAR.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Totals.	4 months, July-Oct.
1876	0.184	2.411	2.862	5.263	2.119	1.501	0.573	0.706	0.358	1.152	2.248	1.041	20.418	2.789
1876	1.147	2.282	116.7	5.683	2.031	0.383	0.326	0.723	0.318	0.417	1.878	0.800	28.908	1.784
1877	1.174	1.529	8.586	4.132	2.482	1.031	0.360	0.216	0.103	1.127	2.447	2.300	25.487	1.806
1878	3.228	3.972	6.256	2.807	2.487	0.873	0.229	0.848	0.277	0.921	2.922	5.667	80.487	2.275
1879	1.249	2.756	4.156	5.379	1.987	0.713	0.281	0.706	0.243	0.126	0.355	0.825	18.775	1.355
1880	2.000	2.985	2.451	2.017	0.917	0.303	0.315	0.212	0.138	0.181	0.354	0.312	12.182	0.846
1881	0.740	2.491	7.142	2.669	1.721	2.309	0.493	0.264	0.340	0.331	0.682	1.383	20.565	1.428
1882	2.213	3.872	5.064	1.497	2.304	0.913	0.154	0.000	0.529	0.534	0.362	0.561	18.102	1.316
1883	0.597	1.664	2.873	2.330	1.673	0.518	0.206	0.140	0.157	0.331	0.354	0.345	11.188	0.834
1884	1.775	4.742	6.752	4.926	1.838	0.719	0.399	0.458	0.076	0.148	0.302	1.650	28.784	1.081
1885	2,203	2.182	2.806	3.133	2.383	0.736	0.111	0.429	0.200	0.599	2.033	2.094	18.916	1.348
1886	2.606	7.734	3.672	3.361	1.285	0.850	0.206	0.168	0.208	0.260	1.161	1.819	22.826	0.837
1887	4.619	4.558	5.116	4.522	1.799	0.714	0.204	0.382	0.191	0.339	0.636	1.147	24.227	1.116
1888	1.878	8.255	5.775	4.566	2.912	0.728	0.200	0.677	1.994	3.566	4.761	5.428	35.749	6.446
1889	4.963	1.928	2.388	2.434	1.569	1.128	1.130	2.554	1.422	2.194	3.361	3.097	29.056	7.300
1890	2.287	2.468	6.498	3.236	2.437	0.080	0.191	0.236	0.790	4.063	2.097	1.776	26.993	5.269
1891	5.383	5.616	1.944	4.138	1.039	0.714	0.266	0.290	0.350	0.375	0.526	0.971	27.612	1.281
1892	3.835	1.574	3.488	1.504	2.245	0.739	0.382	0.500	0.396	0.224	1.204	0.865	16.456	1.502
1893	0.773	2.485	6.789	3.668	5.143	0.759	0.282	0.822	0.187	0.395	0.550	1.421	21.774	1.186
1894	1.236	1.596	3.992	2.832	1.498	0.723	0.287	0.373	0.258	0.668	1.442	1.277	16.182	1.586
1895	1.844	0.871	4.299	4.341	1.184	0.301	0.411	0.408	0.163	2.460	4.794	8.179	24.196	8.433
Totals	46.384	62.961	105.819	14.437	43.008	17.134	7.015	10.710	8.692	20.401	84.459	38.867	468.882	46.818
Average	2.161	2.998	5.089	3.545	2.048	0.816	0.334	0.510	0.414	0.971	1,641	1.851	22.328	2.220
				-		-								- 1

TABLE XXII.

Percentage of Rainfall collected on Sudbury-river Water-shed,
1875 to 1895.

YBAR.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Yearly.	4 months, July-Oct.
1875	7.6	76.5	76.5	162.9	59.5	24.0	16.0	12.8	10.4	23.8	46.5	110.7	44.9	16.0
1876	62.7	54.2	106.5	135.4	78.5	18.8	8.6	42.0	6.9	18.6	<b>32</b> .6	22.3	48.2	10.1
1877	86.5	206.9	102.7	120.3	67.0	42.5	12.2	5.9	81.9	13.2	42.2	264.4	57.9	11.7
1878	57.8	66.5	133.4	48.5	260.2	22.5	7.7	12.2	21.5	14.8	41.6	89.0	52.6	12.9
1879	50.4	77.4	80.9	114.1	125.8	18.8	7.1	10.8	12.9	15.6	13.2	19.0	45.3	10.3
1880	56.0	74.9	73.9	65.0	50.0	14.2	5.0	5.8	8.6	4.8	19.9	11.0	31.9	5.4
1881	13.3	53.6	124.6	133.4	49.0	42.8	21.0	19.4	13.0	11.2	16.7	84.9	46.6	15.4
1882	37.2	85.2	191.2	82.1	45.5	54.9	8.7	5.9	6.0	25.7	81.5	24.5	45.9	9.2
1883	21.2	43.0	161.4	126.8	40.0	21.6	7.7	19.1	10.4	5.9	19.5	9.7	84.1	7.9
1884	34.9	72.5	143.1	111.8	53.0	20.9	10.9	9.8	8.9	6.0	11.4	81.9	50.5	9.8
1885	46.8	56.4	262.1	86.9	68.4	25.7	7.8	6.0	14.7	11.8	33.3	77.0	43.4	8.9
1886	40.9	123.2	101.7	151.1	42.9	23.9	6.8	4.1	7.0	8.0	25.0	36.6	49.5	6.2
1887	88.8	95.3	104.4	106.0	154.5	26.9	5.5	7.2	14.5	12.0	23.8	29.6	56.7	8.5
1888	45.8	88.3	95.9	188.3	60.3	28,7	14.9	10.9	28.2	71.4	65.9	100.6	62.2	30.4
1889	92.4	116.4	100.9	71.4	53.3	40.3	12.6	61.2	30.9	51.6	53.3	127.3	58.2	83.2
1890	88.4	70.8	84.0	122.3	46.8	48.3	7.8	6.1	13.2	88.6	174.7	33.5	50,9	23.1
1891	76.7	107.8	122.7	106.0	51.7	18.9	7.8	6.1	14.7	9.8	17.0	26.3	55.8	8.9
1892	57.0	50.1	85.9	181.1	40.2	26.8	9.0	11.3	18.9	19.2	20.7	76.9	39.3	11.8
1893	26.4	80.3	157.7	101.7	77.8	31.9	11.0	5.9	10.8	9.7	25.1	29.2	45.2	8.6
1894	30.2	40.8	278.2	82.9	35.4	62.6	8.8	18.4	9.8	12.5	42.1	26.5	40.7	12.0
1895	45.4	62.5	144.2	82.7	56.1	10.8	8.2	9.9	6.7	23.0	72.4	94.9	47.8	15.5
Totals .	1015.4	1651.6	2731.9	2380.2	1510 9	625.8	199.6	290.3	289.9	406.7	828.4	1275.8	1007.6	275.3
Averages,	48.4	78.6	180.1	113.3	71.9	29.8	9.5	13.8	13.8	19.4	39.4	60.8	48.0	13.1

TABLE XXIII.
Rainfall, in Inches, on Mystic Water-shed, 1878 to 1895.

			ra	aanjau, tr	Inches,	eshu uo	Mysuc Water-snea, 1675 to	-snea, 10	- 1	1090.				
YEAR.	Jan.	Feb.	March.	April.	Мау.	June.	July.	Aug.	Bept.	Oct.	Nov.	Dec.	Totals.	4 months, July-Oct.
1878	5.67	5.74	8.98	5.73	0.67	2.62	3.52	1.51	3.19	4.95	69.9	4.845	54.065	19.17
1879	1.82	2.73	3.52	4.65	1.86	3.98	2.39	5.48	1.60	0.77	2.76	3.74	35.30	10.24
1880	2.62	4.23	2.40	2.18	2.02	1.40	7.23	3.64	1.42	2.70	1.90	2,50	34.42	14.99
1881	5.83	3.63	69.9	1.54	2.98	48.9	2.60	0.67	2.17	2.16	3.52	3.29	41.91	7.60
1882	5.546	4.68	2.49	2.11	4.58	2.09	2.34	1.065	8.35	1.94	1.746	2.23	39.165	13.005
1883	2.67	3.065	2.22	2.47	3.585	1.636	2.785	0.87	1.495	6.45	1.98	2.995	31.22	10.60
1884	4.745	6.085	4.255	8.18	2.95	4.635	3.72	4.855	0.70	2.70	2.005	4.56	44.39	11.975
1885	4.83	8.40	1.176	3.445	3.945	4.41	2.04	9.30	1.425	5.52	6.31	2.10	44.50	14.885
1886	6.315	7.176	3.84	2.10	2.945	1.54	3.71	3.24	2.955	2.85	4.065	4.825	45.580	12.755
1887	5.245	4.47	9.00	4.605	1.69	2.695	6.585	4.965	1.50	3.04	3.05	3.575	46.42	16.090
1888	4.05	87.28	5.185	2.84	5.095	2.20	2.23	6.23	8.56	4.955	6.85	5.27	56.745	21.976
1889	5.505	1.86	2.285	3.61	4.64	3.315	8.455	3.92	4.706	3.59	5.65	2.86	50.395	20.67
1890	2.725	8.38	6.68	2.405	6.30	8.38	2,265	3.64	3.70	8.84	1.385	4.67	49.37	18.445
1891	6.245	5.075	6.07	3,15	2.46	4.43	8.18	3.88	2.16	4.735	2.605	3.41	47.40	13.955
1892	4.515	3.016	4.005	0.815	5.585	4.15	2.575	4.82	2.005	1.835	4.645	1.16	39.115	11.235
1893	2.26	7.50	2.55	3.37	6.26	2.10	2.04	5.41	2.01	4.10	2.25	4.35	44.20	18.56
1894	3.93	3.31	1.09	3.48	5.18	0.72	3.45	2.52	2.52	5.58	8.49	3.97	39.24	14.07
1895	3.536	0.655	3.00	4.186	3.150	3.630	4.346	5.436	2.040	10.195	6.260	2.300	48.78	22.015
Totals	78.045	73.280	66.475	55.865	66.895	65.860	65.460	74.050	52.505	75.910	66.160	62.640	792.145	267.925
Averages	4.836	4.071	3.693	3.104	3.661	8.103	3.637	4.114	2.917	4.217	3.676	3,480	44.008	14.885
					-								*	

TABLE XXIV.

Rainfall collected, in Inches, on Mystic Water-shed, 1878 to 1895.

YEAR.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	4 months, July-Oct.
1878	3.55	3.97	4.91	2.21	2.16	0.78	0.48	1.11	0.56	0.71	1.75	3.68	25.82	2.86
1879	1.21	2.33	3.81	3.97	1.95	0.97	0.54	0.70	0.48	0.34	0.45	0.69	16.94	2.06
1880	1.70	2.54	1.95	1.50	0.96	0.51	0.67	0.54	0.45	0.36	0.44	0.59	12.21	2.02
1881	0.82	2.14	6.79	2.17	1.51	2.05	0.87	0.35	0.31	0.29	0.50	0.87	18.67	1.82
1882	1.37	3.03	4.19	1.16	1.85	0.81	0.35	0.22	0.53	0.58	0.89	0,57	15.05	1.68
1883	0.70	1.43	1.88	1.63	1.20	0.52	0.30	0.22	0.18	0.39	0.42	0.44	9.31	1.09
1884	1.49	3.89	5.42	3.85	1.48	0.85	0.58	0.60	0.23	0.27	0.85	1.17	20.18	1.68
1885	1.79	1.81	2.05	2.03	2.18	0.86	0.47	0.54	0.34	0.68	2.41	2.39	17.55	2.03
1886	2.31	7.70	3.91	3.24	1.27	0.55	0.41	0.25	0.32	0.38	0.88	1.43	22.65	1.36
1887	3.16	3.61	3.60	3.75	1.89	1.27	0.87	1.35	0.48	0.57	0.71	0.91	22.17	3.27
1888	1.43	3.32	4.28	8.27	2.88	0.84	0.39	0.54	1.31	2.74	5.04	5.08	31.12	4.98
1889	4.51	1.83	1.60	2.27	2.18	1.89	1.33	2.05	1.06	1.21	2.49	8.06	25.48	5.65
1890	2.07	2.23	5.37	2.93	3.00	1.92	0.43	0.46	0.58	2.61	1.95	2.49	26.04	4.08
1891	6.29	5.97	7.21	3.43	1.40	1.01	0.42	0.44	0.42	0.58	0.56	0.87	28.60	1.86
1892	2.49	1.76	3.03	1.83	2.10	1.17	0.66	0.49	0.56	0.45	1.07	0.87	15.98	2.16
1893	0.75	2.14	4.52	2.72	4.42	1.04	0.47	0.69	0.41	0.55	0.71	1.27	19.69	2.12
1894	1.37	1.87	3.05	2.27	1.31	0.91	0.49	0.38	0.36	0.58	0.91	0.90	14.40	1.81
1895	1.50	0.81	3.12	2.70	1.31	0.50	0.55	0.77	0.82	1.43	2.34	2.08	17.48	3.07
Totals	38.51	52.38	70.19	46.43	35-05	18.45	10.28	11.70	8.90	14.72	23.87	29.31	859.29	45.60
Averages	2.14	2.91	3.90	2.58	1.95	1.03	0.57	0.65	0.49	0.82	1.30	1.63	19.96	2.53

TABLE XXV.

Percentage of Waterfall collected at Mystic Water-shed, 1878 to 1895.

Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Yearly.	4 months, July-Oct.
1878	62.6	69.2	125.0	38.6	322.9	29.6	13.5	14.8	17.7	14.8	80.8	74.9	47.8	14.9
1879	66.6	85.4	98.9	85.3	104.9	24.5	22.6	12.8	29.7	44.2	16.2	18.6	48.0	20.1
1880	64.9	60.1	78.4	68.8	47.8	34.3	9.2	14.7	31.7	13.5	22.9	23.8	35.5	13.5
1881	14.2	58.9	101.5	141.1	50.7	29.9	33.3	51.9	14.1	13.6	14.8	26.3	44.5	23.9
1882	24.8	64.8	168.4	55.0	40.4	38.6	14.9	20.8	6.3	30.0	22.2	25.5	38,4	12.3
1883	26.1	46.7	84.8	65.9	33.5	31.8	10.8	25.7	12.1	7.2	21.1	14.7	29.8	10.3
1884	31.5	63.9	127.8	121.2	50.2	18.3	15.5	12.4	33.5	9.9	17.4	25.6	45.5	14.0
1885	37.1	53.3	174.5	58.8	55.3	19.6	22.8	9.2	23.7	12.2	38.2	113.6	89.4	13.6
1886	36.6	107.3	101.9	154.3	43.0	85.5	11.1	7.8	10.7	13.4	21.7	29.7	49.7	10.7
1887	60.2	80.8	72.0	81.3	112.0	47.3	13.2	27.1	32.0	18.7	23.4	25.6	47.8	20.3
1888	35.2	101.3	82.5	115.2	56.6	38.1	17.5	8.8	15.3	55.3	73.6	96.4	54.8	22.7
1889	81.8	98.2	70.2	63.0	46.9	57.0	15.8	52.2	22.5	33.7	44.1	107.0	50.6	27.3
1890	75.6	66.0	80.4	121.8	47.6	56.9	19.0	12.7	15.6	29.5	141.2	53.5	<b>52.</b> 8	22.1
1891	100.7	117.8	118.7	109.0	57.0	22.8	13.3	11.3	19.3	12.1	21.7	25.6	60.8	13.3
1892	55.0	58.5	75.7	163.6	37.5	28.3	25.7	10.2	27.7	24.3	23.1	75.2	40.9	19.2
1893	33.3	28.6	177.3	80.7	70.6	49.5	23.2	12.6	20.5	13,4	31.5	29.1	44.5	15.6
1894	34.8	56.5	280.1	65.4	25.3	125.8	14.2	15.1	14.3	10.5	26.0	22.7	36.7	12.9
1895	42.4	123.4	103.9	64.7	41.5	13.7	12.8	14.1	15.7	14.0	37.3	90.7	35.8	13.9
Totals	883.4	1340.5	2116.5	1653.7	1243.2	701.5	308.4	331.2	362.4	369.8	626.7	878.5	802.8	300.6
Averages .	49.1	74.5	117.6	91.9	69.1	39.0	17.1	18.6	20.1	20.5	84.8	48.8	44.6	16.7

Area of water-shed used, includes water surfaces. TABLE XXVI. Field of Sudbury-river Water-shed, 1875-1895. Area of wa

			Toold nor	Doin		Viold nor	Minim	num Mot	Minimum Monthly Yleld.		Minimu	Minimum Yield in any Week.	y Week.
YBAR.	Rain- fall.	Daily Average Yield for Year.	Square Square Mile per Day.	fall, July- Oct.	Daily Aver. age Yield, July-Oct.	Mile per Day.		Rain.	Daily Average Yield for Month.	Yield per Square Mile per Day.		Daily Aver- age Yield for Week.	Yield per Square Mile per Day.
	Inches.	Gallons.	Gallons.	Inches.	Gallons.	Gallons.	Month.	Inches.	Gallons.	Gallons.	Week.	Gallons.	Gallons.
1875	45.490	75,599,200	972,200	17.380	30,650,400	394,100	January	2.420	8,000,000	102,900			
1876	49.568	88,278,400	1,185,200	17.709	19,603,300	252,100	July	9.184	14,229,000	188,000	•	4,000,000	51,400
1877	44.018	94,869,200	1,213,500	15.471	19,832,100	255,000	September	0.828	4,633,300	29,600	•	1,800,000	28,100
1878	57.931	112,882,200	1,451,600	17.616	25,001,600	821,500	July	2.971	006'886'6	128,400	:	2,300,000	68 200
1879	41.419	69,942,200	894,000	13.129	14,974,000	191,400	October	0.800	5,682,300	70,700			
1880	38.177	45,250,300	578,400	15.624	9,856,100	119,600	September	1.608	6,280,000	80,300			
1881	44.169	73,683,900	979,200	9.280	15,178,900	201,800	August	1.358	11,135,500	148,100			
1882	39.394	64,812,300	861,900	14.251	13,977,200	186,900	August	1.667	4,158,100	98,300	Aug. 20-26	2,604,000	84,600
1883	32.780	40,056,200	632,700	10.585	8,870,700	118,000	August	0.736	5,906,500	78,500			
1884	47.136	84,929,200	1,129,400	11.660	11,487,000	152,800	September	0.855	3,308,300	43,900	Sept. 14-20	51,800	700
1885	43.545	67,721,600	900,600	16.130	14,313,000	190,800	July	1.425	4,667,700	62,100			
1886	46.065	81,730,700 1,086,800	1,086,800	13.505	(8,891,900	118,200	August	4.100	7,077,400	94,100			
1887	42.705	86,749,300 1,153,600	1,163,600	13.196	11,874,800	157,900	September	1.820	8,346,700	111,000	Sept. 18-24	6,162,900	82,000
1888	57.465	57.465   127,642,900   1,697,400	1,697,400	21.206	68,478,000	910,600	July	1.406	8,825,800	117,400			

1889	49.950	104,030,100	1.383.400	21.975	77,563,400	1.031.400	1889   49.950   104.080 100   1.383.400   21.975   77.563.400   1.031.400   July   8.940   47.645.200	8.940	47.645.200	633.600	-	•	
1890	63.000	1890 63.000 96,650,400 1,285,200 22.836	1,285,200	22.835	55,975,600	744,400	744,400 July 2.460	2.460	8,064,500		July 13-19	3,446,800	45,800
1891	49.520	1891 49.520 98,865,500 1,314,700 14.330	1,314,700	14.330	13,608,900	181,000	July 8.395	3.395	11,212,900	149,100			
1892	41.830	1892 41.830 58,753,000 781,300 12.680 15,957,700	781,300	12.680	15,957,700	212,200	October 1.170	1.170	9,461,300	125,800			
1893	48.225	1893 48.225 77,963,300 1,036,700 13.785 12,602,400	1,036,700	13.785	12,602,400	167,600	167,600 September 1.735	1.735	8,126,700	108,100	,		
1894	39.740	57,937,800	770,400	13.265	770,400 13.265 16,856,900	224,200	September 2.635	2.635	11,243,300	149,500		-	
1895 50.620	50.620	86,682,900 1,152 000 22.170	1,152 000	22.170	36,477,200		485,100 September 2,300 6,673,300	2,300	6,673,300	88,700			
Averages].	45.845	Averages: . 45.845 80,687,200 1,073,000 15.569 23,882,400	1,073,000	15.559	23,882,400	817,600							

# SUMMARY OF STATISTICS.

# REPORT FOR 1895.

Boston Water Works, Suffolk County, Massachusetts, supplies also the cities of Somerville, Chelsea, and Everett.

					,				
Population by	cen	sus of	189	5:					•
Boston.		•	•		•				496,920
Chelsea	•			•				•	31,264
Somerville				•		•			52,200
Everett	•	•	•	•	•	•	•	•	18,573
Total		•		•	•			•	598,957
Date of const	ruct	ion :							
Cochituate 7	Wor	ks.		•	•		•	•	1848
Mystic .				•	•		•	•	1864
By whom own	ed	- City	of H	Bostor	1.				
Sources of su	pply	. — Li	ake C lake.	ochiti	uate,	Sudbi	ary ri	ver, a	nd Mystic
Mode of supp	ly. –	-Sixt	y-five	e per	cent.	from	gravi	ty wo	rks.
	•	Thi	rty-fiv	⁄е '	6	"	pump	oing	"
			_	_					

	Римр			25
Builder of pumping ma-		ITUATE.		Mystic.
chinery		Mfg. Co. Quintard		. Worthington
		Works.		g. Co.
Description of coal used:				
$a \text{ Kind} \dots$		iminous.		Bituminous.
c Size		ken.		Broken.
e Price per gross ton,		*		
in bins		27, \$3.92 <del>1</del> ,	\$	3.63, \$3.59,
45		3.90.		<b>\$</b> 3.34.
f Per cent. of ash,	3	10.2		10.9
		Cochitua	re.	Mustic.
Coal consumed for year, in Total pumpage for year		4,866	,806	8,121,000
gallons	• •	4,165,789	•	3,455,822,700
Gallons pumped per lb. of		8	55.9	425.5
Cost of pumping figure pumping-station exp		,		
viz.: Cost per million gallons		\$31,56	6.85	\$30,569.07
to reservoir	·	8	7.58	<b>\$8.84</b>

#### CONSUMPTION.

	COCHITUATE.	Mystic.
Estimated population	487,000	113,700
Estimated number of consumers,	483,500	112,500
Total consumption, gallons .	18,542,416,600	3,455,460,300
Passed through meters	4,410,825,000	768,600,000
Percentage metered	23.8	22.2
Average daily consumption, gal-		
lons	50,801,100	9,467,000
Gallons per day, each inhabi-		,
tant	104.3	83.3
Gallons per day, each consumer,	105.0	84.1
Gallons per day to each tap .	716.7	392.5

#### DISTRIBUTION.

## Mains.

		COCHITUATE.	Mystic.
Kind of pipe used $\ \ '$ .	{	Cast-Iron.	Cast-Iron, Wrought- Iron, and Cement.
Sizes	•	48 in. to 4 in.	30 in. to 3 in.
Extended, miles	•	23.1	4.9
Total now in use		595.9	178.6
Distribution-pipes less	than		
4 in., length, miles .	•	<b>2.2</b>	4.3
Hydrants added		242	. 97
Hydrants now in use .		6,459	1,543
Stop-gates added .	•	289	
Stop-gates now in use.		6,648	2,285

## Services.

Kind of pipe used	•	{	Lead.	Lead and Wrought-Iron.
Sizes	•	`.	$\frac{5}{8}$ in. to 6 in.	$\frac{1}{2}$ in. to 4 in.
Extended, feet .			53,192	20,524
Service-taps added			2,323	863
Total now in use			70,879	24,120
Meters added .			61	10
Meters now in use	•		4,398	504
Motors and elevators	in use		512	21

## <sup>1</sup> Boston Water Board. Organized July 31, 1876.

TIMOTHY T. SAWYER, from July 31, 1876, to May 5, 1879; and from May 1, 1882, to May 4, 1883.

LEONARD R. CUTTER, from July 31, 1876, to May 4, 1883.2

ALBERT STANWOOD, from July 31, 1876, to May 7, 1883.

FRANCIS THOMPSON, from May 5, 1879, to May 1, 1882.2

WILLIAM A. SIMMONS, from May 7, 1883, to August 18, 1885.

GEORGE M. HOBBS, from May 4, 1883, to May 4, 1885.

JOHN G. BLAKE, from May 4, 1883, to August 18, 1885.

WILLIAM B. SMART, from May 4, 1885, to March 18, 1889.

HORACE T. ROCKWELL, from August 25, 1885, to April 25, 1888.

PHILIP J. DOHERTY, from March 18, 1889, to May 4, 1891.

THOMAS F. DOHERTY, from August 26, 1885, to May 5, 1890; and from May 4, 1891, to July 1, 1895.

ROBERT GRANT, from April 25, 1888, to July 18, 1893.

JOHN W. LEIGHTON, from May 5, 1890, to July 1, 1895.

WILLIAM S. McNary, from August 15, 1893, to November 5, 1894.

CHARLES W. SMITH, from January 23, 1895, to July 1, 1895.

#### ORGANIZATION OF THE BOARD TO JULY 1, 1895.

Chairman.

THOS. F. DOHERTY.

Chief Clerk and Secretary.

WALTER E. SWAN.

FROM JULY 1, 1895.

1 Water Commissioner.

CHARLES W. SMITH.

Assistant Water Commissioner.

JEREMIAH J. McCARTHY.

Chief Clerk and Secretary.

WALTER E. SWAN.

General Superintendent Income Division.

Jos. H. CALDWELL.

City Engineer and Engineer of the Department.

WILLIAM JACKSON.

<sup>&</sup>lt;sup>1</sup> Under Chap. 449 of the Acts of 1895 the Boston Water Board was abolished, and the Water-Supply and Water-Income Departments consolidated and placed under the charge of one Water Commissioner.
<sup>3</sup> Deceased.

General Superintendent of the Western Division and Resident Engineer of Additional Supply.

DESMOND FITZGERALD.

General Superintendent of the Eastern Division of Cochituate Department.

WILLIAM J. WELCH, to July 1.

HENRY C. RICHARDSON, from July 1.

General Superintendent of the Mystic Division.

Eugene S. Sullivan.

General Superintendent of Pumping-Stations.

M. H. Ballou, from July 1, 1895.

. .

# TABLE OF CONTENTS.

											PAGE
Abatements .	•	•	•	•	•	•	•	•	٠	•	33
Analyses of water	•	•	•	•	•	•	•	•	•	•	64, 65
Bacteria in water	•	•	•		•	•	•	•	•	•	76
Biological laboratory			•		•	•	•	•	•	•	53
Brookline reservoir	•	•	•	•	•	•	•		•	•	52
Cost of Cochituate w	orks		•		•				•	•	2
Cost of construction				•			•	•		•	2
Cost of Mystic work	8										. 4
Cost of Sudbury-rive	er wo	rks									3
Chestnut Hill pumpi	ng-sta	tion	١.								145
Chestnut Hill reserv	oir										52
City Engineer, Repo	rt of										139
Cochituate aqueduct											51
Color of water .											74, 75
Consumption of water	er										152, 153
Contracts made and	pend	ing									13
Distribution system											155
Dudley Pond .		•									50
East Boston reservoi			•								94
Eastern Division, Re											93
Electrolysis .	-	•									153, 154
Expenditures .							_				1, 2, 8
Extension of mains				_							8, 93
<b>T</b>		•									45, 143
TRILAMANIAM									Ċ		48
Fisher Hill reservoir			•		•	-					53
Fixtures		•	•	•	•	•	•		•	•	85
Fountains .	•	•	:	•	•	:	•	:	•	•	95, 128
High service .	•	•	•	•	•	•	•	•		145.	147, 155
High-service pumpin	· no-enc	<del>ri</del> ne	No 9		•	•	•	•	•		146, 147
Hydrants					•	•	•	•	•	•	95, 128
Inspection of water s			•	•	•	•	•	•	•	•	53
- · a · · ·			•	•	•	•	•	•	•	•	46, 143
Mains abandoned	•				•	•	•	•	•	•	113
Mains connected wit	h M-	etia			:	•	•	•	•	•	128, 133
Mains laid and leng							wash	•	•	•	98, 102
									•	•	10-12
Maintenance, Cost of Meters		•		•	•	•	•	•	•	•	96, 114
	• 1-		•	• T	• -1	•	•	•	•	•	81
Metropolitan water-s				-			•	•	•	•	126
			•	•	•	•	•	•	•	•	126
Mystic department									•		120

Mystic Division, Report of Su	noris	stand	ent.					PAGE 125
Mystic Lake	Porm			•	•	•		125, 148
Mystic pumping-engine No. 4	•	•	•		•	:	•	150-152
Mystic pumping-station .	:	•	•	•	:	:		126, 149
Mystic reservoir	•	•	•	•	:	•		125, 175
Mystic Valley sewer .	:	:	•	:	:	:		126, 149
Organization of Board .	:	•	•	•				194
Parker Hill reservoir .		•	•	•	•	•		04 145
Quality of water	•	•	•	•	•	•		63
Rainfall	•	•	•	•	•	•	. 36,	87, 78–80
Decelor.	•	•	•	•	•	•		
Daniel of otomic	•	•	•	•	•	•		121
Reservoir No. 1	•	•	•	•	•	•		39, 139
Reservoir No. 2	•	•	•	•	•	•		40, 140
Reservoir No. 3	•	•	•	•	•	•	• •	41 140
Reservoir No. 4	•	•	•	•	•	•		42, 140
T) 1 37 F	•	•	•	•	•	•		•
Reservoir No. 5	•	•	•	•	•	•		
D : 37 0	•	•	•	•	•	•		48, 142 44
Service-pipes	•	•	•	•	•	•		96, 128
	•	•	•	•	•	•		. 04
Shutting-off and letting-on ser	vice		•	•	•	•		
Sinking-funds	•	•	•	•	•	•		94
South Boston reservoir .	•	•	•	•	•	•		
Statistics	•	•	•	•	•	•		0.4
Stopcocks	•	•	•	•	•	•		
Sudbury-river aqueduct .	•	•	•	•	•	•		50
Tables:								
Average height of water i	in ms	ins i	a city					. 166
Chestnut Hill pumping-sta	ation	, mon	thly	recor	ds	•		167, 168
Daily average consumption	on, 18	389-1	895					. 158
Diversion of Sudbury-riv	er w	ater,	1888-	-1895				159
East Boston pumping-stat	ion,	mont	hly r	ecord	8			170
Heights of reservoirs on 1	first (	of eac	eh mo	nth				144
Hydrants in use January	31, 1	896						120
Mains laid during the year	, and	leng	ths ir	use	Janu	ary 31	, 1896,	98, 102
Monthly percentage of ra	infal	l coll	ected	on (	Cochi	tuate	water-	-
shed, 1868-1895 .				•				182, 183
Monthly percentage of rai	infall	colle	ected	on M	ystic	wate	r-shed,	
1878-1895								189
Monthly percentage of water-shed, 1875-1895		all c	ollect	ed o	n S	ıdbur	y-rivei	. 186
Monthly rainfall collecte	d or					•	1863-	-
	•	• •	•				• •	180, 181
Monthly rainfall collected		•			•			. 188
Monthly rainfall collected	a on		•	iver v	water	-sned	, 1875-	
1895	•	•	٠,	•		•	•	. 185
Monthly rainfall on Coch							•	. 178, 179
Monthly rainfall on Myst	ic wa	ter-st	ied, l	878-	1882	•	•	. 187

		Тав	LE	OF	Cont	ENT	.8.				199
											PAGE
Monthly rainfal			_				d, 18	75–18	395	•	184
Mystic pumping	-			-			•	•	•		169
Mystic Sewage	-				nonthly	y rec	ords	•	•	•	172
Rainfall at Lake	e Co	chi <b>tu</b>	ate,	1895	•	•					174
Rainfall at Mys	stic l	ake,	1895		•		•		•		175
Rainfall at vari	ous j	pla <b>c</b> e	s in 🤇	easte:	rn <b>Ma</b>	sach	useti	s, 18	95		176
Rainfall on and	d yi	eld o	f La	ke C	ochitu	ate '	water	-shed	1, 18	52	
1895 .									•		160
Rainfall on and	yiel	d of	Sudb	ury-	river w	ater	-shed	l, 187	75–18	95,	190, 191
Rainfall on Sud	bury	-rive	r wat	er-sb	ied, 18	95					173
Service-pipes la	id aı	nd ab	ando	ned							100, 129
Temperature of	air	and v	vater	, 189	5.						177
Water meters in	ı use	Jan	uary	31, 1	896						117
West Roxbury	pumj	pi <b>ng</b> -	statio	n, m	onthly	reco	rds				171
Temperatures of wa	iter									72	, 73, 146
Waste detection											35
Water debt .											2, 6
Water-Income Divis	ion,	Rep	ort of	f Suj	perinte	nder	t				27
Water loans, outstan	ndin	g									4, 5
Water posts .	. `										95
Water revenue											1
Water sinking-fund											7
Water takers .											27-33
Western Division, I	Repo	rt of	Sup	erint	endent	of					36
Whitehall pond			. •								143, 158

.

. . 



